

**APACER : Flash Drive**



Part	Picture	Description	SRP (inc.VAT)	Warranty
<b>FLASH DRIVE USB 2.0</b>				
ACR-AP16GAH333B-1		Apacer Flash Drive AH333 16GB Black RP	CALL	Lifetime
ACR-AP32GAH333B-1		Apacer Flash Drive AH333 32GB Black RP	CALL	Lifetime
ACR-AP64GAH333B-1		Apacer Flash Drive AH333 64GB Black RP	CALL	Lifetime
ACR-AP16GAH333W-1		Apacer Flash Drive AH333 16GB White RP	CALL	Lifetime
ACR-AP32GAH333W-1		Apacer Flash Drive AH333 32GB White RP	CALL	Lifetime
ACR-AP64GAH333W-1		Apacer Flash Drive AH333 64GB White RP	CALL	Lifetime
ACR-AP16GAH334U-1		Apacer Flash Drive AH334 16GB Blue RP	CALL	Lifetime
ACR-AP32GAH334U-1		Apacer Flash Drive AH334 32GB Blue RP	CALL	Lifetime
ACR-AP64GAH334U-1		Apacer Flash Drive AH334 64GB Blue RP	CALL	Lifetime
ACR-AP16GAH334P-1		Apacer Flash Drive AH334 16GB Pink RP	CALL	Lifetime
ACR-AP32GAH334P-1		Apacer Flash Drive AH334 32GB Pink RP	CALL	Lifetime
ACR-AP64GAH334P-1		Apacer Flash Drive AH334 64GB Pink RP	CALL	Lifetime
ACR-AP16GAH23BB-1		Apacer HANDY STENO AH23BB 16GB	CALL	Lifetime
ACR-AP32GAH23BB-1		Apacer HANDY STENO AH23BB 32GB	CALL	Lifetime
ACR-AP64GAH23BB-1		Apacer HANDY STENO AH23BB 64GB	CALL	Lifetime
ACR-AP16GAH23AW-1		Apacer HANDY STENO AH23AW 16GB	CALL	Lifetime
ACR-AP32GAH23AW-1		Apacer HANDY STENO AH23AW32GB	CALL	Lifetime
ACR-AP64GAH23AW-1		Apacer HANDY STENO AH23AW 64GB	CALL	Lifetime
ACR-AP16GAH335G-1		FD USB2.0 AH335 16GB	CALL	Lifetime
ACR-AP32GAH335G-1		FD USB2.0 AH335 32GB	CALL	Lifetime
ACR-AP64GAH335G-1		FD USB2.0 AH335 64GB	CALL	Lifetime
ACR-AP16GAH336B-1		USB2.0 Flash Drive AH336 16GB Black RP	CALL	Lifetime
ACR-AP16GAH336W-1		USB2.0 Flash Drive AH336 16GB White RP	CALL	Lifetime
ACR-AP32GAH336B-1		USB2.0 Flash Drive AH336 32GB Black RP	CALL	Lifetime
ACR-AP32GAH336W-1		USB2.0 Flash Drive AH336 32GB White RP	CALL	Lifetime
ACR-AP64GAH336B-1		USB2.0 Flash Drive AH336 64GB Black RP	CALL	Lifetime
ACR-AP64GAH336W-1		USB2.0 Flash Drive AH336 64GB White RP	CALL	Lifetime
<b>Entry Model USB 3.1</b>				
ACR-AP16GAH350B-1		Apacer FD USB3.0 AH350B 16GB Black	CALL	Lifetime
ACR-AP32GAH350B-1		Apacer FD USB3.0 AH350 32GB Black	CALL	Lifetime
ACR-AP64GAH350B-1		Apacer FD USB3.0 AH350 64GB Black	CALL	Lifetime
ACR-AP16GAH360A-1		Apacer FD USB3.0 AH360 16GB Ashy	CALL	Lifetime
ACR-AP32GAH360A-1		Apacer FD USB3.0 AH360 32GB Ashy	CALL	Lifetime
ACR-AP32GAH354B-1		Apacer FD USB3.0 AH354 32GB Black	CALL	Lifetime
ACR-AP64GAH354B-1		Apacer FD USB3.0 AH354 64GB Black	CALL	Lifetime
ACR-AP16GAH355B-1		Apacer FD USB3.1 AH355 16GB Black	CALL	Lifetime
ACR-AP32GAH355B-1		Apacer FD USB3.1 AH355 32GB Black	CALL	Lifetime
ACR-AP64GAH355B-1		Apacer FD USB3.1 AH355 64GB Black	CALL	Lifetime
ACR-AP16GAH356B-1		Apacer FD USB3.1 AH356 16GB Black	CALL	Lifetime
ACR-AP32GAH356B-1		Apacer FD USB3.1 AH356 32GB Black	CALL	Lifetime
ACR-AP64GAH356B-1		Apacer FD USB3.1 AH356 64GB Black	CALL	Lifetime
ACR-AP16GAH357U-1		Apacer FD USB3.1 AH357 16GB Blue	CALL	Lifetime
ACR-AP32GAH357U-1		Apacer FD USB3.1 AH357 32GB Blue	CALL	Lifetime
ACR-AP64GAH357U-1		Apacer FD USB3.1 AH357 64GB Blue	CALL	Lifetime
ACR-AP16GAH359U-1		Apacer FD USB3.1 AH359 16GB Blue	CALL	Lifetime
ACR-AP32GAH359U-1		Apacer FD USB3.1 AH359 32GB Blue	CALL	Lifetime
ACR-AP64GAH359U-1		Apacer FD USB3.1 AH359 64GB Blue	CALL	Lifetime

**APACER : Micro Card**

Part	Picture	Description	SRP (inc.VAT)	Warranty
ACR-AP16GMC-SH10U5R		microSDHC UHS-I U1 Class10 R85 16GB with adaptor	CALL	Lifetime
ACR-AP32GMC-SH10U5R		microSDHC UHS-I U1 Class10 R85 32GB with adaptor	CALL	Lifetime
ACR-AP64GMC-SX10U5R		MICROSDHC UHS-I U1 R85 CLASS 64GB with adaptor	CALL	Lifetime

SSD & FLASH MEMORY

SAMSUNG : SSD Hard Drive		SAMSUNG			
Part	Description	Speed Sequential Read / Write (MB/s)	Warranty	SRP (inc.VAT)	
<b>INTERNAL SSD</b>					
	<b>870 EV O: SATA3 (2.5")</b>				
	SSG-MZ-77E250BW	Samsung SSD 870 EVO SATA3 2.5" 250GB	560 / 530 MB/s	5 Years	2,390
	SSG-MZ-77E500BW	Samsung SSD 870 EVO SATA3 2.5" 500GB	560 / 530 MB/s	5 Years	2,490
	SSG-MZ-77E1T0BW	Samsung SSD 870 EVO SATA3 2.5" 1TB	560 / 530 MB/s	5 Years	4,590
	SSG-MZ-77E2T0BW	Samsung SSD 870 EVO SATA3 2.5" 2TB	560 / 530 MB/s	5 Years	9,090
SSG-MZ-77E4T0BW	Samsung SSD 870 EVO SATA3 2.5" 4TB	560 / 530 MB/s	5 Years	17,390	
	<b>990 EVO PCIe 4.0 M.2</b>				
	SSG-MZ-V9E1T0BW	Samsung SSD 990 EVO PCIe 4.0 M.2 1TB	5000 / 4200 MB/s	5 Years	5,390
	SSG-MZ-V9E2T0BW	Samsung SSD 990 EVO PCIe 4.0 M.2 2TB	5000 / 4200 MB/s	5 Years	8,590
	<b>980 PCIe3 NVMe M.2</b>				
	SSG-MZ-V8V250BW	Samsung SSD 980 PCIe3 NVMe M.2 250GB	2,900 / 1,300 MB/s	5 Years	2,490
	SSG-MZ-V8V500BW	Samsung SSD 980 PCIe3 NVMe M.2 500GB	3,100 / 2,600 MB/s	5 Years	3,290
	SSG-MZ-V8V1T0BW	Samsung SSD 980 PCIe3 NVMe M.2 1TB	3,500 / 3,000 MB/s	5 Years	5,690
	<b>980 PRO PCIe4 NVMe M.2</b>				
	SSG-MZ-V8P1T0BW	Samsung SSD 980 PRO PCIe4 NVMe M.2 1TB	7,000 / 5,000 MB/s	5 Years	5,590
	SSG-MZ-V9P1T0BW	Samsung SSD 990 PRO PCIe4 NVMe M.2 1TB	7,450 / 6,900 MB/s	5 Years	5,690
	SSG-MZ-V9P2T0BW	Samsung SSD 990 PRO PCIe4 NVMe M.2 2TB	7,450 / 6,900 MB/s	5 Years	8,890
	SSG-MZ-V9P4T0BW	Samsung SSD 990 PRO PCIe4 NVMe M.2 4TB	7,450 / 6,900 MB/s	5 Years	16,590
	<b>990 PRO Heatsink</b>				
	SSG-MZ-V9P1T0CW	Samsung SSD 990 PRO Heatsink PCIe4 1TB	7,450 / 6,900 MB/s	5 Years	6,290
	SSG-MZ-V9P2T0CW	Samsung SSD 990 PRO Heatsink PCIe4 2TB	7,450 / 6,900 MB/s	5 Years	9,490
	SSG-MZ-V9P4T0CW	Samsung SSD 990 PRO Heatsink PCIe4 4TB	7,450 / 6,900 MB/s	5 Years	17,090
<b>EXTERNAL SSD</b>					
	<b>T7 Portable Shield</b>				
	SSG-MU-PE1T0S/WW	Samsung Portable SSD T7 Shield 1TB Black	1,050 / 1,000 MB/s	3 Years	6,090
	SSG-MU-PE2T0S/WW	Samsung Portable SSD T7 Shield 2TB Black	1,050 / 1,000 MB/s	3 Years	10,190
	SSG-MU-PE4T0S/WW	Samsung Portable SSD T7 Shield 4TB Black	1,050 / 1,000 MB/s	3 Years	17,990
	SSG-MU-PE1T0R/WW	Samsung Portable SSD T7 Shield 1TB Blue	1,050 / 1,000 MB/s	3 Years	6,090
	SSG-MU-PE2T0R/WW	Samsung Portable SSD T7 Shield 2TB Blue	1,050 / 1,000 MB/s	3 Years	10,190
	SSG-MU-PE1T0K/WW	Samsung Portable SSD T7 Shield 1TB Beige	1,050 / 1,000 MB/s	3 Years	6,090
SSG-MU-PE2T0K/WW	Samsung Portable SSD T7 Shield 2TB Beige	1,050 / 1,000 MB/s	3 Years	10,190	
	<b>T9 Portable</b>				
	SSG-MU-PG1T0B/WW	Samsung Portable SSD T9 1TB Black	2,000 / 1,950 MB/s	5 Years	6,190
	SSG-MU-PG2T0B/WW	Samsung Portable SSD T9 2TB Black	2,000 / 1,950 MB/s	5 Years	10,690
SSG-MU-PG4T0B/WW	Samsung Portable SSD T9 4TB Black	2,000 / 2,000 MB/s	5 Years	19,590	
	<b>T5 EVO</b>				
	SSG-MU-PH2T0S/WW	Samsung Portable SSD T5 EVO 2TB Black	460 / 460 MB/s	3 Years	8,190
	SSG-MU-PH4T0S/WW	Samsung Portable SSD T5 EVO 4TB Black	460 / 460 MB/s	3 Years	15,090
SSG-MU-PH8T0S/WW	Samsung Portable SSD T5 EVO 8TB Black	460 / 460 MB/s	3 Years	27,990	
<b>SAMSUNG : Memory Cards</b>					
Part	Description	Speed	Warranty	SRP (inc.VAT)	
	SSG-MB-MC64KA/APC	Samsung MicroSD EVO Plus 64GB UHS-I U1	Read 130 / Write 20	10 Years	250
	SSG-MB-MC128KA/APC	Samsung MicroSD EVO Plus 128GB UHS-I U3	Read 130 / Write 60	10 Years	410
	SSG-MB-MC256KA/APC	Samsung MicroSD EVO Plus 256GB UHS-I U3	Read 130 / Write 120	10 Years	690
	SSG-MB-MC512KA/APC	Samsung MicroSD EVO Plus 512GB UHS-I U3	Read 130 / Write 120	10 Years	1,430

SSD & FLASH MEMORY

319



**TRANSCEND : SSD Hard Drive**

Part	Description	SRP (Inc.VAT)	Warranty	
<b>2.5" SSD</b>				
	<b>SSD 230S</b>			
	TCN-TS128GSSD230S	128GB, 2.5" SSD, SATA3	Call	5 Years
	TCN-TS256GSSD230S	256GB, 2.5" SSD, SATA3	Call	5 Years
	TCN-TS512GSSD230S	512GB, 2.5" SSD, SATA3	Call	5 Years
	TCN-TS1TSSD230S	1TB, 2.5" SSD, SATA3	Call	5 Years
	TCN-TS2TSSD230S	2TB, 2.5" SSD, SATA3	Call	5 Years
	Model Dimensions (Max.) Capacity Flash Type Sequential Read/Write	SATA III 6Gb/s 3.94" x 2.75" x 0.28", Weight (Max.) : 53 g (1.87 oz) 128 GB/256 GB/512 GB/1 TB/2 TB 3D NAND flash Read: 560 MB/s, Write: 520 MB/s		
	<b>SSD220Q</b>			
	TCN-TS500GSSD220Q	500GB, 2.5" SSD, SATA3, QLC	Call	3 Years
	TCN-TS1TSSD220Q	1TB, 2.5" SSD, SATA3, QLC	Call	3 Years
	TCN-TS2TSSD220Q	2TB, 2.5" SSD, SATA3, QLC	Call	3 Years
	Model Dimensions Capacity Flash Type Sequential Read/Write	SATA III 6 Gb/s 100 mm x 69.85 mm x 6.8 mm (3.94" x 2.75" x 0.28") 500 GB/ 1 TB/2 TB QLC NAND flash Read Speed : 550MB/s, Write Speed : 500MB/s		
<b>M.2 PCIe SSD</b>				
	<b>MTE110Q - PCIe NVMe.</b>			
	TCN-TS500GMTE110Q TCN-TS1TMTE110Q	500GB, M.2 2280, PCIe Gen3x4, M-Key, QLC <b>NEW!</b> 1TB, M.2 2280, PCIe Gen3x4, M-Key, QLC <b>NEW!</b>	Call Call	3-Years 3-Years
	เทคโนโลยี QLC 3D NAND อินเทอร์เฟซความเร็วสูง PCI Express® Gen3 x4 ใช้พลังงานต่ำทำให้อุปกรณ์มีอายุการใช้งานยาวนานและเป็นมิตรกับสิ่งแวดล้อม Supports S.M.A.R.T., TRIM commands Read Speed (Max.) : 500GB = 1900 MB/s , 1TB = 2000 MB/s Write Speed (Max.) : 500GB = 900 MB/s, 1TB = 1500 MB/s			
	<b>MTE 110S</b>			
	TCN-TS128GMTE110S	128GB, M.2 2280, PCIe Gen3 x4, 3D, NVMe	Call	5 Years
	TCN-TS256GMTE110S	256GB, M.2 2280, PCIe Gen3 x4, 3D, NVMe	Call	5 Years
	TCN-TS512GMTE110S	512GB, M.2 2280, PCIe Gen3 x4, 3D, NVMe	Call	5 Years
	TCN-TS1TMTE110S	1TB, M.2 2280, PCIe Gen3 x4, 3D, NVMe	Call	5 Years
	Model Dimensions (Max.) Bus Interface Flash Type Capacity Sequential Read/Write	PCIe SSD 110S 3.15" x 0.87" x 0.14", Weight (Max.) : 8 g (0.28 oz) NVMe PCIe Gen3 x4 3D NAND flash 128 GB/256 GB/512 GB/1 TB Read: 1,700 MB/s, Write: 1,500 MB/s		
	<b>MTE 220S</b>			
	TCN-TS256GMTE220S	256GB, M.2 2280, PCIe Gen3 x4, 3D TLC, Dram	Call	5 Years
	TCN-TS512GMTE220S	512GB, M.2 2280, PCIe Gen3 x4, 3D TLC, Dram	Call	5 Years
	TCN-TS1TMTE220S	1TB, M.2 2280, PCIe Gen3 x4, 3D TLC, Dram	Call	5 Years
	TCN-TS2TMTE220S	2TB, M.2 2280, PCIe Gen3x4, 3D TLC, Dram	Call	5 Years
	Model Dimensions (Max.) Bus Interface Flash Type Capacity Sequential Read/Write	PCIe SSD 220S 3.15" x 0.87" x 0.14", Weight (Max.) : 8 g (0.28 oz) NVMe PCIe Gen3 x4 3D NAND flash 256 GB/512 GB/1 TB Read: 3,500 MB/s, Write: 2,800 MB/s		
	<b>MTE 112S (Single-sided)</b>			
	TCN-TS256GMTE112S	256GB M.2 2280 PCIe Gen3x4 3DTLC NVMe	Call	5 Years
	TCN-TS512GMTE112S	512GB M.2 2280 PCIe Gen3x4 3DTLC NVMe	Call	5 Years
	TCN-TS1TMTE112S	1TB M.2 2280 PCIe Gen3x4 3DTLC NVMe	Call	5 Years
	Model Dimensions (Max.) Bus Interface Flash Type Capacity Sequential Read/Write	PCIe SSD 112S 3.15" x 0.87" x 0.09", Weight (Max.) : 8 g (0.28 oz) NVMe PCIe Gen3 x4 3D NAND flash 256 GB/512 GB/1 TB Read: 1,700 MB/s, Write: 1,500 MB/s		
	<b>MTE 240S</b>			
	TCN-TS1TMTE250S	1TB, M.2 2280, PCIe Gen4x4, NVMe, 3D TLC, Graphene Heatsink	Call	5 Years
	TCN-TS2TMTE250S	2TB, M.2 2280, PCIe Gen4x4, NVMe, 3D TLC, Graphene Heatsink	Call	5 Years
	TCN-TS4TMTE250S	4TB, M.2 2280, PCIe Gen4x4, NVMe, 3D TLC, Graphene Heatsink	Call	5 Years
	3D NAND flash chips มี Heat sink มีขั้วขั้วกร้าเป็นแบบนาฬิกาพิเศษในตัวเพื่อปรับปรุงการกระจายความร้อนของ SSD RAID engine และ LDPC (การตรวจสอบข้อผิดพลาดที่แบบความหนาแน่นต่ำ) เพื่อความสมบูรณ์ของข้อมูล สามารถใช้กับ Playstation5 ได้			
<b>M.2 SSD</b>				
	<b>MTS 830S</b>			
	TCN-TS128GMTS830S	128GB, M.2 2280 SSD, SATA3 B+M Key ,TLC	Call	5 Years
	TCN-TS256GMTS830S	256GB, M.2 2280 SSD, SATA3 B+M Key ,TLC	Call	5 Years
	TCN-TS512GMTS830S	512GB, M.2 2280 SSD, SATA3 B+M Key ,TLC	Call	5 Years
	TCN-TS1TMTS830S	1TB, M.2 2280 SSD, SATA3 B+M Key ,TLC	Call	5 Years
	TCN-TS2TMTS830S	2TB, M.2 2280 SSD, SATA3 B+M Key ,TLC	Call	5 Years
	Model Dimensions (Max.) Bus Interface Flash Type Capacity Sequential Read/Write	M.2 SSD 820S 3.15" x 0.87" x 0.14", Weight (Max.) : 10 g (0.35 oz) SATA III 6Gb/s 3D NAND flash 128 GB/256 GB/512 GB/1 TB Read: 560 MB/s, Write: 500 MB/s		

SSD & FLASH MEMORY

320



**TRANSCEND : SSD Hard Drive**

Part	Description	SRP (Inc.VAT)	Warranty
<b>Portable SSD, MLC</b>			
	<b>ESD330C : External SSD, USB 10Gbps, Type-C, Alloy Case</b> TCN-TS512GESD330C ExSSD 512GB Type-C, Dark Grayish Brown TCN-TS1TESD330C ExSSD 1TB Type-C, Dark Grayish Brown TCN-TS2TESD330C ExSSD 2TB Type-C, Dark Grayish Brown  Read/Write Speed : upto 1050/950 MB/s Color : Dark Grayish Brown Connection Interface : USB Type-C Flash Type : 3D NAND flash Operating System : Microsoft Windows 7 and above, macOS 10.10 and above Dimension : 64.1 mm x 19.7 mm x 9.5 mm (2.52" x 0.78" x 0.37") Weight : 23 g (0.81 oz)	Call	5 Years Limited
		Call	5 Years Limited
		Call	5 Years Limited
		Call	5 Years Limited
* อุปกรณ์เคลื่อนที่ที่รองรับ USB OTG ผู้จำหน่ายแยกคอนโซลอาจกำหนดข้อกำหนดด้านความจุสำหรับการจัดเก็บข้อมูลภายนอก โปรดตรวจสอบความเข้ากันได้ก่อนซื้อ ** ESD330C มาในรูปแบบไฟล์ exFAT อุปกรณ์เคลื่อนที่บางรุ่นต้องใช้ FAT32 หากมี โปรดฟอร์แมต ESD300 เป็น FAT32 ก่อนใช้งาน			
	<b>ESD310C : external SSD, USB 3.1 Gen 2, Type C</b> TCN-TS256GESD310C ExSSD 256GB USB Type C/A Black TCN-TS512GESD310C ExSSD 512GB USB Type C/A Black TCN-TS1TESD310C ExSSD 1TB USB Type C/A Black TCN-TS1TESD310S ExSSD 1TB USB Type C/A Silver TCN-TS2TESD310C ExSSD 2TB USB Type C/A Black  Read/Write Speed : upto 1050/950 MB/s Color : Black/ Silver Connection Interface : USB 3.1 Gen 2 Flash Type : 3D NAND flash Operating System : Microsoft Windows 7 and above, macOS 10.10 and above Dimension : 71.3 mm. x 20 mm. x 7.8 mm. (2.81" x 0.79" x 0.31") Weight : 11 g (0.39 oz)	Call	5 Years Limited
		Call	5 Years Limited
		Call	5 Years Limited
		Call	5 Years Limited
* อุปกรณ์เคลื่อนที่ที่รองรับ USB OTG ผู้จำหน่ายแยกคอนโซลอาจกำหนดข้อกำหนดด้านความจุสำหรับการจัดเก็บข้อมูลภายนอก โปรดตรวจสอบความเข้ากันได้ก่อนซื้อ ** ESD310C มาในรูปแบบไฟล์ exFAT อุปกรณ์เคลื่อนที่บางรุ่นต้องใช้ FAT32 หากมี โปรดฟอร์แมต ESD300 เป็น FAT32 ก่อนใช้งาน			
<b>Accessories</b>			
	<b>CM80S</b> TCN-TS-CM42S M.2 2242, USB3.1 SSD Enclosure KIT, Silver TCN-TS-CM80S M.2 2280/2260, USB3.1 SSD Enclosure KIT, Silver  Color : Silver Connection Interface : USB 3.1 Gen 1 USB Type : micro USB to USB Type A Bus Interface : SATA III 6Gb/s Operating Voltage : 5V Dimensions : 120.16 mm x 33.6 mm x 7.5 mm (4.73" x 1.32" x 0.30") Weight : 41 g (1.45 oz)	Call	2-Years Limited
		Call	2-Years Limited
	<b>ESD250C</b> TCN-TS0GSJ25CK3 2.5" SSD/HDD Enclosure Kit, Rubber housing [SJ25CK3]  <b>ESD250C</b> TCN-TS0GSJ25S3 2.5" SSD/HDD Enclosure Kit, Aluminum housing [SJ25S3]  Certificates : CE, FCC, BSMI SATA Interface : SATA III 6Gb/s Connector Interface : USB 3.1 Gen 1 Dimensions : 25CK3 : 129.5 mm x 80.8 mm x 18.8 mm (5.10" x 3.18" x 0.74") 25S3 : 129 mm x 79.9 mm x 13 mm (5.08" x 3.15" x 0.51") Weight : 25CK3 : 108 g (3.8 oz) 25S3 : 86 g (3.03 oz)	Call	2-Years Limited
		Call	2-Years Limited
<b>USB 3.1/3.0 Card Readers</b>			
	<b>RDF9K2</b> TCN-TS-RDF9K2 Card Reader USB 3.1  Connection Interface : USB 3.1 Gen 1, micro USB to USB Type A Card Reader Slot(s) : SD /microSD/CompactFlash Memory Card Supported : SDHC (UHS-I)/SDXC (UHS-I)/SDHC (UHS-I)/SDXC (UHS-I)/microSDHC (UHS-I) /microSDXC (UHS-I)/CompactFlash (UDMA6)/CompactFlash (UDMA7)	Call	2 - Years
	<b>RDF8</b> TCN-TS-RDF8K2 Multi-Card Reader USB3.0 Black TCN-TS-RDF8W2 All-in-1 Multi Memory Card Reader, USB 3.0/3.1 Gen 1, White  Connection Interface : USB 3.1 Gen 1, micro USB to USB Type A Card Reader Slot(s) : SD /microSD/CompactFlash Memory Card Supported : SDHC (UHS-I)/SDXC (UHS-I)/microSDHC (UHS-I)/microSDXC (UHS-I) CompactFlash (UDMA7)	Call	2 - Years
	<b>RDF5</b> TCN-TS-RDF5K SD/microSD Card Reader, USB 3.0/3.1 Gen 1, Black TCN-TS-RDF5R SD/microSD Card Reader, USB 3.0/3.1 Gen 1, Pink TCN-TS-RDF5W SD/microSD Card Reader, USB 3.0/3.1 Gen 1, White  Connection Interface : USB 3.1 Gen 1, USB Type-A Card Reader Slot(s) : SD /microSD Memory Card Supported : SDHC (UHS-I)/SDXC (UHS-I)/microSDHC (UHS-I)/microSDXC (UHS-I)	Call	2 - Years
	<b>RDC8K2</b> TCN-TS-RDC8K2 USB3.1 Gen1 Multi Reader, Type C  Connection Interface : USB 3.1 Gen1, micro USB to USB Type A Memory Card Supported : SDXC (UHS-I/II), SDHC (UHS-I/II), microSDXC (UHS-I), microSDHC (UHS-I), MS (MSXC), CompactFlash (UDMA6/UDMA7) Speed : Read : up to 260MB/s, Write : up to 190MB/s Dimension : 67.6 mm x 45 mm x 15.2 mm / Weight : 30.6 g	Call	2 - Years

SSD & FLASH MEMORY

321

**TRANSCEND : Reader & Hub**



Part	Description	SRP (inc.VAT)	Warranty
<b>OTG Card Readers</b>			
 <b>RDC3</b> TCN-TS-RDC3	SD/microSD Card Reader, USB 3.2 Gen 1, Black, Type C  Interface : USB 3.2 Gen 1, Type-C Card Reader Slot(s) : SD / microSD พร้อม port USB Type-A สำหรับต่ออุปกรณ์อื่นๆ พอร์ทที่รองรับ : SDHC (UHS-I), SDXC (UHS-I), microSDHC (UHS-I), microSDXC (UHS-I) Dimensions : 40.8mm x 40.8mm x 10.4 mm / Weight : 17g.	Call	2 - Years
<b>USB 3.1 HUB</b>			
 <b>HUB3K</b> TCN-TS-HUB3K	USB3.1 4-Port HUB  Connection Interface : USB 3.1, micro USB to USB Type A Dimensions (Max.) : 3.09" x 1.95" x 0.59", Weight : 44 g (1.55 oz) Power Supply (Max.) : 5V / 0.9A from USB port, 12V / 1.5A from power adapte	Call	2 - Years
 <b>HUB2K</b> TCN-TS-HUB2K	Ultra slim and portable USB3.1 4-Port HUB  Connection Interface : USB 3.1 Dimensions (Max.) : 2.91" x 1.46" x 0.41", Weight : 29 g (1.02 oz) Power Supply (Max.) : 5V / 0.9A from USB port	Call	2 - Years
 <b>HUB2C</b> TCN-TS-HUB2C	4-Port HUB, USB 3.1 Gen 1, Type-C  Connection Interface : USB 3.1 Gen 1, USB Type-C Dimensions : 2.91" x 1.46" x 0.41" , Weight : 29 g (1.02 oz) Power Supply : 5V/0.9A from USB port	Call	2 - Years
 <b>HUB5C</b> TCN-TS-HUB5C	3-Port Hub,1-Port PD,SD/MicroSD Reader, USB 3.2 Gen 2,Type C, 6-in-1 Expansion	Call	2 - Years
<b>Compact Flash Card</b>			
 <b>TCN-TS0MCF2PC</b>	PCMCIA ATA Adapter for CF Card  Interface : 68 pin PCMCIA Dimensions : 3.37" x 2.13" x 0.20" , Weight : 22 g (0.78 oz) Memory Card Supported : CompactFlash (Type I)	Call	2 - Years
 <b>RDF2</b> TCN-TS-RDF2	CFast Card Reader, USB 3.0/3.1 Gen 1  Connection Interface : USB 3.1 Gen 1, micro USB to USB Type A Card Reader Slot(s) : CFast Memory Card Supported : CFast 2.0	Call	2 - Years
 <b>RDE2</b> TCN-TS-RDE2	CFexpress Type-B-Card Reader, USB 3.2 Gen 2x2, Type C  Connection Interface : USB Type C to USB Type A/USB Type C to USB Type C Dimension : 75.9 mm x 53.5 mm x 14.7 mm / Weight : 82.9 g Memory Card Supported : CFexpress Type B	Call	2 - Years

**CRUCIAL : SSD**



Article	Description/Spec	Capacities	Speed	Interface	Form Factor	SRP (inc.VAT)	Warranty
<b>SSD SATA</b>							
 CCL-CT240BX500SSD1	Crucial BX500 SSD 240GB 3D NAND SATA 2.5	240GB	540/500MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	1,050.-	3-year limited
 CCL-CT480BX500SSD1	Crucial BX500 SSD 480GB 3D NAND SATA 2.5	480GB	540/500MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	1,590.-	3-year limited
 CCL-CT1000BX500SSD	Crucial BX500 SSD 1000GB SATA 2.5	1TB	540/500MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	2,790.-	3-year limited
 CCL-CT250MX500SSD1	Crucial MX500 SSD 250GB SATA 2.5 7mm	250GB	560/510MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	1,090.-	5-year limited
 CCL-CT500MX500SSD1	Crucial MX500 SSD 500GB SATA 2.5 7mm	500GB	560/510MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	1,890.-	5-year limited
 CCL-CT1000MX500SSD	Crucial MX500 SSD 1TB SATA 2.5 7mm	1TB	560/510MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	2,990.-	5-year limited
<b>SSD M.2 PCIE</b>							
 CCL-CT250P2SSD8	Crucial P2 250GB 3D NAND NVMe PCIe M.2 SSD	250GB	2100/1150MB/s	NVMeTM PCIe Gen 3M.2 2280		1,290.-	5-year limited
 CCL-CT500P2SSD8	Crucial P2 500GB 3D NAND NVMe PCIe M.2 SSD	500GB	2300/940MB/s	NVMeTM PCIe Gen 3M.2 2280		1,890.-	5-year limited
 CCL-CT500P5PSSD8	Crucial P5 Plus SSD 500GB NVMe PCIe M.2	500GB	6600/4000MB/s	NVMeTM PCIe Gen4M.2 2280		2,990.-	5-year limited
 CCL-CT1000P5PSSD8	Crucial P5 Plus SSD 1000GB NVMe PCIe M.2	1TB	6600/5000MB/s	NVMeTM PCIe Gen4M.2 2280		5,490.-	5-year limited
 CCL-CT2000P5PSSD8	Crucial P5 Plus SSD 2000GB NVMe PCIe M.2	2TB	6600/5000MB/s	NVMeTM PCIe Gen4M.2 2280		10,900.-	5-year limited

SSD & FLASH MEMORY

322

**LEXAR : SSD&Memory**



Part	Description	SRP (inc.VAT)	Warranty
<b>Lexar SSD</b>			
	<b>2.5" SATA III (6Gb/s) SSD - NQ100 up to 560MB/s, write up to 500MB/s</b> LXR-LNQ100X240G 240GB 2.5" SATA III, NQ100 LXR-LNQ100X480G 480GB 2.5" SATA III, NQ100 LXR-LNQ100X960G 960GB 2.5" SATA III, NQ100 - Read speed : up to 550 MB/s. - Shock and vibration resistant : อนุตตรแรงกระแทกและแรงสั่นสะเทือน	Call Call Call	3 years 3 years 3 years
	<b>Internal SSD - NM800</b> LXR-LNM800X512G 512GB PCIe G4x4 M.2 2280 upto 7,000MB/s LXR-LNM800X001T 1TB PCIe G4x4 M.2 2280 upto 7,400MB/s - PCIe Gen4x4 NVMe 1.4 technology standard รองรับการทำงานร่วมกับ PCIe 3.0 - Read & Write Speed * 512MB : Read 7000 MB/s, Write : 3000 MB/s * 1TB : Read : 7400 MB/s, Write : 5800 MB/s - พลังงานภายในที่ต่ำเพื่อการใช้งานที่ยาวนานขึ้นและประสิทธิภาพการดำเนินงานที่ดีขึ้น - กระดาษความหนาแน่นได้ ผลิตโดย computer ไม่มีความร้อนสะสม	Call Call	5 years 5 years
	<b>Internal SSD - NM620, PCIe G3x4 M.2 2280</b> LXR-LNM620X256G 256GB, PCIe G3x4 M.2 2280 upto 3,300MB/s LXR-LNM620X512G 512GB, PCIe G3x4 M.2 2280 upto 3,300MB/s LXR-LNM620X001T 1TB, PCIe G3x4 M.2 2280 upto 3,300MB/s LXR-LNM620X002T 2TB, PCIe G3x4 M.2 2280 upto 3,300MB/s - Read & Write Speed * 256GB : Read 3300 MB/s, Write : 1300 MB/s * 512GB : Read 3300 MB/s, Write : 1300 MB/s * 1TB : Read 3300 MB/s, Write : 3000 MB/s - M.2 2280 form factor, High-speed PCIe Gen3x4 interface - เทคโนโลยีการดำเนินงานร่วมกับพีซีและเกมเมอร์	Call Call Call Call	5 years 5 years 5 years 5 years
	<b>Internal SSD - NM610, PCIe G3x4 M.2 2280</b> LXR-LNM610-250RB 250GB, PCIe G3x4 M.2 2280, NM610 LXR-LNM610-500RB 500GB, PCIe G3x4 M.2 2280, NM610 LXR-LNM610-1TRB 1TB, PCIe G3x4 M.2 2280, NM610 - Read & Write Speed * 250GB : Read 2100 MB/s, Write : 1200 MB/s * 1TB : Read 2100 MB/s, Write : 1600 MB/s - Flash type : 3D NAND flash - เทคโนโลยีการดำเนินงานร่วมกับพีซี	Call Call Call	3 years 3 years 3 years
	<b>Internal SSD - NM100, M.2 2280, SATA 6Gb/s</b> LXR-LNM100-128RB 128GB, M.2 2280, SATA 6Gb/s, NM100 LXR-LNM100-256RB 256GB, M.2 2280, SATA 6Gb/s, NM100 LXR-LNM100-512RB 512GB, M.2 2280, SATA 6Gb/s, NM100 - M.2 2280 SATA 6Gb/s SSD - Read speed : Up to 550 MB/s	Call Call Call	3 years 3 years 3 years
<b>External SSD</b>			
	<b>Portable SSD SL200 USB 3.1 Gen2 Type-C - up to 550MB/s read, up to 400MB/s write</b> LXR-LSL200X480G 480GB, Portable SSD USB 3.1 Gen2 Type-C LXR-LSL200X512G 512GB, Portable SSD USB 3.1 Gen2 Type-C LXR-LSL200X960G 960GB, Portable SSD USB 3.1 Gen2 Type-C LXR-LSL200X001T 1TB, Portable SSD USB 3.1 Gen2 Type-C LXR-LSL200X002T 2TB, Portable SSD USB 3.1 Gen2 Type-C - Read & Write Speed * 480GB : Read 500 MB/s, Write 420 MB/s * 512GB : Read 500 MB/s, Write 420 MB/s * 960GB : Read 550 MB/s, Write 400 MB/s * 1TB : Read 550 MB/s, Write 400 MB/s * 2TB : Read 550 MB/s, Write 400 MB/s	Call Call Call Call Call	3 years 3 years 3 years 3 years 3 years
	<b>Portable SSD SL210 USB 3.1 Gen2 Type-C - up to 550MB/s read, up to 450MB/s write</b> LXR-LSL210X500G 500GB, Portable SSD USB 3.1 Gen2 Type-C LXR-LSL210X001T 1TB, Portable SSD USB 3.1 Gen2 Type-C LXR-LSL210X002T 2TB, Portable SSD USB 3.1 Gen2 Type-C - ที่มาแบบพกพา ที่โอนถ่ายเร็ว พลังงานภายในที่ต่ำและอุณหภูมิที่เย็น - Read & Write Speed : Up to 550MB/s Read and up to 450 MB/s write - เชื่อมต่อผ่าน port USB Type-C มาพร้อมสาย 2 เส้น * USB Type-C to USB Type-A - ใช้อุปกรณ์รักษาความปลอดภัยขั้นสูงด้วยการเข้ารหัส AES 256 บิต	Call Call Call	3 years 3 years 3 years
<b>Memory Card</b>			
	<b>Professional 1066x CF, RW up to 160/155 MB/s</b> LXR-LCF32GCRB1066 Professional 1066x CF Card, 32GB LXR-LCF64GCRB1066 Professional 1066x CF Card, 64GB LXR-LCF128CRB1066 Professional 1066x CF Card, 128GB LXR-LCF256CRBAP1066 Professional 1066x CF Card, 256GB Speed : UDMA7 - Read up to : 160MB/s, Write up to : 155MB/s - รองรับข้อกำหนดการรับประกันแบบประสิทธิภาพวิดีโอ (VPG-65) - การลดความเร็วสูง ช่วยให้การถ่ายโอนข้อมูลไปยังคอมพิวเตอร์ทำได้อย่างรวดเร็ว	Call Call Call Call	Limited Life Time Limited Life Time Limited Life Time Limited Life Time
	<b>Professional 3500x CFast, RW up to 525/445 MB/s</b> LXR-LC64GCRBAP3500 Professional 3500x CFast Card, 64GB LXR-LC128CRBAP3500 Professional 3500x CFast Card, 128GB LXR-LC256CRBAP3500 Professional 3500x CFast Card, 256GB LXR-LC512CRBAP3500 Professional 3500x CFast Card, 512GB Speed : UDMA7 - 64GB : Read up to 525MB/s, Write up to 375MB/s - มีความเร็ว ตั้งแต่ 64GB - 256GB - รองรับข้อกำหนดการรับประกันแบบประสิทธิภาพวิดีโอ (VPG-130) - ได้รับการทดสอบและรับประกันการสนับสนุนการรับประกันวิดีโอระดับมืออาชีพ	Call Call Call Call	Limited Life Time Limited Life Time Limited Life Time Limited Life Time
	<b>Professional CFexpress™ Type B card Gold Series</b> LXR-LCFX10-64GCRB Professional CFexpress™ Type B, 64GB LXR-LCFX10-128CRB Professional CFexpress™ Type B, 128GB LXR-LCFX10-256CRB Professional CFexpress™ Type B, 256GB LXR-LCFX10-512CRB Professional CFexpress™ Type B, 512GB Speed : CFexpress™ Type B - Read up to : 1750MB/s, Write up to : 1000MB/s - Interface : PCIe Gen3x2 - รองรับโปรโตคอล PCI Express Gen 3 และ NVMe - มีความหนาแน่นมากขึ้นเพื่อการป้องกันการกระแทก/แรงสั่นสะเทือน	Call Call Call Call	Limited Life Time Limited Life Time Limited Life Time Limited Life Time
	<b>Lexar® Professional CFexpress™ Type B card Silver Series</b> LXR-LCXEXSL128G Profes CFexpress™ Type B Silver, 128GB LXR-LCXEXSL256G Profes CFexpress™ Type B Silver, 256GB Speed : CFexpress™ Type B - Read up to : 1000MB/s, Write up to : 600MB/s - Interface : PCIe Gen3x2 - เพื่อความหนาแน่นที่สูง การตัดสามารถใช้งานร่วมกับกล้อง XQD @ รุ่นย่อยหลังได้ * ใช้อุปกรณ์ที่รองรับ CFexpress™ ที่เปิดใช้งานพร้อมแล้ว	Call Call	Limited Life Time Limited Life Time

SSD & FLASH MEMORY

323

**LEXAR : SSD&Memory**



Part	Description	SRP (inc.VAT)	Warranty
<b>Lexar SD Card</b>			
	<b>Professional 633x U1 SDHC/SDXC, R up to 95 MB/s</b>		
	LXR-LSD32GCB633 Profes. 633x U1 SDHC/SDXC, 32GB	Call	10 years
	LXR-LSD64GCB633 Profes. 633x U1 SDHC/SDXC, 64GB	Call	10 years
	LXR-LSD128CB633 Profes. 633x U1 SDHC/SDXC, 128GB	Call	10 years
	LXR-LSD256CB633 Profes. 633x U1 SDHC/SDXC, 256GB	Call	10 years
	LXR-LSD512CBAP633 Profes. 633x U1 SDHC/SDXC, 512GB	Call	10 years
	LXR-LSD1TCB633 Profes. 633x U1 SDHC/SDXC, 1TB	Call	10 years
Speed : Class 10, UHS-I, V10/V30 - 1TB - up to 95MB/s read, up to 70MB/s write - 512GB - up to 95MB/s read, up to 45MB/s write - 256GB - up to 95MB/s read, up to 45MB/s write - 128GB - up to 95MB/s read, up to 45MB/s write - 64GB - up to 95MB/s read - 32GB - up to 95MB/s read  Support : 1080p Full-HD, 3D, and 4K* UHD video - ออกแบบมาเพื่อใช้งานกับกล้อง: สับ mid-range DSLR, HD camcorder, 3D camera			
	<b>Professional 1066x SDXC UHS-I, U3, V30, RW up to 160/120 MB/s NEW!</b>		
	LXR-LSD1066064G Profes. 1066x SDXC UHS-I U3 V30, 64GB	Call	10 years
	LXR-LSD1066128G Profes. 1066x SDXC UHS-I U3 V30, 128GB	Call	10 years
	LXR-LSD1066256G Profes. 1066x SDXC UHS-I U3 V30, 256GB	Call	10 years
	LXR-LSD1066512G Profes. 1066x SDXC UHS-I U3 V30, 512GB	Call	10 years
Speed : UHS Speed Class 3 (U3) and Video Speed Class 30 (V30) - 512GB - up to 160MB/s read, up to 120MB/s write - 256GB - up to 160MB/s read, up to 120MB/s write - 128GB - up to 160MB/s read, up to 120MB/s write - 64GB - up to 160MB/s read, up to 70MB/s write - ออกแบบมาให้งานกับกล้อง: กล้องระดับสูง และกล้องกับรูปร่างเล็ก - รองรับ Full-HD และ 4K UHD video with write speeds up to 120MB/s. - ออกแบบมาเพื่อใช้งานกับกล้อง DSLR or Mirrorless			
	<b>Professional 1667x SDXC UHS-II, U3, V30, RW up to 250/80 MB/s</b>		
	LXR-LSD64GCB1667 Profes. 1667x SDXC UHS-II U3 V30, 64GB	Call	Limited Life Time
	LXR-LSD128CB1667 Profes. 1667x SDXC UHS-II U3 V30, 128GB	Call	Limited Life Time
	LXR-LSD256CB1667 Profes. 1667x SDXC UHS-II U3 V30, 256GB	Call	Limited Life Time
Speed : UHS-II Speed Class 3 (U3), Class V60 - 256GB - up to 250MB/s read, up to 120MB/s write - 128GB - up to 250MB/s read, up to 120MB/s write - 64GB - up to 250MB/s read, up to 120MB/s write - การดัดแปลง: สามารถใช้ถ่ายภาพยนตร์ 1080p Full-HD, 3D และ 4K - ความจุสูงถึง 256GB ช่วยให้งานถ่ายวิดีโอต่อเนื่องได้โดยไม่ต้องเปลี่ยนการ์ด - สามารถใช้กับอุปกรณ์ที่รองรับ UHS-II โดยจะได้อัตราเร็วสูงสุดตามที่อุปกรณ์รองรับ			
	<b>Professional 2000x SDHC/SDXC UHS-II WITHOUT reader, RW up to 300/260 MB/s</b>		
	LXR-LSD2000032G Profes. 2000x SDHC/SDXC UHS-II U3, 32GB	Call	Limited Life Time
	LXR-LSD2000064G Profes. 2000x SDHC/SDXC UHS-II U3, 64GB	Call	Limited Life Time
	LXR-LSD2000128G Profes. 2000x SDHC/SDXC UHS-II U3, 128GB	Call	Limited Life Time
Speed : UHS-II Speed Class 3 (U3), Class V90 up to 300 MB/s read, up to 260 MB/s write  - เหมาะกับการถ่ายภาพยนตร์คุณภาพสูงและขยายความยาววิดีโอ Full-HD และ 8K - จัดการกับไฟล์ขนาดใหญ่ที่ถ่ายเป็น RAW plus JPEG ได้อย่างง่ายดาย - ออกแบบมาให้งานกับกล้อง: กล้องระดับสูง และกล้องกับรูปร่างเล็ก - สามารถใช้กับอุปกรณ์ที่รองรับ UHS-II โดยจะได้อัตราเร็วสูงสุดตามที่อุปกรณ์รองรับ			
<b>Lexar Micro SD Card</b>			
	<b>633x microSDHC/microSDXC UHS-I w/ adapter, R up to 100MB/s</b>		
	LXR-LSDMI32GBB633A 633x microSDHC/XC UHS-I w/Adapter, 32GB	Call	10 years
	<b>633x microSDHC/microSDXC UHS-I w/ adapter, RW up to 100/45 MB/s</b>		
	LXR-LSDMI64GBB633A 633x microSDHC/XC UHS-I w/Adapter, 64GB	Call	10 years
	LXR-LSDMI128BB633A 633x microSDHC/XC UHS-I w/Adapter, 128GB	Call	10 years
	LXR-LSDMI256BB633A 633x microSDHC/XC UHS-I w/Adapter, 256GB	Call	10 years
LXR-LSDMI512BB633A 633x microSDHC/XC UHS-I w/Adapter, 512GB	Call	10 years	
Speed : UHS-I, Class 10, A2 512GB - up to 100MB/s read, up to 70MB/s write 128GB - 256GB - up to 100MB/s read, up to 45MB/s write 32GB - 64GB - up to 100MB/s read  - ออกแบบมาเพื่อใช้งานร่วมกับ Smartphones, Tablets, และ Action Cameras - ถ่ายภาพ เล่นและถ่ายวิดีโอ 1080p full-HD, 3D และ 4K UHD คุณภาพสูงได้อย่างรวดเร็ว - ความจุหรือพื้นที่เก็บข้อมูลขนาดใหญ่ รวมกับขนาดที่เล็กและพกพาสะดวก - มี SD Adapter มาให้ใน package			
	<b>PLAY microSDXC UHS-I WITHOUT adapter, Read up to 150 MB/s NEW!</b>		
	LXR-LMSPLAY128G PLAY microSDXC UHS-I w/o Adapter, 128GB	Call	5 years
	LXR-LMSPLAY256G PLAY microSDXC UHS-I w/o Adapter, 256GB	Call	5 years
	LXR-LMSPLAY512G PLAY microSDXC UHS-I w/o Adapter, 512GB	Call	5 years
	LXR-LMSPLAY001T PLAY microSDXC UHS-I w/o Adapter, 1TB	Call	5 years
Speed : UHS-I, Class 10, A2 - 1TB - up to 150MB/s read - 512GB - up to 150MB/s read - 256GB - up to 150MB/s read - 128GB - up to 150MB/s read  - เหมาะสำหรับการใช้งานกับอุปกรณ์เล่นเกมแบบพกพา สามารถเล่นเกม และเก็บเสียง - ความเร็วในการถ่ายโอนสูงถึง 150MB/s รองรับประสิทธิภาพระดับ A1 หรือ A2 - ถ่ายภาพ เล่นและถ่ายวิดีโอ 1080p Full-HD คุณภาพสูงจำนวนมากได้อย่างรวดเร็ว			

SSD & FLASH MEMORY

324