

ACER : Rack Servers



* Service by Acer Care เฉพาะกรุงเทพฯ & ปริมณฑล นอกพื้นที่โปรดติดต่อฝ่ายขาย



Altos BrainSphere™ R320 F5
ACR-USRJVST00E



Altos BrainSphere™ R365 F5

CPU	1 x Intel® Xeon® E-2224 Processor 8M Cache, 3.40 GHz	2 x AMD EPYC 7313 3.0GHz 16C/32T 128MB (16 Core)
Memory	16GB (1x16GB) DDR4-2666 ECC UDIMM	32GB (2x16GB) DDR4-3200 ECC RDIMM
Expansion Slots	1 x PCI-E 3.0 x8 1 x M.2 2280/22110 slot (M-key, w/PCIe 3.0 x4)	1 x PCIe x16 slot (Gen4 x16), Low profile half-length, 1 x PCIe x16 slots (Gen4 x16), Low profile half-length, 1 x OCP 3.0 Slot (Gen4 x16), 1 x OCP 2.0 Slot (Gen3 x8), 1 M.2 slot (M-key, w/PCIe Gen 3 x4, supports 2242 / 2260 / 2280 cards)
Harddisk	2 x 1TB 3.5" SATA 7200 RPM	4 x SSD 960GB 2.5" HDD
Chipset	Intel® C242	
RAID Controller	Integrated SATA RAID supports RAID 0, 1, 5, 10 on Windows® OS only	HW RAID 0/1/10/5/50/6/60 Low-Profile 4 ports support
Optical device	4 x 3.5" SAS/SATA hot-swappable bays for HDD/SSD	No
Onboard Gigabit Ethernet	No	2-port 10GbE RJ-45 LAN Card
Redundant Power Supply	2 x RJ45 Ethernet LAN ports	2 x 1200W redundant power supply, 80 PLUS Platinum
Form Factor	Yes (300W)	1U Rack
OS Support (Not Provide OS)	Microsoft® Windows Server® 2019 Red Hat® Enterprise Linux®	Microsoft® Windows Server® 2022, 2019 Red Hat® Enterprise Linux® 7.x and 8.0 VMware ESXI 6.7 VMWare vSAN ReadyNode
Mouse	Altos USB Mouse	Altos USB Mouse
Keyboard	Altos USB Keyboard	Altos USB Keyboard
Warranty	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand
SRP (inc. VAT)	77,361.-	336,515.-



Altos BrainSphere™ R380F5
ACR-USRSKST002

CPU	1 x Intel® Xeon® Silver 4316 Processor 30M Cache, 2.30 GHz
Memory	32GB (2x16GB) DDR4-3200 ECC RDIMM
Expansion Slots	1 PCI-E 4.0 x16 (FH) 5 PCI-E 4.0 x8 (FH) (PCIe4.0x16 options available) 1 PCI-E 4.0 x16 (LP) 1 PCI-E 4.0 x8 (Internal LP)
Harddisk	2 x 2.5" 600GB SAS 10KRPM Hard Drive
Chipset	Intel® C621A
RAID Controller	HW RAID 0/1/10/5/50 Low-Profile PCI-E x8 8-port
Optical device	No
Onboard Gigabit Ethernet	2-port 10GbE RJ-45 LAN Card
Redundant Power Supply	Yes (1200W)
Form Factor	2U Rack
OS Support (Not Provide OS)	Microsoft® Windows Server® 2019 Red Hat® Enterprise Linux® 8.0 VMware ESXI 6.7 and 7.0
Mouse	Altos USB Mouse
Keyboard	Altos USB Keyboard
Warranty	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand
SRP (inc. VAT)	310,086.-

RACK SERVER

DELL : Rack Servers



Dell PowerEdge R260

DEL-SNSR2605

Dell PowerEdge R260

DEL-SNSR2606

Dell PowerEdge R260

DEL-SNSR2607

Form Factor	6x2.5" Chassis with Hot Plug Drives and Cabled PSU (SAS/SATA), 1 CPU,Trusted Platform Module 2.0 V6	6x2.5" Chassis with Hot Plug Drives and Cabled PSU (SAS/SATA), 1 CPU,Trusted Platform Module 2.0 V6	2x3.5" Chassis with Cabled PSU, 1 CPU,Trusted Platform Module 2.0 V6
Processor	Intel® Xeon® 6 Performance 6325P	Intel® Xeon® 6 Performance 6325P	Intel® Xeon® 6 Performance 6325P
Processor Speed / Core	3.5G, 4C/8T, 12M Cache, Turbo, HT (55W) DDR5	3.5G, 4C/8T, 12M Cache, Turbo, HT (55W) DDR5	3.5G, 4C/8T, 12M Cache, Turbo, HT (55W) DDR5
Memory	16GB (1x 16GB) UDIMM, 5600MT/s ECC	16GB (1x 16GB) UDIMM, 5600MT/s ECC	16GB (1x 16GB) UDIMM, 5600MT/s ECC
Network	N/A	N/A	N/A
Hard disk Group#1	2x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD	2x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD	2x 4TB Hard Drive SAS ISE 12Gbps 7.2K 512n 3.5in Cabled
Hard disk Group#2	N/A	N/A	N/A
RAID Controller	PERC H355 Adapter, Low Profile Support RAID 0,1,10	PERC H755 Adapter, Low Profile Support RAID 0,1,5,6,10,50,60	PERC H355 Adapter, Low Profile Support RAID 0,1,10
Optical Drive	N/A	N/A	N/A
Power Supply	Single, Cabled Power Supply 450W	Single, Cabled Power Supply 450W	Single, Cabled Power Supply 450W
System Management	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced
Warranty	3Yrs ProSupport with 4-Hour Onsite Service + 3Yrs Keep Your Hard Drive	3Yrs ProSupport with 4-Hour Onsite Service + 3Yrs Keep Your Hard Drive	3Yrs ProSupport with 4-Hour Onsite Service + 3Yrs Keep Your Hard Drive
SRP (inc. VAT)	88,545.-	97,060.-	78,736.-



Dell PowerEdge R360

DEL-SNSR3607

Dell PowerEdge R360

DEL-SNSR3608

Dell PowerEdge R360

DEL-SNSR3609

Form Factor	3.5" Chassis with up to 4 Hot Plug Hard Drives,Trusted Platform Module 2.0 V6	3.5" Chassis with up to 4 Hot Plug Hard Drives,Trusted Platform Module 2.0 V6	3.5" Chassis with up to 4 Hot Plug Hard Drives,Trusted Platform Module 2.0 V6
Processor	Intel® Xeon® 6 Performance 6333P	Intel® Xeon® 6 Performance 6333P	Intel® Xeon® 6 Performance 6333P
Processor Speed / Core	3.1G, 6C/12T 18M Cache , Turbo, HT (65W) DDR5	3.1G, 6C/12T 18M Cache , Turbo, HT (65W) DDR5	3.1G, 6C/12T 18M Cache , Turbo, HT (65W) DDR5
Memory	16GB (1x 16GB) UDIMM, 5600MT/s ECC	16GB (1x16GB) UDIMM, 5600MT/s ECC	16GB (1x 16GB) UDIMM, 5600MT/s ECC
Network	N/A	N/A	N/A
Hard disk Group#1	2x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive,3.5in HYB CARR, 1 DWPD	2x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive,3.5in HYB CARR, 1 DWPD	2x 4TB Hard Drive SAS ISE 12Gbps 7.2K 512n 3.5in Hot-Plug, AG Drive
Hard disk Group#2	2x 4TB Hard Drive SAS ISE 12Gbps 7.2K 512n 3.5in Hot-Plug, AG Drive	N/A	N/A
RAID Controller	PERC H355 Adapter Support RAID 0,1,10	PERC H755 Adapter Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H355 Adapter Support RAID 0,1,10
Optical Drive	N/A	N/A	N/A
Power Supply	Dual, Hot-Plug, Redundant Power Supply (1+1), 600W MM	Dual, Hot-Plug, Redundant Power Supply (1+1), 600W MM	Dual, Hot-Plug, Redundant Power Supply (1+1), 600W MM
System Management	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced
Warranty	3Yrs ProSupport with 4-Hour Onsite Service + 3Yrs Keep Your Hard Drive	3Yrs ProSupport with 4-Hour Onsite Service + 3Yrs Keep Your Hard Drive	3Yrs ProSupport with 4-Hour Onsite Service + 3Yrs Keep Your Hard Drive
SRP (inc. VAT)	102,350.-	99,192.-	84,357.-

RACK SERVER



DELL : Rack Servers



Dell PowerEdge R360

DEL-SNSR36010

Dell PowerEdge R360

DEL-SNSR36011

Dell PowerEdge R360

DEL-SNSR36012

Form Factor	3.5" Chassis with up to 4 Hot Plug Hard Drives,Trusted Platform Module 2.0 V6	3.5" Chassis with up to 4 Hot Plug Hard Drives,Trusted Platform Module 2.0 V6	3.5" Chassis with up to 4 Hot Plug Hard Drives,Trusted Platform Module 2.0 V6
Processor	Intel® Xeon® 6 Performance 6333P	Intel® Xeon® 6 Performance 6333P	Intel® Xeon® 6 Performance 6333P
Processor Speed / Core	3.1G, 6C/12T 18M Cache , Turbo, HT (65W) DDR5	3.1G, 6C/12T 18M Cache , Turbo, HT (65W) DDR5	3.1G, 6C/12T 18M Cache , Turbo, HT (65W) DDR5
Memory	16GB (1x 16GB) UDIMM, 5600MT/s ECC	16GB (1x16GB) UDIMM, 5600MT/s ECC	16GB (1x16GB) UDIMM, 5600MT/s ECC
Network	N/A	N/A	N/A
Hard disk Group#1	2x 4TB Hard Drive SAS ISE 12Gbps 7.2K 512n 3.5in Hot-Plug, AG Drive	2x 960GB SSD SATA Read Intensive 6Gbps 512e 2.5in Hot-plug AG Drive,3.5in HYB CARR, 1 DWPD	2x 1.2TB Hard Drive SAS ISE 12Gbps 10K 512n 2.5in with 3.5in HYB CARR
Hard disk Group#2	N/A	N/A	N/A
RAID Controller	PERC H755 Adapter Support RAID 0,1,5,6,10,50,60	PERC H755 Adapter Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 Adapter Support RAID 0, 1, 5, 6, 10, 50, 60
Optical Drive	N/A	N/A	N/A
Power Supply	Dual, Hot-Plug, Redundant Power Supply (1+1), 600W MM	Dual, Hot-Plug, Redundant Power Supply (1+1), 600W MM	Dual, Hot-Plug, Redundant Power Supply (1+1), 600W MM
System Management	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced
Warranty	3Yrs ProSupport with 4-Hour Onsite Service + 3Yrs Keep Your Hard Drive	3Yrs ProSupport with 4-Hour Onsite Service + 3Yrs Keep Your Hard Drive	3Yrs ProSupport with 4-Hour Onsite Service + 3Yrs Keep Your Hard Drive
SRP (inc. VAT)	92,392.-	106,966.-	89,672.-



PowerEdge R450

DEL-SNSR45011

PowerEdge R450

DEL-SNSR45012

PowerEdge R450

DEL-SNSR45014

Form Factor	2.5" Chassis with up to 8 Hot Plug Hard Drives + Trusted Platform Module 2.0 V3, Quick Sync 2 + LCD Bezel + 1 xOCP 3.0(x16)+ 1 x16LP PCI Slot+ ReadyRails™ Sliding Rails With Cable Management Arm	2.5" Chassis with up to 8 Hot Plug Hard Drives + Trusted Platform Module 2.0 V3, Quick Sync 2 + LCD Bezel + 1 xOCP 3.0(x16)+ 1 x16LP PCI Slot+ ReadyRails™ Sliding Rails With Cable Management Arm	2.5" Chassis with up to 8 Hot Plug Hard Drives + Trusted Platform Module 2.0 V3, Quick Sync 2 + LCD Bezel + 1xOCP 3.0(x16)+ 2 x16LP PCI Slot + ReadyRails™ Sliding Rails With Cable Management Arm
Processor	1 x Intel® Xeon® Silver 4310	1 x Intel® Xeon® Silver 4310	2 x Intel® Xeon® Silver 4314
Processor Speed / Core	2.1G, 12C/24T, 10.4GT/s, 18M Cache, Turbo, HT (120W) DDR4-2666	2.1G, 12C/24T, 10.4GT/s, 18M Cache, Turbo, HT (120W) DDR4-2666	2.4G, 16C/32T, 10.4GT/s, 24M Cache, Turbo, HT (135W) DDR4-2666
Memory	32GB (1x32GB) RDIMM, 3200MT/s, Dual Rank	32GB (1x32GB) RDIMM, 3200MT/s, Dual Rank	64GB (2x32GB) RDIMM, 3200MT/s, Dual Rank
Network	On-Board Broadcom 5720 Dual Port 1Gb LOM + Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0	On-Board Broadcom 5720 Dual Port 1Gb LOM + Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0	On-Board Broadcom 5720 Dual Port 1Gb LOM + Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0
Hard disk Group#1	3x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD	3x 960GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD,	4x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD
Hard disk Group#2	N/A	N/A	N/A
RAID Controller	PERC H755 with front load bracket	PERC H755 with front load bracket	PERC H755 with front load bracket
Optical Drive	8X DVD-ROM, USB, External	8X DVD-ROM, USB, External	8X DVD-ROM, USB, External
Power Supply	Dual, Hot-plug, Fully Redundant Power Supply (1+1), 800W, Mixed Mode	Dual, Hot-plug, Fully Redundant Power Supply (1+1), 800W, Mixed Mode	Dual, Hot-plug, Fully Redundant Power Supply (1+1), 800W, Mixed Mode
System Management	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced
Warranty	5Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service + 5Yr Keep Your Hard Drive	5Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service + 5Yr Keep Your Hard Drive	5Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service + 5Yr Keep Your Hard Drive
SRP (inc. VAT)	160,301.-	169,792.-	227,078.-

RACK SERVER

DELL : Rack Servers



PowerEdge R450

DEL-SNSR45015



PowerEdge R450

DEL-SNSR45016



PowerEdge R450

DEL-SNSR45017

Form Factor	2.5" Chassis with up to 8 Hot Plug Hard Drives + Trusted Platform Module 2.0 V3, Quick Sync 2 + LCD Bezel + 1xOCP 3.0(x16)+ 2x16LP PCI Slot + ReadyRails™ Sliding Rails With Cable Management Arm	3.5" Chassis with up to 4 Hot Plug Hard Drives + Trusted Platform Module 2.0 V3, Quick Sync 2 + LCD Bezel + 1xOCP 3.0(x16)+ 2x16LP PCI Slot + ReadyRails™ Sliding Rails With Cable Management Arm	2.5" Chassis with up to 8 Hot Plug Hard Drives + Trusted Platform Module 2.0 V3, Quick Sync 2 + LCD Bezel + 1 xOCP 3.0(x16)+ 1 x16LP PCI Slot+ ReadyRails™ Sliding Rails With Cable Management Arm
Processor	2 x Intel® Xeon® Silver 4314	2 x Intel® Xeon® Silver 4314	1 x Intel® Xeon® Silver 4314
Processor Speed / Core	2.4G, 16C/32T, 10.4GT/s, 24M Cache, Turbo, HT (135W) DDR4-2666	2.4G, 16C/32T, 10.4GT/s, 24M Cache, Turbo, HT (135W) DDR4-2666	2.4G, 16C/32T, 10.4GT/s, 24M Cache, Turbo, HT (135W) DDR4-2666
Memory	64GB (2x32GB) RDIMM, 3200MT/s, Dual Rank	64GB (2x32GB) RDIMM, 3200MT/s, Dual Rank	16GB (1x16GB) RDIMM, 3200MT/s, Dual Rank
Network	On-Board Broadcom 5720 Dual Port 1Gb LOM + Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0	On-Board Broadcom 5720 Dual Port 1Gb LOM + Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0	On-Board Broadcom 5720 Dual Port 1Gb LOM
Hard disk Group#1	4x 960GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD,	3x 960GB SSD SATA Mix Use 6Gbps 512 2.5in Hot-plug AG Drive,3.5in HYB CARR, 3 DWPD,	2x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD
Hard disk Group#2	N/A	N/A	N/A
RAID Controller	PERC H755 with front load bracket	PERC H755 with front load bracket	PERC H755 with front load bracket
Optical Drive	8X DVD-ROM, USB, External	DVD+/-RW, SATA	8X DVD-ROM, USB, External
Power Supply	Dual, Hot-plug, Fully Redundant Power Supply (1+1), 800W, Mixed Mode	Dual, Hot-plug, Fully Redundant Power Supply (1+1), 800W, Mixed Mode	Dual, Hot-plug, Fully Redundant Power Supply (1+1), 800W, Mixed Mode
System Management	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced
Warranty	5Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service + 5Yr Keep Your Hard Drive	5Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service + 5Yr Keep Your Hard Drive	5Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service + 5Yr Keep Your Hard Drive
SRP (inc. VAT)	242,616.-	245,396.-	160,246.-



PowerEdge R450

DEL-SNSR45018



Dell PowerEdge R550

DEL-SNSR55011



PowerEdge R660xs

DEL-SNSR6601

Form Factor	2.5" Chassis with up to 8 Hot Plug Hard Drives + Trusted Platform Module 2.0 V3, Quick Sync 2 + LCD Bezel + 1 xOCP 3.0(x16)+ 1 x16LP PCI Slot+ ReadyRails™ Sliding Rails With Cable Management Arm	2U, 3.5" Chassis with up to 8 Hot Plug Hard Drives, Trusted Platform Module 2.0 V3, + LCD Bezel + 1 x16 LP+ 1 x8(x4 link) LP PCI Slot, ReadyRails Sliding Rails with Cable Management Arm	2.5" Chassis with up to 8 Hard Drives (SAS/ SATA), 1 CPU ,Trusted Platform Module 2.0 V3
Processor	1 x Intel® Xeon® Silver 4314	1 x Intel® Xeon® Silver 4310	1 x Intel Xeon Silver 4510
Processor Speed / Core	2.4G, 16C/32T, 10.4GT/s, 24M Cache, Turbo, HT (135W) DDR4-2666	2.1G, 12C/24T, 10.4GT/s, 18M Cache, Turbo, HT (120W) DDR4-2666	2.4G, 12C/24T, 16GT/s, 30M Cache, Turbo, HT (150W) DDR5-4400
Memory	16GB (1x16GB) RDIMM, 3200MT/s, Dual Rank	32GB (1x 32GB) RDIMM, 3200MT/s, Dual Rank, 16Gb BASE	32GB (2x 16GB) RDIMM, 5600MT/s, Dual Rank
Network	On-Board Broadcom 5720 Dual Port 1Gb LOM	2x 1Gb LOM + Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0	PowerEdge R660xs Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM, MLK
Hard disk Group#1	2x 2.4TB 10K RPM SAS 12Gbps 512e 2.5in Hot-plug Hard Drive	3x 960GB SSD SATA Read Intensive 6Gbps 512e 2.5in Hot-plug,3.5in HYB CARR S4510 Drive, 1 DWPD,	3x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD
Hard disk Group#2	N/A	N/A	N/A
RAID Controller	PERC H755 with front load bracket	PERC H755 with front load bracket	PERC H755 SAS Front with front load Support RAID 0, 1, 5, 6, 10, 50, 60
Optical Drive	8X DVD-ROM, USB, External	DVD +/-RW, SATA, Internal	N/A
Power Supply	Dual, Hot-plug, Fully Redundant Power Supply (1+1), 800W, Mixed Mode	Dual, Hot-plug, Fully Redundant Power Supply (1+1), 800W, Mixed Mode	Dual, Hot-plug, Power Supply Redundant (1+1), 800W, Mixed Mode
System Management	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced
Warranty	5Yr ProSupport & Mission Critical:(7x24) 4-hour Onsite Service + 5Yr Keep Your Hard Drive	5Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 5Yr Keep Your Hard Drive	5Yrs ProSupport and 4Hr Mission Critical + 5Yrs Keep Your Hard Drive
SRP (inc. VAT)	165,509.-	176,624.-	163,132.-



DELL : Rack Servers



PowerEdge R660xs

DEL-SNSR6602



PowerEdge R660xs

DEL-SNSR6603



PowerEdge R760xs

DEL-SNSR7601

Form Factor	2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 1 CPU ,Trusted Platform Module 2.0 V3	2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 1 CPU ,Trusted Platform Module 2.0 V3	2.5" Chassis with up to 16 Hard Drives (SAS/SATA),Trusted Platform Module 2.0 V3
Processor	1 x Intel Xeon Silver 4510	1 x Intel Xeon Silver 4510	2 x Intel Xeon Silver 4514Y
Processor Speed / Core	2.4G, 12C/24T, 16GT/s, 30M Cache, Turbo, HT (150W) DDR5-4400	2.4G, 12C/24T, 16GT/s, 30M Cache, Turbo, HT (150W) DDR5-4400	2G, 16C/32T, 16GT/s, 30M Cache, Turbo, HT (150W) DDR5-4400
Memory	16GB (1x 16GB) RDIMM, 5600MT/s, Single Rank	16GB (1x 16GB) RDIMM, 5600MT/s, Single Rank	64GB (2x 32GB) RDIMM, 5600MT/s, Dual Rank
Network	Broadcom 57414 Dual Port 10/25GbE SFP28, OCP NIC 3.0	Broadcom 57414 Dual Port 10/25GbE SFP28, OCP NIC 3.0	Broadcom 57414 Dual Port 10/25GbE SFP28 Adapter, PCIe Low Profile, V2, No OCP 3.0 mezzanine NIC card, Blank Filler Only
Hard disk Group#1	2x 960GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD	2x 1.2TB Hard Drive ISE SAS 12Gbps 10k 512n 2.5in Hot-Plug	4x 960GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD
Hard disk Group#2	N/A	N/A	N/A
RAID Controller	PERC H755 SAS Front with front load Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 SAS Front with front load Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 SAS Front with rear load
Optical Drive	N/A	N/A	N/A
Power Supply	Dual, Hot-plug, Power Supply Redundant (1+1), 800W, Mixed Mode	Dual, Hot-plug, Power Supply Redundant (1+1), 800W, Mixed Mode	Dual, Hot-plug, Power Supply Redundant (1+1), 800W, Mixed Mode
System Management	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced
Warranty	3Yrs ProSupport and 4Hr Mission Critical + 3Yrs Keep Your Hard Drive	3Yrs ProSupport and 4Hr Mission Critical + 3Yrs Keep Your Hard Drive	5Yrs ProSupport and 4Hr Mission Critical + 5Yrs Keep Your Hard Drive
SRP (inc. VAT)	161,838.-	146,277.-	244,293.-



PowerEdge R760xs

DEL-SNSR7602



PowerEdge R760xs

DEL-SNSR7603

Form Factor	2.5" Chassis with up to 16 Hard Drives (SAS/SATA),Trusted Platform Module 2.0 V3	2.5" Chassis with up to 16 Hard Drives (SAS/SATA),Trusted Platform Module 2.0 V3
Processor	1 x Intel Xeon Gold 6526Y	2 x Intel Xeon Gold 6526Y
Processor Speed / Core	2.8G, 16C/32T, 20GT/s, 37.5M Cache, Turbo, HT (195W) DDR5-5200	2.8G, 16C/32T, 20GT/s, 37.5M Cache, Turbo, HT (195W) DDR5-5200
Memory	32GB (2x 16GB) RDIMM, 5600MT/s, Dual Rank	64GB (2x 32GB) RDIMM, 5600MT/s, Dual Rank
Network	Broadcom 57414 Dual Port 10/25GbE SFP28 Adapter, PCIe Low Profile, V2, No OCP 3.0 mezzanine NIC card, Blank Filler Only	Broadcom 57414 Dual Port 10/25GbE SFP28 Adapter, PCIe Low Profile, V2, No OCP 3.0 mezzanine NIC card, Blank Filler Only
Hard disk Group#1	3x 960GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD	3x 960GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD
Hard disk Group#2	N/A	N/A
RAID Controller	PERC H755 SAS Front with rear load	PERC H755 SAS Front with rear load
Optical Drive	N/A	N/A
Power Supply	Dual, Hot-plug, Power Supply Redundant (1+1), 800W, Mixed Mode, NAF	Dual, Hot-plug, Power Supply Redundant (1+1), 800W, Mixed Mode
System Management	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced	iDRAC9, Enterprise 16G with OpenManage Enterprise Advanced
Warranty	5Yrs ProSupport and 4Hr Mission Critical + 5Yrs Keep Your Hard Drive	5Yrs ProSupport and 4Hr Mission Critical + 5Yrs Keep Your Hard Drive
SRP (inc. VAT)	206,894.-	261,512.-

RACK SERVER

LENOVO : Server Rack



CPU Gen3
ThinkSystem ST650 V2
LNV-7Z74S2FH00



CPU Gen3-SSD
ThinkSystem ST650 V2
LNV-7Z74S1X700

Form Factor	Intel Xeon Silver 4310T 10C 105W 2.3GHz Processor,Cache Memory 15MB x 1	Intel Xeon Silver 4310T 10C 105W 2.3GHz Processor,Cache Memory 15MB x 1
CPU	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 1	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 1
Memory	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1
RAID Controller	ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD x 2	ThinkSystem 2.5" Multi Vendor 960GB Entry SATA 6Gb Hot Swap SSD x 2
Harddisk	ThinkSystem Broadcom 5720 1GbE RJ45 2-Port PCIe Ethernet Adapter x 1	ThinkSystem Broadcom 5720 1GbE RJ45 2-Port PCIe Ethernet Adapter x 1
NIC	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2
Power Supply	XClarity Controller Enterprise	XClarity Controller Enterprise
System Management	3Yr. 24x7 warranty	3Yr. 24x7 warranty
Warranty	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
Included	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
SRP (inc. VAT)	148,600	151,600



CPU Gen3
ThinkSystem ST650 V2
LNV-7Z74S2FG00



CPU Gen3-SSD
ThinkSystem ST650 V2
LNV-7Z74S2FJ00

Form Factor	Tower	Tower
CPU	Intel Xeon Gold 6326 16C 185W 2.9GHz Processor,Cache Memory 24MB x 2	Intel Xeon Gold 6326 16C 185W 2.9GHz Processor,Cache Memory 24MB x 2
Memory	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 2	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 2
RAID Controller	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1
Harddisk	ThinkSystem 2.5" 2.4TB 10K SAS 12Gb Hot Swap 512e HDD x 4	ThinkSystem 2.5" Multi Vendor 960GB Entry SATA 6Gb Hot Swap SSD x 4
NIC	ThinkSystem Broadcom 57416 10GBASE-T 2-Port PCIe Ethernet Adapter x 1	ThinkSystem Broadcom 57416 10GBASE-T 2-Port PCIe Ethernet Adapter x 1
Power Supply	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2
System Management	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
Included	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
SRP (inc. VAT)	322,000	305,000



HDD
ThinkSystem SR635
LNV-7Y99S64400



SSD
ThinkSystem SR635
LNV-7Y99S64300

Form Factor	Rack 1U	Rack 1U
CPU	ThinkSystem AMD EPYC 7272 12C 120W 2.9GHz Processor, Cache Memory 64MB x 1	ThinkSystem AMD EPYC 7272 12C 120W 2.9GHz Processor,Cache Memory 64MB x 1
Memory	ThinkSystem 16GB TruDDR4 2933MHz (1Rx4 1.2V) RDIMM-A x 1	ThinkSystem 16GB TruDDR4 2933MHz (1Rx4 1.2V) RDIMM-A x 1
RAID Controller	ThinkSystem RAID 530-8i PCIe 12Gb Adapter x 1	ThinkSystem RAID 530-8i PCIe 12Gb Adapter x 1
Harddisk	ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD x 2	ThinkSystem 2.5" MultiVendor 960GB Entry SATA 6Gb Hot Swap SSD x 2
NIC	ThinkSystem Broadcom 5720 1GbE RJ45 2-Port PCIe Ethernet Adapter x 1	ThinkSystem Broadcom 5720 1GbE RJ45 2-Port PCIe Ethernet Adapter x 1
Power Supply	ThinkSystem 750W(230/115V) Platinum Hot-Swap Power Supply x 2	ThinkSystem 750W(230/115V) Platinum Hot-Swap Power Supply x 2
System Management	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
Included	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
SRP (inc. VAT)	124,900	117,900



HDD
ThinkSystem SR645
LNV-7D2XS7UK00



SSD
ThinkSystem SR645
LNV-7D2XS7UL00

Form Factor	Rack 1U	Rack 1U
CPU	ThinkSystem AMD EPYC 7313 16C 155W 3.0GHz Processor, Cache Memory 128MB x 2	ThinkSystem AMD EPYC 7313 16C 155W 3.0GHz Processor, Cache Memory 128MB x 2
Memory	ThinkSystem 16GB TruDDR4 3200MHz (2Rx8 1.2V) RDIMM-A x 2	ThinkSystem 16GB TruDDR4 3200MHz (2Rx8 1.2V) RDIMM-A x 2
RAID Controller	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1
Harddisk	ThinkSystem 2.5" 2.4TB 10K SAS 12Gb Hot Swap 512e HDD v2 x 4	ThinkSystem 2.5" Multi Vendor 960GB Entry SATA 6Gb Hot Swap SSD x 4
NIC	ThinkSystem Broadcom 57416 10GBASE-T 2-port OCP Ethernet Adapter x 1	ThinkSystem Broadcom 57416 10GBASE-T 2-port OCP Ethernet Adapter x 1
Power Supply	ThinkSystem 750W (230/115V) V2 Platinum Hot-Swap Power Supply x 2	ThinkSystem 750W (230/115V) V2 Platinum Hot-Swap Power Supply x 2
System Management	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
Included	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
SRP (inc. VAT)	234,200	237,800

LENOVO : Server Rack



HDD

ThinkSystem SR630 V2
LNV-7Z71SSPT00



HDD

ThinkSystem SR650 V2
LNV-7Z73TXPN00

Form Factor	Rack 1U	Rack 2U
CPU	Intel Xeon Silver 4310T 10C 105W 2.3GHz Processor,Cache Memory 15MB x 1	Intel Xeon Silver 4310T 10C 105W 2.3GHz Processor,Cache Memory 15MB x 1
Memory	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 1	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 1
RAID Controller	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1
Harddisk	ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD x 2	ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD x 2
NIC	ThinkSystem Broadcom 5720 1GbE RJ45 2-Port PCIe Ethernet Adapter x 1	ThinkSystem Broadcom 5720 1GbE RJ45 2-Port PCIe Ethernet Adapter x 1
Power Supply	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2
System Management	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
Included	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
SRP (inc. VAT)	137,000	149,800



SSD

ThinkSystem SR630 V2
LNV-7Z71SSPR00



SSD

ThinkSystem SR650 V2
LNV-7Z73TWKM00

Form Factor	Rack 1U	Rack 2U
CPU	Intel Xeon Silver 4310T 10C 105W 2.3GHz Processor,Cache Memory 15MB x 1	Intel Xeon Silver 4310T 10C 105W 2.3GHz Processor,Cache Memory 15MB x 1
Memory	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 1	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 1
RAID Controller	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1
Harddisk	ThinkSystem 2.5" Multi Vendor 960GB Entry SATA 6Gb Hot Swap SSD x 2	ThinkSystem 2.5" Multi Vendor 960GB Entry SATA 6Gb Hot Swap SSD x 2
NIC	ThinkSystem Broadcom 5720 1GbE RJ45 2-Port PCIe Ethernet Adapter x 1	ThinkSystem Broadcom 5720 1GbE RJ45 2-Port PCIe Ethernet Adapter x 1
Power Supply	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2
System Management	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
Included	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
SRP (inc. VAT)	156,000	132,000



HDD

ThinkSystem SR630 V2
LNV-7Z71SSPS00



HDD

ThinkSystem SR650 V2
LNV-7Z73TXPL00

Form Factor	Rack 1U	Rack 2U
CPU	Intel Xeon Gold 6326 16C 185W 2.9GHz Processor,Cache Memory 24MB x 2	Intel Xeon Gold 6326 16C 185W 2.9GHz Processor,Cache Memory 24MB x 2
Memory	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 2	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 2
RAID Controller	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1
Harddisk	ThinkSystem 2.5" 2.4TB 10K SAS 12Gb Hot Swap 512e HDD v2 x 4	ThinkSystem 2.5" 2.4TB 10K SAS 12Gb Hot Swap 512e HDD x 4
NIC	ThinkSystem Broadcom 57416 10GBASE-T 2-port OCP Ethernet Adapter x 1	ThinkSystem Broadcom 57416 10GBASE-T 2-port OCP Ethernet Adapter x 1
Power Supply	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2
System Management	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
Included	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
SRP (inc. VAT)	288,700	296,700



SSD

ThinkSystem SR630 V2
LNV-7Z71SSPQ00



SSD

ThinkSystem SR650 V2
LNV-7Z73TXPM00

Form Factor	Rack 1U	Rack 2U
CPU	Intel Xeon Gold 6326 16C 185W 2.9GHz Processor,Cache Memory 24MB x 2	Intel Xeon Gold 6326 16C 185W 2.9GHz Processor,Cache Memory 24MB x 2
Memory	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 2	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 2
RAID Controller	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1
Harddisk	ThinkSystem 2.5" Multi Vendor 960GB Entry SATA 6Gb Hot Swap SSD x 4	ThinkSystem 2.5" Multi Vendor 960GB Entry SATA 6Gb Hot Swap SSD x 4
NIC	ThinkSystem Broadcom 57416 10GBASE-T 2-port OCP Ethernet Adapter x 1	ThinkSystem Broadcom 57416 10GBASE-T 2-port OCP Ethernet Adapter x 1
Power Supply	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2
System Management	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
Included	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
SRP (inc. VAT)	284,550	291,750

RACK SERVER

150

HPE : Rack Servers



HPE DL385G10+AMD EPYC 7313 8SFF44494567
HPE-P38411#ICT66#5



HPE ProLiant DL380 Gen11
HPE-P52560-B21

CPU Types	2 x AMD EPYC 7313 3.0GHz 16-core 155W Processor for HPE	1xIntel Xeon 4410Y (12 core, 2.0GHz, 150W)
CPU Min., max	1 Processors (up to 2)	1 Processors (up to 2)
CPU L3 Cache	128MB	37.5 MB
Memory	2xHPE 16GB (1x16GB) Dual Rank x8 DDR4-3200 CAS-22-22-22 Registered Smart Memory Kit	32 GB RDIMM 2R 4800 MT/s (1x 32 GB)
Graphic	Integrated Video Standard	Integrated Video Standard
PCI Slot	3 PCIe: x8/x16/x8	3 PCIe: x8/x16/x8
Harddisk	4xHPE 960GB SATA 6G Read Intensive SFF BC Multi Vendor SSD	None Included
RAID Controller	Broadcom MegaRAID MR416i-a x16 Lanes 4GB Cache	HPE MR408i-o Gen11 x8 Lanes 4GB Cache OCP SPDM Storage Controller and Smart Storage Battery
Optical Drive	HPE 9.5mm SATA DVD-RW Optical Drive	None ship as standard
Total, Hotswap	8 SFF HDD Bays	8 SFF HDD Bays
Max, Internal disks	8 SFF Chassis	8 SFF Chassis
Interfaces	1 Rear VGA Port - Standard	1 Rear VGA Port - Standard
Onboard Gigabit Ethernet	Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE	Broadcom BCM5719 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE
Power Supply	2xHPE 800W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit	1x HPE 800W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit
Form Factor	Rack 2 U	Rack 2 U
OS Support	Microsoft Windows Server, Vmware, Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES)	Microsoft Windows Server, Vmware, Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES)
Warranty	3/3/3 NBD (Limite Warranty)	3/3/3 NBD (Limite Warranty)
Add On		3x HPE 480GB SATA RI SFF BC MV SSD 1xHPE 800W FS Plat Ht Plg LH PS Kit 1xHPE DL3XX Gen11 2U Com Bezel Kit HPE 7Y TC Bas DL380 Gen11 SVC
SRP (inc. VAT)	257,014.-	288,579.-



HPE ProLiant DL380 Gen11 5416S
HPE-P52562-B21

NEW



HPE DL320 G11 Xeon-S 4510 8SFF 38501088
HPE-P52766#66ICT2

CPU Types	1xIntel Xeon 5416S (16 core, 2.0GHz, 150W)	1 x Intel Xeon 4510 (12 core, 2.4GHz, 150W)
CPU Min., max	1 Processors (up to 2)	1 Processors
CPU L3 Cache	30 MB	30 MB
Memory	32 GB RDIMM 2R 4800 MT/s (1x 32 GB)	1x HPE 16GB 1Rx8 PC5-5600B-R Smart Kit
Graphic	Integrated Video Standard	Integrated Video Standard
PCI Slot	3 PCIe: x8/x16/x8	2 x16 FHHL PCIe Gen5
Harddisk	None Included	2x HPE 480GB SATA RI SFF BC MV SSD
RAID Controller	HPE MR408i-o Gen11 x8 Lanes 4GB Cache OCP SPDM Storage Controller and Smart Storage Battery	HPE MR408i-o Gen11 SPDM Storage Cntrlr
Optical Drive	None ship as standard	None ship as standard
Total, Hotswap	8 SFF HDD Bays	8 SFF HDD Bays
Max, Internal disks	8 SFF Chassis	8 SFF Chassis
Interfaces	1 Rear VGA Port - Standard	1 Rear VGA Port - Standard
Onboard Gigabit Ethernet	Broadcom BCM57416 Ethernet 10Gb 2-port BASE-T Adapter for HPE	Two (2) Embedded Broadcom BCM5720 1 GbE networking port
Power Supply	1x HPE 800W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit	2xHPE 800W FS Plat Ht Plg LH Pwr Sply Kit
Form Factor	Rack 2 U	Rack 1 U
OS Support	Microsoft Windows Server, Vmware, Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES)	Microsoft Windows Server, Vmware, Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES)
Warranty	3/3/3 NBD (Limite Warranty)	3/3/3 NBD (Limite Warranty)
Add On	3x HPE 480GB SATA RI SFF BC MV SSD 1xHPE 800W FS Plat Ht Plg LH PS Kit 1xHPE DL3XX Gen11 2U Com Bezel Kit HPE 7Y TC Bas DL380 Gen11 SVC	
SRP (inc. VAT)	318,860.-	130,000.-

RACK SERVER