

เครื่องสำรองไฟ สเปค ICT '66

สอบถามขนส่งเพิ่มเติม

**เครื่องสำรองไฟ ขนาด 800 VA**  
 - มีกำลังไฟขาออก (Output) ไม่น้อยกว่า 800 VA (480 Watts)  
 - สามารถสำรองไฟเข้าได้ไม่น้อยกว่า 15 นาที



| Part No.    | Description                 | SRP (Inc.VAT) | Stock / By order | Warranty                       |
|-------------|-----------------------------|---------------|------------------|--------------------------------|
| CCBP-BU800E | UPS BU800E-AS 800VA/480WATT | 1,798         | Stock            | 2-yrs onsite swap with battery |
| CBP-UT800EG | 800VA/480W, 8 Sockets       | 1,733         | Stock            | 2-yrs onsite swap with battery |

**เครื่องสำรองไฟ ขนาด 1 KVA**

คุณลักษณะพื้นฐาน

- มีกำลังไฟขาออก (Output) ไม่น้อยกว่า 1 kVA (600 Watts)  
 - สามารถสำรองไฟเข้าได้ไม่น้อยกว่า 15 นาที



| Part No.     | Description                    | SRP (Inc.VAT) | Stock / By order | Warranty                       |
|--------------|--------------------------------|---------------|------------------|--------------------------------|
| CBP-BU1000EA | UPS BU1000EA-AS 1000VA/630WATT | 2,953         | Stock            | 2-yrs onsite swap with battery |

**เครื่องสำรองไฟ ขนาด 2 KVA**

คุณลักษณะพื้นฐาน

- มีกำลังไฟขาออก (Output) ไม่น้อยกว่า 2 kVA (1,200 Watts) - มีช่วงแรงดันไฟฟ้า Input (VAC) ไม่น้อยกว่า 220+/-20%  
 - มีช่วงแรงดันไฟฟ้า Output (VAC) ไม่มากกว่า 220+/-10% - สามารถสำรองไฟเข้าที่ Full Load ได้ไม่น้อยกว่า 5 นาที



| Part No.         | Description            | SRP (Inc.VAT) | Stock / By order | Warranty                  |
|------------------|------------------------|---------------|------------------|---------------------------|
| CBP-OLS2000EC-AS | 2000VA/1600W LCD Power | 11,941        | Stock            | 2-yrs onsite with battery |

**เครื่องสำรองไฟ ขนาด 3 KVA**

คุณลักษณะพื้นฐาน

- มีกำลังไฟขาออก (Output) ไม่น้อยกว่า 3 kVA (2,100 Watts) - มีช่วงแรงดันไฟฟ้า Input (VAC) ไม่น้อยกว่า 220+/-25%  
 - มีช่วงแรงดันไฟฟ้า Output (VAC) ไม่มากกว่า 220+/-5% - สามารถสำรองไฟเข้าที่ Full Load ได้ไม่น้อยกว่า 5 นาที



| Part No.         | Description                          | SRP (Inc.VAT) | Stock / By order | Warranty                  |
|------------------|--------------------------------------|---------------|------------------|---------------------------|
| CBP-OLS3000EC-AS | 3000VA/2400W<br>7AH*6,LCD Factor 0.8 | 21,828        | Stock            | 2-yrs onsite with battery |

**เครื่องสำรองไฟ ขนาด 10 kVA (ระบบไฟฟ้า 3 เฟส)**

คุณลักษณะพื้นฐาน

- มีกำลังไฟขาออก (Output) ไม่น้อยกว่า 10 kVA (8,000 Watts) - มีช่วงแรงดันไฟฟ้า Input (VAC) แบบ 3 เฟส ไม่น้อยกว่า 380 +/-20%  
 - มีช่วงแรงดันไฟฟ้า Output (VAC) ไม่มากกว่า 220 +/-196 - สามารถสำรองไฟเข้าที่ Full Load ได้ไม่น้อยกว่า 10 นาที



| Model              | QTY | Description                     | SRP (Inc.VAT) | Stock / By order | Warranty                  |
|--------------------|-----|---------------------------------|---------------|------------------|---------------------------|
| KIT-CBP-OLS3S10KEC | 1   | 10KVA/8KW 3in/1out with BATTERY | 244,000       | By order         |                           |
| CBP-OLS3S10KEC     | 1   | 10KVA/8KW 3in/1out PF : 0.8     | 126,000       | By order         | 2-yrs onsite with battery |
| CBP-BPSE192V60A    | 2   | Battery Pack 9AH*16pcs          | 59,000        | By order         | 2-yrs onsite with battery |

UPS PRODUCT & BATTERY

250

**AVR**

**สอบถามขนส่งเพิ่มเติม**

ค่าใช้จ่ายในการขนส่งนี้ เป็นการคำนวณโดยประมาณ โดยคำนวณจาก area ที่ไกลสุด ดังนั้นค่าใช้จ่ายจริงอาจแตกต่างจากนี้ รวมถึงค่าใช้จ่ายจะแปรผันตามปัจจัยอื่นด้วย เช่น การส่งพื้นที่ต่างอำเภอ, หากเป็นสินค้าหนักจะมีค่าขนยก, ค่าข้ามเกาะ, ราคาเหมาคัน และอื่นๆ สำหรับสินค้า ที่มีน้ำหนักไม่มาก โดยปกติทาง stock จะพยายาม pack รวมไปกับสินค้าอื่น เพื่อลดค่าใช้จ่าย



| Part No.      | Description                     | SRP (Inc.VAT) | Stock / By order | Warranty |
|---------------|---------------------------------|---------------|------------------|----------|
| CBP-CL1000EVR | Voltage Regulators 1000VA 1000W | 1,091         | Byorder          | 2-yrs    |
| CBP-CL1500EVR | Voltage Regulators 1500VA 1500W | 1,412         | Stock            | 2-yrs    |

**Inverter**

**สอบถามขนส่งเพิ่มเติม**

ค่าใช้จ่ายในการขนส่งนี้ เป็นการคำนวณโดยประมาณ โดยคำนวณจาก area ที่ไกลสุด ดังนั้นค่าใช้จ่ายจริงอาจแตกต่างจากนี้ รวมถึงค่าใช้จ่ายจะแปรผันตามปัจจัยอื่นด้วย เช่น การส่งพื้นที่ต่างอำเภอ, หากเป็นสินค้าหนักจะมีค่าขนยก, ค่าข้ามเกาะ, ราคาเหมาคัน และอื่นๆ สำหรับสินค้า ที่มีน้ำหนักไม่มาก โดยปกติทาง stock จะพยายาม pack รวมไปกับสินค้าอื่น เพื่อลดค่าใช้จ่าย



| Part No.           | Description                             | SRP (Inc.VAT) | Stock / By order | Warranty |
|--------------------|---|---------------|------------------|----------|
| CBP-CPS4000ECH24   | Off-Grid Solar Inverter 4KVA/4KW,24Vdc. | 41,463        | ByOrder          | 2-yrs    |
| CBP-CPS6000ECH48-P | Off-Grid Solar Inverter 6KVA/6KW,48Vdc. | 50,156        | ByOrder          | 2-yrs    |

ราคานี้รวม  
 1. สาย AC input/AC output ไม่เกิน 6 เมตร  
 ไม่รวมการติดตั้ง  
 1. ลูกค้ายเป็นเคเบิ้ลพร้อม input/output Circuit Breaker  
 2. input/output circuit breaker ต้องติดตั้งใกล้กับตำแหน่งติดตั้ง Inverter  
 \*\*สินค้าไม่มีแบตเตอรี่รวม: ต้องซื้อแยก: (File Battery)\*\*

**BU Series**

**สอบถามขนส่งเพิ่มเติม**

ค่าใช้จ่ายในการขนส่งนี้ เป็นการคำนวณโดยประมาณ โดยคำนวณจาก area ที่ไกลสุด ดังนั้นค่าใช้จ่ายจริงอาจแตกต่างจากนี้ รวมถึงค่าใช้จ่ายจะแปรผันตามปัจจัยอื่นด้วย เช่น การส่งพื้นที่ต่างอำเภอ, หากเป็นสินค้าหนักจะมีค่าขนยก, ค่าข้ามเกาะ, ราคาเหมาคัน และอื่นๆ สำหรับสินค้า ที่มีน้ำหนักไม่มาก โดยปกติทาง stock จะพยายาม pack รวมไปกับสินค้าอื่น เพื่อลดค่าใช้จ่าย



| Part No.     | Description                    | SRP (Inc.VAT) | Stock / By order | Warranty                       |
|--------------|--------------------------------|---------------|------------------|--------------------------------|
| CBP-BU650E   | UPS BU650E-AS 650VA/360WATT    | 1,541         | Stock            | 2-yrs onsite swap with battery |
| CBP-BU800E   | UPS BU800E-AS 800VA/480WATT    | 1,798         | Stock            | 2-yrs onsite swap with battery |
| CBP-BU1000EA | UPS BU1000EA-AS 1000VA/630WATT | 2,953         | Stock            | 2-yrs onsite swap with battery |

**UT Series**

**สอบถามขนส่งเพิ่มเติม**

ค่าใช้จ่ายในการขนส่งนี้ เป็นการคำนวณโดยประมาณ โดยคำนวณจาก area ที่ไกลสุด ดังนั้นค่าใช้จ่ายจริงอาจแตกต่างจากนี้ รวมถึงค่าใช้จ่ายจะแปรผันตามปัจจัยอื่นด้วย เช่น การส่งพื้นที่ต่างอำเภอ, หากเป็นสินค้าหนักจะมีค่าขนยก, ค่าข้ามเกาะ, ราคาเหมาคัน และอื่นๆ/ สำหรับสินค้า ที่มีน้ำหนักไม่มาก โดยปกติทาง stock จะพยายาม pack รวมไปกับสินค้าอื่น เพื่อลดค่าใช้จ่าย



| Part No.   | Description             | SRP (Inc.VAT) | Stock / By order | Warranty                       |
|--|-------------------------|---------------|------------------|--------------------------------|
| CBP-UT650EG<br>     | 650VA/360W              | 1,412         | Stock            | 2-yrs onsite swap with battery |
| CBP-UT800EG<br>     | 800VA/480W, 8 Sockets   | 1,733         | Stock            | 2-yrs onsite swap with battery |
| CBP-UT1000EGLCD<br> | 1000VA/550WATT LCD      | 1,990         | Stock            | 2-yrs onsite swap with battery |
| CBP-UT1500EG<br>    | 1500VA/900WATT-AS,TOWER | 3,980         | Stock            | 2-yrs onsite swap with battery |
| CBP-UT2200EG<br>   | 2200VA/1320W,AS,TOWER   | 4,494         | Stock            | 2-yrs onsite swap with battery |

**VALUE-PRO Series**



| Part No.  | Description | SRP (Inc.VAT) | Stock / By order | Warranty                       |
|---|-------------|---------------|------------------|--------------------------------|
| CBP-VP700ELCD<br>  | 700VA/390W  | 2,790         | Stock            | 2-yrs onsite swap with battery |
| CBP-VP1600ELCD<br> | 1600VA/960W | 7,200         | Stock            | 2-yrs onsite swap with battery |

**UPS Online Tower Online UPS Tower Series พร้อม BATTERY !!!!!**



| Part No.   | Description                | Power Factor | SRP (Inc.VAT) | Warranty                  | Stock/By Order |
|--|----------------------------|--------------|---------------|---------------------------|----------------|
| CCBP-OLS1000EC-AS<br> | 1000VA/800 LCD             | 0.8          | 8,346         | 2-yrs onsite with battery | ON Stock       |
| CBP-OLS1000EA<br>     | 1000VA/900W                | 0.9          | 12,198        | 2-yrs onsite with battery | ON Stock       |
| CBP-OLS2000EC-AS<br>  | 2000VA/1600W LCD           | 0.8          | 10,946        | 2-yrs onsite with battery | ON Stock       |
| CBP-OLS2000EA<br>     | UPS OLS Tower 2000VA/1800W | 0.9          | 19,260        | 2-yrs onsite with battery | ON Stock       |

| UPS Online Tower  |   | Online UPS Tower Series พร้อม BATTERY !!!!! |               | CyberPower®              |                |  |
|---|---|---|---------------|--------------------------|----------------|--|
| Part No.  | Description   | Power Factor                                | SRP (Inc.VAT) | Warranty                 | Stock/By Order |  |
| CBP-OLS3000EC-AS  | 3000VA/2400W 7AH*6,LCD  | 0.8   | 21,828        | 2-ys onsite with battery | ON Stock       |  |
|  |  |   |               |                          |                |  |
| CBP-OLS3000EA   | UPS OLS Tower 3000VA/2700W  | 0.9   | 26,964        | 2-ys onsite with battery | ON Stock       |  |
|  |   |   |               |                          |                |  |

| UPS Online Tower  |  | Online UPS Tower Series ไม่พร้อม BATTERY !!!!! |               | CyberPower®  |                |  |
|---|--|--|---------------|--|----------------|--|
| Part No.  | Description  | Power Factor                                   | SRP (Inc.VAT) | Warranty   | Stock/By Order |  |
| CBP-OLS6000EXL  | UPS OLS Tower 6000VA/5400W   | 0.9  | 77,522        | 2-ys onsite  | 1 Unit         |  |
|  | <div style="border: 1px solid black; padding: 5px;"> <p>เครื่องสำรองไฟขนาด 6kVA ขึ้นไป<br/>บริการติดตั้งฟรีทั่วประเทศ<br/>***เงื่อนไขรายละเอียดการติดตั้งตาม<br/>นโยบายบริษัทฯ***</p> </div> |  |               | <p>รับประกันตลอดชีพ<br/>**ไม่เข้ามามีจำหน่ายแล้ว**</p> |                |  |

| UPS Online Tower |   | Remote Management Card |             | CyberPower®    |  |  |
|------------------|---|------------------------|-------------|----------------|--|--|
| Part No.         | Description   | SRP (Inc.VAT)          | Warranty    | Stock/By Order |  |  |
| CBP-RMCARD205    | SNM Network Card  | 6,800                  | 2-ys onsite | ON Stock       |  |  |
|                  |  |                        |             |                |  |  |

| UPS Online Rack   |                                | Online UPS Rack Series พร้อม BATTERY !!!!! |               | CyberPower®              |                |  |
|---|--------------------------------|--|---------------|--------------------------|----------------|--|
| Part No.  | Description                    | Power Factor                               | SRP (Inc.VAT) | Warranty                 | Stock/By Order |  |
| CBP-OLS1000ERT2UA   | UPS OLS Series RT 1000VA/900W  | 0.9  | 16,692        | 2-ys onsite with battery | ON Stock       |  |
|  |                                |  |               |                          |                |  |
| CBP-OLS2000ERT2UA   | UPS OLS Series RT 2000VA/1800W | 0.9  | 24,396        | 2-ys onsite with battery | ON Stock       |  |
|  |                                |  |               |                          |                |  |
| CBP-OLS3000ERT2UA   | UPS OLS Series RT 3000VA/2700W | 0.9  | 28,248        | 2-ys onsite with battery | ON Stock       |  |
|  |                                |  |               |                          |                |  |

| UPS Online Rack   |  | Online UPS Rack Series ไม่พร้อม BATTERY !!!!! |               | CyberPower® |                |  |
|---|--|---|---------------|-------------|----------------|--|
| Part No.  | Description  | Power Factor                                  | SRP (Inc.VAT) | Warranty    | Stock/By Order |  |
| CBP-OLS6000ERTXL3U  | UPS OLS RT6000VA/5400WATT  | 0.9   | 76,300        | 2-ys onsite | ON Stock       |  |
|  | <div style="border: 1px solid black; padding: 5px;"> <p>เครื่องสำรองไฟขนาด 6kVA ขึ้นไป<br/>บริการติดตั้งฟรีทั่วประเทศ<br/>***เงื่อนไขรายละเอียดการติดตั้งตาม<br/>นโยบายบริษัทฯ***</p> </div> |   |               |             |                |  |

| UPS Online Tower |   | Remote Management Card |             | CyberPower®    |  |  |
|------------------|---|------------------------|-------------|----------------|--|--|
| Part No.         | Description   | SRP (Inc.VAT)          | Warranty    | Stock/By Order |  |  |
| CBP-RMCARD205    | SNM Network Card  | 6,800                  | 2-ys onsite | ON Stock       |  |  |
|                  |  |                        |             |                |  |  |

\*\*\*หมายเหตุ: เครื่องสำรองไฟขนาด 6kVA ขึ้นไป \*\*\*  
 ราคานี้ รวมค่าติดตั้งเครื่องรวมเบด, commissioning, และ ค่าสายไฟเข้า input.output รวมกันยาวไม่เกินไม่เกิน 6 เมตร  
 ราคานี้ รวมค่า PM 2 ปี ปีละ 2 ครั้ง (รวมทั้งหมด 4 ครั้ง)  
 ราคานี้ รวมค่า อะไหล่และเบดในวงจรรับประกัน 2 ปี  
 after sales service : 24 x 7 : call center

ราคาไม่รวม :  
 ราคาไม่รวมค่าขนส่ง ถึงตำแหน่งที่ตั้งตัวเครื่อง  
 ราคาไม่รวม ระบบเดินสายไฟเข้าทำงาน  
 ราคาไม่รวม circuit breaker - input , output

UPS PRODUCT & BATTERY

253

UPS Online Tower PF1



| Part No.      | Description   | Power Factor | SRP (Inc.VAT) | Warranty     | Stock/By Order |
|---------------|---|--------------|---------------|--------------|----------------|
| CBP-OLS6KEA   | UPS OLS Tower 6000VA/6000W PF1<br><br><b>เครื่องสำรองไฟขนาด 6kVA ขึ้นไป บริการติดตั้งฟรีทั่วประเทศ</b><br>***เงื่อนไขรายละเอียดการติดตั้งตามนโยบายบริษัทฯ***   | 1            | 87,673        | 2-yrs onsite | By order       |
| CBP-BPS192V7A | Extended Battery Module for OLS6KEA<br><br><b>แบตเตอรี่ขนาด 12V 7AH จำนวน 32 ลูก</b>   |              | 39,000        | 2-yrs onsite | By order       |
| CBP-OLS10KEA  | UPS OLS Tower 10000VA/10000W PF1<br><br><b>เครื่องสำรองไฟขนาด 6kVA ขึ้นไป บริการติดตั้งฟรีทั่วประเทศ</b><br>***เงื่อนไขรายละเอียดการติดตั้งตามนโยบายบริษัทฯ*** | 1            | 99,978        | 2-yrs onsite | By order       |
| CBP-BPS192V9A | Extended Battery Module for OLS10KEA<br><br><b>แบตเตอรี่ขนาด 12V 7AH จำนวน 32 ลูก</b>  |              | 49,500        | 2-yrs onsite | By order       |

UPS Online Rack PF1



| Part No.          | Description   | Power Factor | SRP (Inc.VAT) | Warranty                  | Stock/By Order |
|-------------------|---|--------------|---------------|---------------------------|----------------|
| CBP-OLS6KERT4UA   | UPS OLS RT 6kVA/6kW Pf1 4U<br>   | 1            | 84,597        | 2-yrs onsite with battery | By Order       |
| CBP-OLS10KERT4UA  | UPS OLS RT 10kVA/10kW Pf1 4U<br> | 1            | 95,364        | 2-yrs onsite with battery | By Order       |
| CBP-BPS192V7ART3U | Battery for OLS6KERT4UA<br>      | 1            | 32,485        | 2-yrs onsite with battery | By Order       |
| CBP-BPS192V9ART3U | Battery for OLS10KERT4UA<br>     | 1            | 36,915        | 2-yrs onsite with battery | By Order       |
| CBP-OLS6KERT5U    | UPS OLS RT 6kVA/6kW Pf1 5U<br>   | 1            | 110,745       | 2-yrs onsite with battery | By Order       |
| CBP-OLS10KERT5U   | UPS OLS RT 10kVA/10kW Pf1 5U<br> | 1            | 133,817       | 2-yrs onsite with battery | By Order       |
| CBP-BPS240V7ART3U | Battery for OLS6KERT5U<br>       | 1            | 46,144        | 2-yrs onsite with battery | By Order       |
| CBP-BPS240V9ART3U | Battery for OLS10KERT5U<br>      | 1            | 49,909        | 2-yrs onsite with battery | By Order       |

\*\*\* หมายเหตุ: เนื่องจากการติดตั้งเครื่องสำรองไฟ ขนาด 6kVA ขึ้นไป \*\*\*  
 ราคานี้ รวมค่าติดตั้งเครื่องรวมแบตเตอรี่, commissioning, และ ค่าสายไฟเข้า input/output รวมกันยาวไม่เกิน 6 เมตร  
 ราคานี้ รวมค่า PM 2 ปี ปีละ 2 ครั้ง (รวมทั้งหมด 4 ครั้ง)  
 ราคานี้ รวมค่า อะไหล่และแบตเตอรี่ในช่วงรับประกัน 2 ปี  
 after sales service : 24 x 7 : call center

ราคาไม่รวม :  
 ราคาไม่รวมค่าขนส่ง ถึงตำแหน่งที่ตั้งตู้เครื่อง  
 ราคาไม่รวม ระบบเดินสายไฟเข้าหน้างาน  
 ราคาไม่รวม circuit breaker - input , output

**EPS - Emergency Power Systems**

EPS จะไม่มี Battery ในตัวเครื่อง!!! ต้องซื้อแยก ตาม Back up time ที่ลูกค้าต้องการ  
ไม่ใช่ UPS เหมาะสำหรับลูกค้าที่ต้องการ Backup time มากกว่า 1 ชั่วโมง



| Part No.       | Description               | Qty | Rack / Tower | SRP (Inc.VAT) | Warranty                  | Remark |
|----------------|---------------------------|-----|--------------|---------------|---------------------------|--------|
| CBP-CPS600E-AS | EPS CPS600E 600VA/420WATT | 1   | Tower        | 7,700         | 2-yrs onsite with battery | Stock  |



**Battery For CBP-CPS600E-AS**

( สำหรับรุ่น CBP-CPS600E จะไม่มี battery ในตัวเครื่อง ต้องซื้อ Battery เพิ่ม ซึ่งสามารถแปลง Battery ได้จำนวน 1 unit เท่านั้น )

|                 |                             |   |       |        |                           |       |
|-----------------|-----------------------------|---|-------|--------|---------------------------|-------|
| CBP-CPS1000E-AS | EPS CPS1000E 1000VA/700WATT | 1 | Tower | 11,400 | 2-yrs onsite with battery | Stock |
|-----------------|-----------------------------|---|-------|--------|---------------------------|-------|



\*\*ไม่มีสายพ่วงแบตเตอรี่มาให้ในกล่อง

**Battery For CBP-CPS1000E-AS**

( สำหรับรุ่น CBP-CPS1000E-AS จะไม่มี battery ในตัวเครื่อง ต้องซื้อ Battery เพิ่ม ซึ่งสามารถแปลง Battery ได้จำนวน 1 unit เท่านั้น )

|                |                                |   |       |        |                           |       |
|----------------|--------------------------------|---|-------|--------|---------------------------|-------|
| CBP-CPS3500PRO | EPS CPS3500PRO 3500VA/2450WATT | 1 | Tower | 36,800 | 2-yrs onsite with battery | Stock |
|----------------|--------------------------------|---|-------|--------|---------------------------|-------|



\*\*ไม่มีสายพ่วงแบตเตอรี่มาให้ในกล่อง

**CBP-CPS3500PRO**

จะไม่มี battery ในตัวเครื่อง ต้องซื้อ Battery เพิ่ม ใช้ Battery ขึ้นค่าที่ 2 unit และต้องเพิ่มที่ละ 2 unit เพิ่มได้เรื่อยๆ ขึ้นอยู่กับระยะเวลาการสำรองไฟ

|                   |                                |   |       |        |                           |          |
|-------------------|--------------------------------|---|-------|--------|---------------------------|----------|
| CBP-CPS7500PRO-UK | EPS CPS7500PRO 7500VA/5250WATT | 1 | Tower | 76,200 | 2-yrs onsite with battery | By order |
|-------------------|--------------------------------|---|-------|--------|---------------------------|----------|



\*\*ไม่มีสายพ่วงแบตเตอรี่มาให้ในกล่อง

**CBP-CPS7500PRO-UK**

จะไม่มี battery ในตัวเครื่อง ต้องซื้อ Battery เพิ่ม ใช้ Battery ขึ้นค่าที่ 4 unit และต้องเพิ่มที่ละ 4 unit เพิ่มได้เรื่อยๆ ขึ้นอยู่กับระยะเวลาการสำรองไฟ

หมายเหตุ

ราคานี้ไม่รวมค่าติดตั้ง

ตั้งแต่รุ่น CBP-CPS3500PRO ขึ้นไป ไม่มีสาย AC input, Batt Cable มาให้ในกล่อง ลูกค้าต้อง Wiring สายเองจากตู้เบรกเกอร์ไปยัง Terminal หลังเครื่อง EPS

NEW UPS 3 Phase



Online UPS : 3 phase in /1 phase out : PF : 0.8

| Series | Model              | Description                     | Qty | New SRP (Inc.VAT) | Stock / By order |
|--------|--------------------|---------------------------------|-----|-------------------|------------------|
|        | KIT-CBP-OLS3S10KEC | ***สเปค ICT งบ 270,000 บาท***   |     |                   |                  |
|        | CBP-OLS3S10KEC     | 10KVA/8KW 3in/1out with BATTERY | 1   | 126,000           | By order         |
|        | CBP-BPSE192V60A    | Battery Pack 9AH*16pcs          | 2   | 59,000            | By order         |
|        | Total/Set          |                                 |     |                   |                  |

Online UPS : 3 phase in /1 phase out : PF : 0.9

| Series          | Model           | Description                  | New SRP (Inc.VAT) | Stock / By order |
|-----------------|-----------------|------------------------------|-------------------|------------------|
| 3/1 UPS         | CBP-OLS3S15KE   | 15KVA w/ 40pcs*9AH BAT       | 1 243,000         | By order         |
|                 | CBP-OLS3S20KE   | 20KVA w/ 40pcs*9AH BAT       | 1 259,000         | By order         |
|                 | CBP-OLS3S15KEXL | 20KVA w/o BAT                | 1 172,000         | By order         |
|                 | CBP-OLS3S20KEXL | 20KVA w/o BAT                | 1 180,000         | By order         |
|                 | CBP-BPSE240V82A | Battery Pack 9AH*20pcs*2Sets | 1 114,000         | By order         |
| Modular (20kVA) | CBP-SM20KPM     | 20KVA Power Modular          | 1 168,000         | By order         |
|                 | CBP-SM060KMF    | 60KVA Enclosure              | 1 240,000         | By order         |
|                 | CBP-SM120KMF    | 120KVA Enclosure             | 1 335,000         | By order         |
|                 | CBP-SM200KMF    | 200KVA Enclosure             | 1 440,000         | By order         |
| Moular (30kVA)  | CBP-SM30KPMX    | 30KVA Power Modular          | 1 203,000         | By order         |
|                 | CBP-SM180KMF    | 180KVA Enclosure             | 1 386,000         | By order         |
|                 | CBP-SM300KMF    | 300KVA Enclosure             | 1 567,000         | By order         |
|                 | CBP-SM600KMF    | 600KVA Enclosure             | 1 1,479,000       | By order         |

Online UPS : 3 phase in /3 phase out : PF : 0.9

| Series                 | Model   | Description  | New SRP (Inc.VAT)                     | Stock / By order |          |
|------------------------|---|--|---------------------------------------|------------------|----------|
| HSTP (KE)Standalone    | CBP-HSTP3T10KE  | 10KVA/9KW 400/230VAC 3PHASE w/o BAT                      | 1 140,000                             | By order         |          |
|                        | CBP-HSTP3T15KE  | 15KVA/13.5KW 400/230VAC 3PHASE w/o BAT                   | 1 156,000                             | By order         |          |
|                        | CBP-HSTP3T20KE  | 20KVA/18KW 400/230VAC 3PHASE w/o BAT                     | 1 201,000                             | By order         |          |
|                        | CBP-HSTP3T30KE  | 30KVA/27KW 400/230VAC 3PHASE w/o BAT                     | 1 252,000                             | By order         |          |
|                        | CBP-HSTP3T40KE  | 40KVA/36KW 400/230VAC 3PHASE w/o BAT                     | 1 317,000                             | By order         |          |
|                        | CBP-HSTP3T60KE  | 60KVA/54KW 400/230VAC 3PHASE w/o BAT                     | 1 467,000                             | By order         |          |
|                        | CBP-HSTP3T80KE  | 80KVA/72KW 400/230VAC 3PHASE                             | 1 681,000                             | By order         |          |
|                        | CBP-HSTP3T90KE  | 90KVA/81KW 400/230VAC 3PHASE w/o BAT                     | 1 704,000                             | By order         |          |
|                        | CBP-HSTP3T100KE   | 100KVA/90KW 400/230VAC 3PHASE w/o BAT                    | 1 822,000                             | By order         |          |
|                        | CBP-HSTP3T120KE   | 120KVA/108KW 400/230VAC 3PHASE w/o BAT                   | 1 854,000                             | By order         |          |
|                        | CBP-HSTP3T150KE   | 150KVA 135KW 400/230VAC 3PHASE w/o BAT                   | 1 895,000                             | By order         |          |
|                        | CBP-HSTP3T200KE   | 200KVA 180KW 400/230VAC 3PHASE w/o BAT                   | 1 1,096,000                           | By order         |          |
|                        | CBP-HSTP3T250KE   | 250KVA 225KW 400/230VAC 3PHASE w/o BAT                   | 1 1,497,000                           | By order         |          |
|                        | CBP-HSTP3T300KE   | 300KVA 270KW 400/230VAC 3PHASE w/o BAT                   | 1 1,661,000                           | By order         |          |
|                        | CBP-HSTP3T400KE   | 400KVA 360KW 400/230VAC 3PHASE w/o BAT                   | 1 2,617,000                           | By order         |          |
|                        | CBP-HSTP3T500KE   | 500KVA 450KW 400/230VAC 3PHASE w/o BAT                   | 1 2,981,000                           | By order         |          |
|                        | HSTP (KEBC/KEBCWOB)Standalone                             | CBP-HSTP3T10KEBC   | 10KVA/9KW with 9AH x 40pcs BAT        | 1 220,000        | By order |
|                        |   | CBP-HSTP3T10KEBCWOB                                      | 10KVA/9KW Bat space& cable w/o BAT    | 1 167,000        | By order |
|                        |   | CBP-HSTP3T15KEBC   | 15KVA/13.5KW with 9AH x 40pcs BAT     | 1 243,000        | By order |
|                        |   | CBP-HSTP3T15KEBCWOB                                      | 15KVA/13.5KW Bat space& cable w/o BAT | 1 184,000        | By order |
| CBP-HSTP3T20KEBC       |   | 20KVA/18KW with 12AH x 40pcs BAT                         | 1 317,000                             | By order         |          |
| CBP-HSTP3T20KEBCWOB    |   | 20KVA/18KW Bat space& cable w/o BAT                      | 1 234,000                             | By order         |          |
| CBP-HSTP3T30KEBC       |   | 30KVA/27KW with 12AH x 40pcs BAT                         | 1 381,000                             | By order         |          |
| CBP-HSTP3T30KEBCWOB    |   | 30KVA/27KW Bat space& cable w/o BAT                      | 1 295,000                             | By order         |          |
| CBP-HSTP3T40KEBC       |   | 40KVA/36KW with 12AH x 80pcs BAT                         | 1 521,000                             | By order         |          |
| CBP-HSTP3T40KEBCWOB    |   | 40KVA/36KW Bat space& cable w/o BAT                      | 1 372,000                             | By order         |          |
| RT33 Rack Tower        |   | CBP-RT33010KE  | Rack Tower 10kVA/10kW UPS (MIC)       | 1 180,000        | By order |
|                        |   | CBP-RT33015KE  | Rack Tower 15kVA/15kW UPS (MIC)       | 1 189,000        | By order |
|                        | CBP-RT33020KE   | Rack Tower 20kVA/20kW UPS (MIC)                          | 1 217,000                             | By order         |          |
|                        | CBP-RT33025KE   | Rack Tower 25kVA/25kW UPS (MIC)                          | 1 226,000                             | By order         |          |
|                        | CBP-RT33030KE   | Rack Tower 30kVA/24kW UPS (MIC)                          | 1 231,000                             | By order         |          |
| Battery pack & Breaker | CBP-MBS63AHVHWW   | Rack Mount maintenance bypass switch box                 | 1 58,000                              | By order         |          |
|                        | CBP-SMBF17  | 480VDC 17AH 12VDC BATTERIES 40PCS                        | 1 153,000                             | By order         |          |
|                        | CBP-SMBF20  | 480VDC 20AH 12VDC BATTERIES 40PCS                        | 1 166,000                             | By order         |          |
|                        | CBP-SMBF26  | 480VDC 26AH 12VDC BATTERIES 40PCS                        | 1 241,000                             | By order         |          |
|                        | CBP-SMBF33  | 480VDC 33AH 12VDC BATTERIES 40PCS                        | 1 264,000                             | By order         |          |
|                        | CBP-SMBF40  | 480VDC 40AH 12VDC BATTERIES 40PCS                        | 1 316,000                             | By order         |          |
|                        | CBP-SMBF65  | 480VDC 65AH 12VDC BATTERIES 40PCS                        | 1 518,000                             | By order         |          |
|                        | CBP-SMBF20-17N  | BAT Cabinet 20AHx40pcs w/o BAT                           | 1 48,000                              | By order         |          |
|                        | CBP-SMBF40-26N  | BAT Cabinet 40AHx40pcs w/o BAT                           | 1 55,000                              | By order         |          |
|                        | CBP-SMBF65N   | BAT Cabinet 65AHx40pcs w/o BAT                           | 1 67,000                              | By order         |          |
|                        | CBP-SMBCB125  | Circuit Breaker 125A for SM060KMF                        | 1 6,000                               | By order         |          |
|                        | CBP-SMBCB250  | Circuit Breaker 250A for SM120KMF                        | 1 13,000                              | By order         |          |
|                        | CBP-SMBCB400  | Circuit Breaker 400A for SM200KMF                        | 1 27,000                              | By order         |          |
|                        | CBP-SM125C20-17   | Cable/Copper Bar for SM125C20_17                         | 1 13,000                              | By order         |          |
|                        | CBP-SM250C40-26   | Cable/Copper Bar for SM250C40_26                         | 1 35,000                              | By order         |          |
|                        | CBP-SM400C65  | Cable/Copper Bar for SM400C65                            | 1 76,000                              | By order         |          |
|                        | CBP-BCA12N63  | DIY battery cabinet w/o battery (Space for 12AH * 40pcs) | 1 15,000                              | By order         |          |
|                        | CBP-BCA20N125   | DIY battery cabinet w/o battery (Space for 20AH * 40pcs) | 1 31,000                              | By order         |          |
| CBP-BCA40N125          | DIY battery cabinet w/o battery (Space for 40AH * 40pcs)  | 1 40,000   | By order                              |                  |          |
| CBP-BCA100N125         | DIY battery cabinet w/o battery (Space for 100AH * 40pcs) | 1 64,000   | By order                              |                  |          |
| Accessory              | CBP-BM240V63ART3U   | BATTERY MODULE BM240V63ART3U                             | 1 55,000                              | By order         |          |
|                        | CBP-SM060KDF  | 60KVA Dust Filter  | 1 5,000                               | By order         |          |
|                        | CBP-SM120KDF  | 120KVA Dust Filter                                       | 1 6,000                               | By order         |          |
|                        | CBP-SM200KDF  | 200KVA Dust Filter                                       | 1 12,000                              | By order         |          |
|                        | CBP-SMNNPK  | Parallel kit for SM UPS                                  | 1 22,000                              | By order         |          |
|                        | CBP-PARLCARD301   | Parallel kit for HSTP3T10/15KE SERIES                    | 1 12,000                              | By order         |          |
|                        | CBP-PARLCARD302   | Parallel kit for HSTP3T20/30KE SERIES                    | 1 12,000                              | By order         |          |
|                        | CBP-PARLCARD303   | Parallel kit for HSTP3T40KE SERIES                       | 1 12,000                              | By order         |          |
|                        | CBP-PARLCARD304   | Parallel kit for OVER HSTP3T60KE AND SMX SERIES          | 1 22,000                              | By order         |          |
|                        | CBP-SMTEMP  | Temperature sensor                                       | 1 Call                                | By order         |          |

UPS PRODUCT & BATTERY

256

**APC Back UPS : Tower Model**



Exclusive for SIS

|                              |   |   |                                     |  |
|------------------------------|---|---|-------------------------------------|--|
| <b>Part number</b>           | BK500EI   | BK650-AS  | BR500CI-AS                          | BV800I-MS                                    |
| <b>SIS P/N</b>               | APC-BK500EI   | APC-BK650AS   | APC-BR500CIAS                       | APC-BV800I-MST                               |
| <b>Topology</b>              | Offline (Standby)   | Offline (Standby)   | Line Interactive                    | Line Interactive                             |
| <b>Output power capacity</b> | 500VA / 300W  | 650V / 400W   | 500VA / 300W                        | 800VA / 480 watt                             |
| <b>Input Connection</b>      | IEC-320 C14   | IEC-320 C14   | IEC-320 C14                         | NEMA 5-15P                                   |
| <b>Output Connection</b>     | (3) IEC-320 C13<br>(Battery Backup)<br>(1) IEC-320 C13<br>(Surge protection only) | (3) IEC-320 C13<br>(Battery Backup)<br>(1) IEC-320 C13<br>(Surge protection only) | (3) IEC-320 C13<br>(Battery Backup) | (4) Universal Receptacle<br>(Battery Backup) |
| <b>Warranty</b>              | 2Y onsite swap  | 2Y onsite swap  | 2Y onsite swap                      | 2Y onsite swap                               |
| <b>Software</b>              | PowerChute Personal Edition   | PowerChute Personal Edition   | Not support software                | Not support software                         |
| <b>SRP (inc. VAT)</b>        | 4,420   | 5,470   | 3,150                               | 2,430  |



Exclusive for SIS

|                              |                                     |                          |   |   |
|------------------------------|-------------------------------------|--------------------------|---|---|
| <b>Part number</b>           | BVX700LUI-MS                        | BX625CI-MS               | BX750MI-MS                                  | BX950MI-MS                                  |
| <b>SIS P/N</b>               | APC-BVX700LUI-MS                    | APC-BX625CI-MS           | APC-BX750MI-MS                              | APC-BX950MI-MS                              |
| <b>Topology</b>              | Line Interactive                    | Line Interactive         | Line Interactive                            | Line Interactive                            |
| <b>Output power capacity</b> | 700VA / 360W                        | 625VA / 325W             | 750VA / 410W                                | 950VA / 520W                                |
| <b>Input Connection</b>      | IEC-320 C14                         | IEC-320 C14              | IEC-320 C14                                 | IEC-320 C14                                 |
| <b>Output Connection</b>     | (2) Universal Receptacle<br>(1) USB | (3) Universal Receptacle | (2) Universal Receptacle<br>(1) IEC-320 C13 | (2) Universal Receptacle<br>(2) IEC-320 C13 |
| <b>Warranty</b>              | 2Y onsite swap                      | 2Y onsite swap           | 2Y onsite swap                              | 2Y onsite swap                              |
| <b>Software</b>              | Not support software                | Not support software     | PowerChute Personal Edition                 | PowerChute Personal Edition                 |
| <b>SRP (inc. VAT)</b>        | 2,200                               | 2,960                    | 4,970                                       | 6,280                                       |



|                              |   |                             |                             |  |
|------------------------------|---|-----------------------------|-----------------------------|--|
| <b>Part number</b>           | BX1200MI-MS                                 | BX1600MI-MS                 | BX2200MI-MS                 | BR1300MI   |
| <b>SIS P/N</b>               | KIT-BX1200MI-3YR                            | KIT-BX1600MI-3YR            | KIT-BX2200MI-3YR            | KIT-BR1300MI   |
| <b>Topology</b>              | Line Interactive                            | Line Interactive            | Line Interactive            | Line Interactive   |
| <b>Output power capacity</b> | 1200VA / 650W                               | 1600VA / 900W               | 2200VA / 1200W              | 1300VA / 780W  |
| <b>Input Connection</b>      | IEC-320 C14                                 | IEC-320 C14                 | IEC-320 C14                 | IEC-320 C14  |
| <b>Output Connection</b>     | (4) Universal Receptacle<br>(1) IEC-320 C13 | (4) Universal Receptacle    | (4) Universal Receptacle    | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) |
| <b>Warranty</b>              | 2+1Y onsite swap                            | 2+1Y onsite swap            | 2+1Y onsite swap            | 2+1Y onsite swap   |
| <b>Software</b>              | PowerChute Personal Edition                 | PowerChute Personal Edition | PowerChute Personal Edition | PowerChute Personal Edition  |
| <b>SRP (inc. VAT)</b>        | 7,310                                       | 9,270                       | 10,710                      | 14,300   |



|                              |  |  |  |  |
|------------------------------|--|--|--|--|
| <b>Part number</b>           | BR1600MI   | BR1500GI   | BR1200SI   | BR1600SI   |
| <b>SIS P/N</b>               | KIT-BR1600MI   | KIT-BR1500GI   | KIT-BR1200SI   | KIT-BR1600SI   |
| <b>Topology</b>              | Line Interactive   | Line Interactive   | Line Interactive/Sine Wave   | Line Interactive/Sine Wave   |
| <b>Output power capacity</b> | 1600VA / 960W  | 1500VA / 865W  | 1200VA / 720W  | 1600VA / 960W  |
| <b>Input Connection</b>      | IEC-320 C14  | IEC-320 C14  | IEC-320 C14  | IEC-320 C14  |
| <b>Output Connection</b>     | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) | (5) IEC-320 C13 (Battery Backup)<br>(5) IEC-320 C13<br>(Surge protection only) | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) |
| <b>Warranty</b>              | 2+1Y onsite swap   | 2+1Y onsite swap   | 2+1Y onsite swap   | 2+1Y onsite swap   |
| <b>Software</b>              | PowerChute Personal Edition  | PowerChute Personal Edition  | PowerChute Personal Edition  | PowerChute Personal Edition  |
| <b>SRP (inc. VAT)</b>        | 15,600   | 17,000   | 15,000   | 16,800   |

UPS PRODUCT & BATTERY

257

**APC Smart UPS : SMV Series**

□ Outlet 110V Universal □ Output 110V Pure Sine Wave



|                              |                             |                             |                             |
|------------------------------|-----------------------------|-----------------------------|-----------------------------|
| <b>Part number</b>           | SMV1000I-MS                 | SMV2000AI-MS                | SMV3000AI-MS                |
| <b>SIS P/N</b>               | APC-SMV1000I-MS             | APC-SMV2000AI-MS            | APC-SMV3000AI-MS            |
| <b>Topology</b>              | Line Interactive            | Line Interactive            | Line Interactive            |
| <b>Output power capacity</b> | 1000VA/ 700W                | 2000VA /1400W               | 3000VA / 2100W              |
| <b>Input voltage</b>         | 165 - 290VAC                | 165 - 295VAC                | 165 - 295VAC                |
| <b>Output voltage</b>        | 220, 230, 240VAC            | 220, 230, 240VAC            | 220, 230, 240VAC            |
| <b>Warranty</b>              | 2Y onsite swap              | 2Y onsite swap              | 2Y onsite swap              |
| <b>Software</b>              | UPSCAPO Monitoring Software | UPSCAPO Monitoring Software | UPSCAPO Monitoring Software |
| <b>SRP (inc. VAT)</b>        | 10,800                      | 19,600                      | 26,700                      |

**APC Smart UPS : SMC with LCD Display**



|                              |                             |                             |                             |
|------------------------------|-----------------------------|-----------------------------|-----------------------------|
| <b>Part number</b>           | SMC1000I                    | SMC1500I                    | SMC2000I                    |
| <b>SIS P/N</b>               | KIT-SMC1000I                | KIT-SMC1500I                | KIT-SMC2000I                |
| <b>Topology</b>              | Line Interactive            | Line Interactive            | Line Interactive            |
| <b>Output power capacity</b> | 1000VA/ 600W                | 1500VA / 900W               | 2000VA / 1300W              |
| <b>Input voltage</b>         | 180 - 287VAC                | 180 - 287VAC                | 180 - 287VAC                |
| <b>Output voltage</b>        | 220, 230, 240VAC            | 220, 230, 240VAC            | 220, 230, 240VAC            |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         |
| <b>Software</b>              | PowerChute Business Edition | PowerChute Business Edition | PowerChute Business Edition |
| <b>SRP (inc. VAT)</b>        | 22,200                      | 25,600                      | 34,000                      |



|                              |                             |                             |                             |
|------------------------------|-----------------------------|-----------------------------|-----------------------------|
| <b>Part number</b>           | SMC3000I                    | SMC1000I-2UC                | SMC1500I-2UC                |
| <b>SIS P/N</b>               | KIT-SMC3000I                | KIT-SMC1000I-2UC            | KIT-SMC1500I-2UC            |
| <b>Topology</b>              | Line Interactive            | Line Interactive            | Line Interactive            |
| <b>Output power capacity</b> | 3000VA / 2100W              | 1000VA / 600W               | 1500VA / 900W               |
| <b>Input voltage</b>         | 180 - 287VAC                | 180 - 287VAC                | 180 - 287VAC                |
| <b>Output voltage</b>        | 220, 230, 240VAC            | 220, 230, 240VAC            | 220, 230, 240VAC            |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         |
| <b>Software</b>              | PowerChute Business Edition | PowerChute Business Edition | PowerChute Business Edition |
| <b>SRP (inc. VAT)</b>        | 44,800                      | 21,000                      | 27,500                      |

**APC Smart UPS : SMT Rack Model**



|                              |                             |                             |
|------------------------------|-----------------------------|-----------------------------|
| <b>Part number</b>           | SMC2000I-2U                 | SMC3000RMI2U                |
| <b>SIS P/N</b>               | KIT-SMC2000I-2U             | KIT-SMC3000I2U              |
| <b>Topology</b>              | Line Interactive            | Line Interactive            |
| <b>Output power capacity</b> | 2000VA / 1300W              | 3000VA / 2100W              |
| <b>Input voltage</b>         | 180 - 287VAC                | 180 - 287VAC                |
| <b>Output voltage</b>        | 220, 230, 240VAC            | 220, 230, 240VAC            |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         |
| <b>Software</b>              | PowerChute Business Edition | PowerChute Business Edition |
| <b>SRP (inc. VAT)</b>        | 36,400                      | 54,300                      |

UPS PRODUCT & BATTERY

**APC Smart UPS : SMT Smart Connect Tower Model**



|                              |                                     |                                     |                                     |
|------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <b>Part number</b>           | SMT750I                             | SMT1000I                            | SMT1500I                            |
| <b>SIS P/N</b>               | KIT-SMT750I                         | KIT-SMT1000I                        | KIT-SMT1500I                        |
| <b>Topology</b>              | Line Interactive                    | Line Interactive                    | Line Interactive                    |
| <b>Output power capacity</b> | 750VA / 500W                        | 1000VA / 700W                       | 1500VA / 1000W                      |
| <b>Input voltage</b>         | 160 - 286VAC                        | 160 - 286VAC                        | 160 - 286VAC                        |
| <b>Output voltage</b>        | 220, 230, 240VAC                    | 220, 230, 240VAC                    | 220, 230, 240VAC                    |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 |
| <b>Option</b>                | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) |
| <b>SRP (inc. VAT)</b>        | 17,300                              | 28,000                              | 33,600                              |



|                              |                                  |                                  |
|------------------------------|----------------------------------|----------------------------------|
| <b>Part number</b>           | SMT2200I                         | SMT3000I                         |
| <b>SIS P/N</b>               | KIT-SMT2200I                     | KIT-SMT3000I                     |
| <b>Topology</b>              | Line Interactive                 | Line Interactive                 |
| <b>Output power capacity</b> | 2200VA / 1980W                   | 3000VA / 2700W                   |
| <b>Input voltage</b>         | 160 - 286VAC                     | 160 - 286VAC                     |
| <b>Output voltage</b>        | 220, 230, 240VAC                 | 220, 230, 240VAC                 |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD              | 2+1Y onsite 5x8 NBD              |
| <b>Option</b>                | AP9640 (Network Management Card) | AP9640 (Network Management Card) |
| <b>SRP (inc. VAT)</b>        | 52,700                           | 70,000                           |

UPS PRODUCT & BATTERY

259

**APC Smart UPS : SMT Smart Connect Rack Model**



|                              |                                     |                                     |                                     |
|------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <b>Part number</b>           | SMT750RMI2U                         | SMT1000RMI2U                        | SMT1500RMI2U                        |
| <b>SIS P/N</b>               | KIT-SMT750RMI2U                     | KIT-SMT1000RMI2U                    | KIT-SMT1500RMI2U                    |
| <b>Topology</b>              | Line Interactive                    | Line Interactive                    | Line Interactive                    |
| <b>Output power capacity</b> | 750VA / 500W                        | 1000VA / 700W                       | 1500VA / 1000W                      |
| <b>Input voltage</b>         | 160 - 286VAC                        | 160 - 286VAC                        | 160 - 286VAC                        |
| <b>Output voltage</b>        | 220, 230, 240VAC                    | 220, 230, 240VAC                    | 220, 230, 240VAC                    |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 |
| <b>Option</b>                | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) |
| <b>SRP (inc. VAT)</b>        | 24,300                              | 32,700                              | 46,400                              |

**APC Smart UPS : SMT Smart Connect Tower Model**



|                              |                                  |                                  |
|------------------------------|----------------------------------|----------------------------------|
| <b>Part number</b>           | SMT2200RMI2U                     | SMT3000RMI2U                     |
| <b>SIS P/N</b>               | KIT-SMT2200RMI2U                 | KIT-SMT3000RMI2U                 |
| <b>Topology</b>              | Line Interactive                 | Line Interactive                 |
| <b>Output power capacity</b> | 2200VA / 1980W                   | 3000VA / 2700W                   |
| <b>Input voltage</b>         | 160 - 286VAC                     | 160 - 286VAC                     |
| <b>Output voltage</b>        | 220, 230, 240VAC                 | 220, 230, 240VAC                 |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD              | 2+1Y onsite 5x8 NBD              |
| <b>Option</b>                | AP9640 (Network Management Card) | AP9640 (Network Management Card) |
| <b>SRP (inc. VAT)</b>        | 62,500                           | 78,000                           |

**APC Smart UPS : SMX Series**



|                              |                     |                     |                     |
|------------------------------|---------------------|---------------------|---------------------|
| <b>Part number</b>           | SMX750I             | SMX1000I            | SMX1500RMI2U        |
| <b>SIS P/N</b>               | KIT-SMX750I         | KIT-SMX1000I        | KIT-SMX1500RMI2U    |
| <b>Topology</b>              | Line Interactive    | Line Interactive    | Line Interactive    |
| <b>Output power capacity</b> | 750VA / 600W        | 1000VA / 800W       | 1500VA / 1200W      |
| <b>Input voltage</b>         | 160 - 286VAC        | 160 - 286VAC        | 160 - 286VAC        |
| <b>Output voltage</b>        | 220, 230, 240VAC    | 220, 230, 240VAC    | 220, 230, 240VAC    |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD | 2+1Y onsite 5x8 NBD | 2+1Y onsite 5x8 NBD |
| <b>Option</b>                | AP9640, SMX48RMBP2U | AP9640, SMX48RMBP2U | AP9640, SMX48RMBP2U |
| <b>SRP (inc. VAT)</b>        | 30,000              | 35,800              | 51,400              |



|                              |                      |                     |                     |
|------------------------------|----------------------|---------------------|---------------------|
| <b>Part number</b>           | SMX2200RMHV2U        | SMX3000HV           | SMX3000HVNC         |
| <b>SIS P/N</b>               | KIT-SMX2200RMHV2U    | KIT-SMX3000HV       | KIT-SMX3000HVNC     |
| <b>Topology</b>              | Line Interactive     | Line Interactive    | Line Interactive    |
| <b>Output power capacity</b> | 2200VA / 1980W       | 3000VA / 2700W      | 3000VA / 2700W      |
| <b>Input voltage</b>         | 140 - 280VAC         | 140 - 280VAC        | 140 - 280VAC        |
| <b>Output voltage</b>        | 220, 230, 240VAC     | 220, 230, 240VAC    | 220, 230, 240VAC    |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD  | 2+1Y onsite 5x8 NBD | 2+1Y onsite 5x8 NBD |
| <b>Option</b>                | AP9640, SMX120RMBP2U | AP9640, SMX120BP    | SMX120BP            |
| <b>SRP (inc. VAT)</b>        | 72,700               | 91,700              | 115,400             |

UPS PRODUCT & BATTERY

**APC Smart UPS On-Line**



|                              |                          |                          |                          |
|------------------------------|--------------------------|--------------------------|--------------------------|
| <b>Part number</b>           | SRT1500XLI               | SRT2200XLI               | SRT3000XLI               |
| <b>Topology</b>              | Double Conversion Online | Double Conversion Online | Double Conversion Online |
| <b>Output power capacity</b> | 1500VA / 1500W           | 2200VA / 1980W           | 3000VA / 2700W           |
| <b>Input voltage</b>         | 100 - 275VAC             | 160 - 275VAC             | 160 - 275VAC             |
| <b>Output voltage</b>        | 220, 230, 240VAC         | 220, 230, 240VAC         | 220, 230, 240VAC         |
| <b>Warranty</b>              | 2+1Y onsite 5x8 NBD      | 2+1Y onsite 5x8 NBD      | 2+1Y onsite 5x8 NBD      |
| <b>Option</b>                | SRT48BP                  | SRTRK4, SRT72BP          | SRTRK4, SRT96BP          |
| <b>SRP (inc. VAT)</b>        | 55,000                   | 62,500                   | 81,700                   |



|                              |                                 |                                 |                                    |
|------------------------------|---------------------------------|---------------------------------|------------------------------------|
| <b>Part number</b>           | SRT5KXLI                        | SRT6KXLI                        | SRT8KXLI                           |
| <b>Topology</b>              | Double Conversion Online        | Double Conversion Online        | Double Conversion Online           |
| <b>Output power capacity</b> | 5,000VA / 4,500W                | 6,000VA / 6,000W                | 8,000VA / 8,000W                   |
| <b>Input voltage</b>         | 160 - 275VAC                    | 160 - 275VAC                    | Single phase 230VAC or Three phase |
| <b>Output voltage</b>        | 220, 230, 240VAC                | 220, 230, 240VAC                | 220, 230, 240VAC                   |
| <b>Warranty</b>              | 2Y onsite 5x8 NBD with 2PM/year | 2Y onsite 5x8 NBD with 2PM/year | 2Y onsite 5x8 NBD with 2PM/year    |
| <b>Option</b>                | SRTRK2, SRT192BP                | SRTRK2, SRT192BP                | SRTRK2, SRT192BP2                  |
| <b>SRP (inc. VAT)</b>        | 188,400                         | 206,700                         | 256,000                            |



|                              |                                    |                                    |                                    |
|------------------------------|------------------------------------|------------------------------------|------------------------------------|
| <b>Part number</b>           | SRT10KXLI                          | SURT15KRMXLI                       | SURT20KRMXLI                       |
| <b>Topology</b>              | Double Conversion Online           | Double Conversion Online           | Double Conversion Online           |
| <b>Output power capacity</b> | 10,000VA / 10,000 W                | 15,000VA / 12,000W                 | 20,000VA / 16,000W                 |
| <b>Input voltage</b>         | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase |
| <b>Output voltage</b>        | 220, 230, 240VAC                   | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase |
| <b>Warranty</b>              | 2Y onsite 5x8 NBD with 2PM/year    | 2Y onsite 5x8 NBD with 2PM/year    | 2Y onsite 5x8 NBD with 2PM/year    |
| <b>Option</b>                | SRTRK2, SRT192BP2                  | SURT192RMXLBP2                     | SURT192RMXLBP2                     |
| <b>SRP (inc. VAT)</b>        | 290,400                            | Call                               | Call                               |

**APC Smart UPS On-Line**



|                              |                                 |                                 |                                 |
|------------------------------|---------------------------------|---------------------------------|---------------------------------|
| <b>Part number</b>           | SRTG5KXLI                       | SRTG6KXLI                       | SRTG8KXLI                       |
| <b>Topology</b>              | Double Conversion Online        | Double Conversion Online        | Double Conversion Online        |
| <b>Output power capacity</b> | 5,000VA / 5,000W                | 6,000VA / 6,000W                | 8,000VA / 8,000W                |
| <b>Input voltage</b>         | Single phase 230VAC             | Single phase 230VAC             | Single phase 230VAC             |
| <b>Output voltage</b>        | Single phase 230VAC             | Single phase 230VAC             | Single phase 230VAC             |
| <b>Warranty</b>              | 2Y onsite 5x8 NBD with 2PM/year | 2Y onsite 5x8 NBD with 2PM/year | 2Y onsite 5x8 NBD with 2PM/year |
| <b>Option</b>                | SRTGRK1, SRTG192XLBP4           | SRTGRK1, SRTG192XLBP4           | SRTGRK1, SRTG192XLBP4           |
| <b>SRP (inc. VAT)</b>        | 168,700                         | 185,500                         | 207,100                         |



|                              |                                 |                                    |                                    |
|------------------------------|---------------------------------|------------------------------------|------------------------------------|
| <b>Part number</b>           | SRTG10KXLI                      | SRTG15KXLI                         | SRT20KRMXLI                        |
| <b>Topology</b>              | Double Conversion Online        | Double Conversion Online           | Double Conversion Online           |
| <b>Output power capacity</b> | 10,000VA / 10,000 W             | 15,000VA / 15,000W                 | 20,000VA / 16,000W                 |
| <b>Input voltage</b>         | Single phase 230VAC             | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase |
| <b>Output voltage</b>        | Single phase 230VAC             | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase |
| <b>Warranty</b>              | 2Y onsite 5x8 NBD with 2PM/year | 2Y onsite 5x8 NBD with 2PM/year    | 2Y onsite 5x8 NBD with 2PM/year    |
| <b>Option</b>                | SRTGRK1, SRTG192XLBP4           | SRTGRK1, SRTGRK2, SRTG192XLBP2     | SRTGRK1, SRTGRK2, SRTG192XLBP2     |
| <b>SRP (inc. VAT)</b>        | 240,700                         | 377,800                            | 477,700                            |

**Line Interactive UPS : PSA itON Series**



|                            |   |   |   |
|----------------------------|---|---|---|
| <b>Part number</b>         | <b>PSA650-SOHO</b>  | <b>PSA850-SOHO</b>  | <b>PSA1000-SOHO</b>   |
| <b>SIS P/N</b>             | VTV-PSA650-SOHO   | VTV-PSA850-SOHO   | VTV-PSA1000-SOHO  |
| <b>Topology</b>            | Line Interactive  | Line Interactive  | Line Interactive  |
| <b>Capacity (VA/W)</b>     | 650VA/390W  | 850VA/510W  | 1000VA/600W   |
| <b>Input Voltage range</b> | 162 – 290VAC, Single phase  | 162 – 290VAC, Single phase  | 162 – 290VAC, Single phase  |
| <b>Output Voltage</b>      | 230VAC ±10%   | 230VAC ±10%   | 230VAC ±10%   |
| <b>Battery Internal</b>    | Yes, 12V/7Ah x 1  | Yes, 12V/9Ah x 1  | Yes, 12V/9Ah x 1  |
| <b>Output Port</b>         | 3xUniversal, 1xUSB Charger  | 3xUniversal, 1xUSB Charger  | 6xUniversal   |
| <b>Certificate</b>         | ISO9001 & 14001, (TISI) 1291  | ISO9001 & 14001, (TISI) 1291  | ISO9001 & 14001, (TISI) 1291  |
| <b>Runtime</b>             | 15m at load 25%   | 16m at load 25%   | 18m at load 25%   |
| <b>Cable Bundle</b>        | Input NEMA/C13 x1   | Input NEMA/C13 x1   | Input NEMA/C13 x1   |
| <b>Warranty</b>            | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwat | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwat | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwat |

|                       |       |       |       |
|-----------------------|-------|-------|-------|
| <b>SRP (inc. VAT)</b> | 1,798 | 2,183 | 3,306 |
|-----------------------|-------|-------|-------|

**Double Conversion Online UPS : Liebert GXE Product**



|                            |   |   |   |   |
|----------------------------|---|---|---|---|
| <b>Part number</b>         | <b>GXE3-1000IMT</b>   | <b>GXE3-1500IMT</b>   | <b>GXE3-2000IMT</b>   | <b>GXE3-3000IMT</b>   |
| <b>SIS P/N</b>             | VTV-01203742  | VTV-01203743  | VTV-01203744  | VTV-01203745  |
| <b>Topology</b>            | Double Conversion Online( Tower )   | Double Conversion Online( Tower )   | Double Conversion Online ( Tower )  | Double Conversion Online( Tower )   |
| <b>Capacity (VA/W)</b>     | 1000VA/900W   | 1500VA/1350W  | 2000VA/1800W  | 3000VA/2700W  |
| <b>Input Voltage range</b> | 180-290 VAC   | 180-290 VAC   | 180-290 VAC   | 180-290 VAC   |
| <b>Output Voltage</b>      | 220/230 Default/240VAC  | 220/230 Default/240VAC  | 220/230 Default/240VAC  | 220/230 Default/240VAC  |
| <b>Battery Internal</b>    | Yes, 12 V / 9 AH x2   | Yes, 12 V / 9 AH x3   | Yes, 12 V / 9 AH x4   | Yes, 12 V / 9 AH x6   |
| <b>Output Port</b>         | 8 x C13   | 8 x C13   | 8 x C13   | 8 x C13   |
| <b>Certificate</b>         | ISO9001 & 14001, TISI, IEC/EN62040-1  | ISO9001&14001, TISI, IEC/EN62040-1  | ISO9001 & 14001, TISI, IEC/EN62040-1  | ISO9001 & 14001, TISI, IEC/EN62040-1  |
| <b>Runtime</b>             | 9m at load 50%  | 9m at load 50%  | 9m at load 50%  | 9.5m at load 50%  |
| <b>Cable Bundle</b>        | Input power cord x1, Output C13/C14x1   | Input power cord x1, Output C13/C14x1   | Input power cord x1, Output C13/C14x2   | Input power cord x1, Output C13/C14x2   |
| <b>Warranty</b>            | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass |
| <b>SRP (inc. VAT)</b>      | 12,600  | 19,355  | 23,100  | 30,790  |



|                            |   |   |   |   |
|----------------------------|---|---|---|---|
| <b>Part number</b>         | <b>GXE3-1000IRT2UXL</b>   | <b>GXE3-1500IRT2UXL</b>   | <b>GXE3-2000IRT2UXL</b>   | <b>GXE3-3000IRT2UXL</b>   |
| <b>SIS P/N</b>             | VTV-01203734  | VTV-01203735  | VTV-01203736  | VTV-01203737  |
| <b>Topology</b>            | DCO (Rack /Tower)   | DCO (Rack /Tower)   | DCO (Rack /Tower)   | DCO (Rack /Tower)   |
| <b>Capacity (VA/W)</b>     | 1000VA/900W   | 1500VA/1350W  | 2000VA/1800W  | 3000VA/2700W  |
| <b>Input Voltage range</b> | 180-290 VAC   | 180-290 VAC   | 180-290 VAC   | 180-290 VAC   |
| <b>Output Voltage</b>      | 220/230 Default/240VAC  | 220/230 Default/240VAC  | 220/230 Default/240VAC  | 220/230 Default/240VAC  |
| <b>Battery Internal</b>    | Yes, 12 V / 9 AH x2   | Yes, 12 V / 9 AH x3   | Yes, 12 V / 9 AH x4   | Yes, 12 V / 9 AH x6   |
| <b>Output Port</b>         | 8 x C13   | 8 x C13   | 8 x C13   | 8 x C13   |
| <b>Certificate</b>         | ISO9001&14001, TISI, IEC/EN 62040-1   |
| <b>Runtime</b>             | 9m at load 50%  | 9m at load 50%  | 9m at load 50%  | 9.5m at load 50%  |
| <b>Cable Bundle</b>        | Input power cordx1, Output C13/C14x1  | Input power cord x1, Output C13/C14x1   | Input power cord x1, Output C13/C14x2   | Input power cord x1, Output C13/C14x2   |
| <b>Warranty</b>            | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass |
| <b>SRP (inc. VAT)</b>      | 16,194  | 22,024  | 29,149  | 36,922  |

**Double Conversion Online UPS : GXT5 Series**



|                            |   |   |   |   |
|----------------------------|---|---|---|---|
| <b>Part number</b>         | <b>Liebert GXT5-1000IRT2UXL</b>   | <b>Liebert GXT5-1500IRT2UXL</b>   | <b>Liebert GXT5-2000IRT2UXL</b>   | <b>Liebert GXT5-3000IRT2UXL</b>   |
| <b>SIS P/N</b>             | VTV-01202008  | VTV-01202009  | VTV-01202010  | VTV-01202005  |
| <b>Topology</b>            | DCO (Rack /Tower)   | DCO (Rack /Tower)   | DCO (Rack /Tower)   | DCO (Rack /Tower)   |
| <b>Capacity (VA/W)</b>     | 1000VA/1000W  | 1500VA/1500W  | 2000VA/2000W  | 3000VA/3000W  |
| <b>Input Voltage range</b> | 230 VAC   | 230 VAC   | 230 VAC   | 230 VAC   |
| <b>Output Voltage</b>      | 200/208/220/230/240 VAC   | 200/208/220/230/240 VAC   | 200/208/220/230/240 VAC   | 200/208/220/230/240 VAC   |
| <b>Battery Internal</b>    | Yes, 3 x 12 V x 9.0 Ah  | Yes, 4 x 12 V x 9.0 Ah  | Yes, 4 x 12 V x 9.0 Ah  | Yes, 6 x 12 V x 9.0 Ah  |
| <b>Output Port</b>         | 8 x EN60320/C13   | 8 x EN60320/C13   | 8 x EN60320/C13   | 6 x EN60320/C13, 1xEN60320/C19  |
| <b>Certificate</b>         | ISO9001&14001, TISI CERT13422-301   | ISO9001&14001, TISI CERT13422-301   | ISO9001&14001, TISI CERT13422-301   | ISO9001&14001, TISI CERT13422-301   |
| <b>Runtime</b>             | 17.8m at 50%  | 16.3m at 50%  | 21.8m at 30%  | 21.9m at 30%  |
| <b>Cable Bundle</b>        | No input, Output C13/C14 x2 (2m)  | No input, Output C13/C14x2 (2m)   | No input, Output C13/C14 x2 (2m)  | No input, Output C13/C14 x2 (2m)  |
| <b>Warranty</b>            | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass |
| <b>SRP (inc. VAT)</b>      | 37,054  | 45,689  | 62,606  | 79,180  |

**Double Conversion Online UPS : GXT5 Series**



|                            |   |   |   |
|----------------------------|---|---|---|
| <b>Part number</b>         | <b>Liebert GXT5-5000IRT5UXLN</b>  | <b>Liebert GXT5-6000IRT5UXLN</b>  | <b>GXT5-10KIRT5UXLN</b>   |
| <b>SIS P/N</b>             | VTV-01201973  | VTV-01201976  | VTV-01201982  |
| <b>Topology</b>            | DCO (Rack /Tower)   | DCO (Rack /Tower)   | DCO (Rack /Tower)   |
| <b>Capacity (VA/W)</b>     | 5000VA/5000W  | 6000VA/6000W  | 10000VA/10000W  |
| <b>Input Voltage range</b> | 176-288 VAC   | 176-288 VAC   | 176-288 VAC   |
| <b>Output Voltage</b>      | 200/208/220/230/240 VAC   | 200/208/220/230/240 VAC   | 200/208/220/230/240 VAC   |
| <b>Battery Internal</b>    | Yes, 2 x 8 x 12V x 9.0 AH   | Yes, 2 x 8 x 12V x 9.0 AH   | Yes, 2 x 8 x 12V x 9.0 AH   |
| <b>Output Port</b>         | 6 x C13, 2 x C19  | 6 x C13, 2 x C19  | 4 x C13, 4 x C19  |
| <b>Certificate</b>         | ISO9001&14001, TISI CERT13422-301   | ISO9001&14001, TISI CERT13422-301   | ISO9001&14001, TISI CERT13422-301   |
| <b>Runtime</b>             | 18.5m at 50%  | 19.5m at 40%  | 25m at 20%  |
| <b>Cable Bundle</b>        | No  | No  | No  |
| <b>Warranty</b>            | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass, Free Startup BKK | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass, Free Startup BKK | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass, Free Startup BKK |
| <b>SRP (inc. VAT)</b>      | 133,996   | 150,057   | 196,548   |

UPS PRODUCT & BATTERY

263

**Double Conversion Online UPS : ITA2 Series**



|                                |   |   |   |
|--------------------------------|---|---|---|
| <b>Part number</b>             | Liebert ITA2: 6KVA/6KW UPS<br>VTV-01202671  | Liebert ITA2: 10KVA/10KW UPS<br>VTV-01202672  | Liebert ITA2 20KVA/20KW UPS<br>VTV-01202683   |
| <b>SIS P/N</b>                 | Double Conversion Online (Rack /Tower)  | Double Conversion Online (Rack /Tower)  | Double Conversion Online (Rack /Tower)  |
| <b>Topology</b>                | 6000VA/6000W  | 10000VA/10000W  | 20000VA/20000W  |
| <b>Capacity (VA/W)</b>         | 176-288 VAC   | 176-288 VAC   | 176-288 VAC   |
| <b>Input Voltage</b>           | 220/230/240 VAC 1-Phase,  | 220/230/240 VAC 1-Phase, 2  | 380/400/415 VAC 3-Phase,  |
| <b>Output Voltage</b>          | 2 Wire  | Wire; 380/400/415 VAC 3-Phase, 4 Wire   | 4 Wire  |
| <b>Battery Internal</b>        | No  | No  | No  |
| <b>Battery Internal Bundle</b> | Web Card (IS-UNITY-DP) Bundled,<br>Rail Kit Bundled, Battery Cable Bundled                      | Web Card (IS-UNITY-DP) Bundled,<br>Rail Kit Bundled, Battery Cable Bundled                      | Web Card (IS-UNITY-DP) Bundled, Rail<br>Kit Bundled, Battery Cable Bundled                      |
| <b>Warranty</b>                | 3 Yrs On Site Replacement Warranty,<br>not include rural area and Pattani, Ya-La,<br>Narathiwat | 3 Yrs On Site Replacement Warranty,<br>not include rural area and Pattani, Ya-La,<br>Narathiwat | 3 Yrs On Site Replacement Warranty,<br>not include rural area and Pattani, Ya-La,<br>Narathiwat |
| <b>SRP (inc. VAT)</b>          | 97,920  | 109,110   | 202,830   |

**5A UPS Line interactive for workstations, desktop PC's (Tower)**



|                         |                       |                       |                       |                         |                         |
|-------------------------|-----------------------|-----------------------|-----------------------|-------------------------|-------------------------|
| <b>Part number</b>      | P-5A700I-NEMA         | P-5A900I-NEMA         | P-5A1200I-NEMA        | P-5A1500I-NEMA          | P-5A2200I-NEMA          |
| <b>SIS P/N</b>          | ETN-5A700I            | ETN-5A900I            | ETN-5A1200I           | ETN-5A1500I             | ETN-5A2200I             |
| <b>Topology</b>         | Line Interactive      | Line Interactive      | Line Interactive      | Line Interactive        | Line Interactive        |
| <b>Capacity (VA/W)</b>  | 700 / 360             | 900 / 480             | 1200 / 660            | 1600 / 900              | 2200 / 1200             |
| <b>Input Voltage</b>    | 1PH 230V              | 1PH 230V              | 1PH 230V              | 1PH 230V                | 1PH 230V                |
| <b>Output Voltage</b>   | 1PH 230V              | 1PH 230V              | 1PH 230V              | 1PH 230V                | 1PH 230V                |
| <b>Battery Internal</b> | N/A                   | N/A                   | N/A                   | N/A                     | N/A                     |
| <b>Application</b>      | Computer & Peripheral | Computer & Peripheral | Computer & Peripheral | Computer and Peripheral | Computer and Peripheral |
| <b>Inlet</b>            | Fixed Input Cord      | Fixed Input Cord      | Fixed Input Cord      | Fixed Input Cord        | Fixed Input Cord        |
| <b>Outlets</b>          | (4)Universal          | (4)Universal          | (6)Universal          | (6)Universal            | (6)Universal            |
| <b>Software</b>         | -                     | -                     | -                     | -                       | -                       |
| <b>Warranty</b>         | 2Yrs Onsite           | 2Yrs Onsite           | 2Yrs Onsite           | 2Yrs Onsite             | 2Yrs Onsite             |
| <b>SRP (inc. VAT)</b>   | 1,268                 | 1,624                 | 2,375                 | 4,369                   | 5,660                   |

**9A UPS Online double-conversion for Server/Networking Solution (PF 0.9)**



|                         |                          |                          |                          |
|-------------------------|--------------------------|--------------------------|--------------------------|
| <b>Part number</b>      | 9103-53974               | 9103-73A00               | 9103-83A46               |
| <b>SIS P/N</b>          | ETN-9A1000I              | ETN-9A2000I              | ETN-9A3000I              |
| <b>Topology</b>         | Double-conversion online | Double-conversion online | Double-conversion online |
| <b>Capacity (VA/W)</b>  | 1000 / 900               | 2000 / 1800              | 3000 / 2700              |
| <b>Input Voltage</b>    | 1PH 230V                 | 1PH 230V                 | 1PH 230V                 |
| <b>Output Voltage</b>   | 1PH 230V                 | 1PH 230V                 | 1PH 230V                 |
| <b>Battery Internal</b> | ETN-9AEBM24              | ETN-9AEBM48              | ETN-9AEBM72              |
| <b>Application</b>      | Network and Server       | Network and Server       | Network and Server       |
| <b>Inlet</b>            | (1)IEC C14               | (1)IEC C14               | (1)IEC C20               |
| <b>Outlets</b>          | (4)IEC C13               | (4)IEC C13               | (6)IEC C13 ,(1)IEC C19   |
| <b>Software</b>         | WinPower                 | WinPower                 | WinPower                 |
| <b>Warranty</b>         | 3Y onsite                | 3Y onsite                | 3Y onsite                |
| <b>SRP (inc. VAT)</b>   | 9,500                    | 17,100                   | 20,800                   |



|                         |                          |                          |                          |
|-------------------------|--------------------------|--------------------------|--------------------------|
| <b>Part number</b>      | 9103-53973               | 9103-53973               | 9103-83A45               |
| <b>SIS P/N</b>          | ETN-9A1000IR             | ETN-9A2000IR             | ETN-9A3000IR             |
| <b>Topology</b>         | Double-conversion online | Double-conversion online | Double-conversion online |
| <b>Capacity (VA/W)</b>  | 1000 / 900               | 2000 / 1800              | 3000 / 2700              |
| <b>Input Voltage</b>    | 1PH 230V                 | 1PH 230V                 | 1PH 230V                 |
| <b>Output Voltage</b>   | 1PH 230V                 | 1PH 230V                 | 1PH 230V                 |
| <b>Battery Internal</b> | ETN-9AEBM242U            | ETN-9AEBM482U            | ETN-9AEBM722U            |
| <b>Application</b>      | Network and Server       | Network and Server       | Network and Server       |
| <b>Inlet</b>            | (1)IEC C14               | (1)IEC C14               | (1)IEC C20               |
| <b>Outlets</b>          | (4)IEC C13               | (4)IEC C13               | (6)IEC C13 ,(1)IEC C19   |
| <b>Software</b>         | WinPower                 | WinPower                 | WinPower                 |
| <b>Warranty</b>         | 3Y onsite                | 3Y onsite                | 3Y onsite                |
| <b>SRP (inc. VAT)</b>   | 12,200                   | 21,600                   | 25,100                   |

UPS PRODUCT & BATTERY

**Global Power : Battery**



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V AGM Series**  
แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SiS SKU               | Description | SRP<br>(Inc. VAT) | SRP<br>(Exc. VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|-----------------------|-------------|-------------------|-------------------|-------------|----------------------------|----------------|
| <b>12V AGM Series</b> |             |                   |                   |             |                            |                |
| GPW-GTAG12-1-3        | 12V1.3AH    | 270               | 252               | 1Y carry in | 97x45x57                   | 0.57           |
| GPW-GTAG12-5-5        | 12V5.5AH    | 560               | 523               | 1Y carry in | 90x70x105                  | 1.6            |
| GPW-GTAG12-7-2        | 12V7.2AH    | 590               | 551               | 1Y carry in | 151x64.5x99                | 2.1            |
| GPW-GTAG12-7-5        | 12V7.5AH    | 740               | 692               | 1Y carry in | 151x65x98                  | 2.35           |
| GPW-GTAG12-9          | 12V9AH      | 840               | 785               | 1Y carry in | 151x64.5x99                | 2.45           |
| GPW-GTAG12-12         | 12V12AH     | 1,140             | 1,065             | 1Y carry in | 152x99x99.5                | 3.3            |
| GPW-GTAG12-18         | 12V18AH     | 1,470             | 1,374             | 1Y carry in | 181x77x167                 | 5.15           |
| GPW-GTAG12-26         | 12V26AH     | 2,340             | 2,187             | 1Y carry in | 165x126x182                | 7.4            |
| GPW-GTAG12-33         | 12V33AH     | 2,940             | 2,748             | 1Y carry in | 195x130x179                | 9.1            |
| GPW-GTAG12-40         | 12V40AH     | 3,600             | 3,364             | 1Y carry in | 196x165x173                | 11.6           |
| GPW-GTAG12-55         | 12V55AH     | 5,270             | 4,925             | 1Y carry in | 231x139x217                | 15.1           |
| GPW-GTAG12-65         | 12V65AH     | 5,800             | 5,421             | 1Y carry in | 247x167x176                | 18.5           |
| GPW-GTAG12-100        | 12V100AH    | 9,940             | 9,290             | 1Y carry in | 329x172x243                | 30.8           |
| GPW-GTAG12-200        | 12V200AH    | 18,000            | 16,822            | 1Y carry in | 522x240x244                | 54.8           |
| GPW-GTAG12-250        | 12V250AH    | 22,940            | 21,439            | 1Y carry in | 522x268x226                | 66.5           |



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V AGM Deep Cycle Series**  
แบตเตอรี่แห้ง  
ระบบโซล่าเซลล์, ระบบเครื่องสำรองไฟขนาดใหญ่  
Cycle Use  
ประมาณ 900 รอบ

| SiS SKU                      | Description       | SRP<br>(Inc. VAT) | SRP<br>(Exc. VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|------------------------------|-------------------|-------------------|-------------------|-------------|----------------------------|----------------|
| <b>12V Deep Cycle Series</b> |                   |                   |                   |             |                            |                |
| GPW-GTAD12-8                 | DC12V8AH          | 830               | 776               | 2Y carry in | 151x65x94                  | 2.35           |
| GPW-GTAD12-12                | DC12V12AH         | 1,200             | 1,121             | 2Y carry in | 152x99x94                  | 3.65           |
| GPW-GTAD12-20                | DC12V20AH         | 1,870             | 1,748             | 2Y carry in | 118x77x167                 | 5.45           |
| GPW-GTAD12-40                | DC12V40AH         | 4,000             | 3,738             | 2Y carry in | 196x165x173                | 11.6           |
| GPW-GTAD12-55                | DC12V55AH         | 5,540             | 5,178             | 2Y carry in | 231x139x225                | 15.1           |
| GPW-GTAD12-75                | DC12V75AH         | 7,340             | 6,860             | 2Y carry in | 260x169x214                | 21             |
| GPW-GTAD12-100               | DC12V100AH(Short) | 9,340             | 8,729             | 2Y carry in | 329x172x225                | 28.6           |
| GPW-GTAD12-120               | DC12V120AH        | 10,940            | 10,224            | 2Y carry in | 406x174x233                | 32.2           |
| GPW-GTAD12-150               | DC12V150AH        | 14,000            | 13,084            | 2Y carry in | 483x170x240                | 43.3           |
| GPW-GTAD12-200               | DC12V200AH        | 18,670            | 17,449            | 2Y carry in | 522x240x244                | 57             |



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V Gel Deep Cycle Series**  
แบตเตอรี่แห้ง  
ระบบโซล่าเซลล์, ระบบเครื่องสำรองไฟ (Long Backup Time)  
Cycle Use  
ประมาณ 900 รอบ

| SiS SKU                          | Description | SRP<br>(Inc. VAT) | SRP<br>(Exc. VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|----------------------------------|-------------|-------------------|-------------------|-------------|----------------------------|----------------|
| <b>12V GEL Deep Cycle Series</b> |             |                   |                   |             |                            |                |
| GPW-GTGD12-65                    | DC12V65AH   | 6,670             | 6,234             | 2Y carry in | 348x168x178                | 18.5           |
| GPW-GTGD12-100                   | DC12V100AH  | 9,540             | 8,916             | 2Y carry in | 329x172x225                | 28.6           |
| GPW-GTGD12-120                   | DC12V120AH  | 12,000            | 11,215            | 2Y carry in | 406x174x233                | 33.2           |

**Global Power : Battery**



| SiS SKU  | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|--|-------------|------------------|------------------|-------------|----------------------------|----------------|
| <b>12V Lithium battery Series</b>                    |             |                  |                  |             |                            |                |
| GPW-GVLB12-100                                       | 12V 100AH   | 25,340           | 23,682           | 3Y carry in | 280x210x170                | 12             |
| <b>48V Lithium battery Series ( For Solar cell )</b> |             |                  |                  |             |                            |                |
| GPW-GRLR48-100                                       | 48V 100AH   | 39,590           | 37,000           | 3Y carry in | 442x440x134.5(3U)          | 45             |

**CSB Battery : Battery**



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V GP Series**  
แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SiS SKU     | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|-------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| CSB-GP1272  | 12V7.2AH    | 1,166            | 1,090            | 2Y carry in | 150x54x99                  | 2.40           |
| CSB-GP12120 | 12V12AH     | 2,718            | 2,540            | 2Y carry in | 151x98x100                 | 3.67           |
| CSB-GP12170 | 12V17AH     | 3,380            | 3,617            | 2Y carry in | 181x77x167                 | 5.50           |



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V UPS Series**  
แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SiS SKU       | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|---------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| CSB-UPS123606 | 12V7.5AH    | 1,851            | 1,730            | 2Y carry in | 150x51x99                  | 1.97           |



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V HR Series**  
แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SiS SKU     | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|-------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| CSB-HR1221W | 12V5AH      | 1,380            | 1,290            | 2Y carry in | 90x70x106                  | 1.80           |
| CSB-HR1234W | 12V9AH      | 2,001            | 1,870            | 2Y carry in | 150x65x99                  | 2.50           |

UPS PRODUCT & BATTERY

266