

Mi : Router & Range Extender



Model	XMI-DVB4235GL	XMI-DVB4270GL	XMI-DVB4314GL	XMI-DVB4304GL	XMI-DVB4315GL
Description	Mi Wi-Fi Range Extender Pro CPU : MT7628K 580MHz , ROM2/RAM8MB รองรับสัญญาณ Wi-Fi : IEEE 802.11b/g/n ความเร็วสูงสุด 300Mbps เชื่อมต่อกับ 24 อุปกรณ์ เทคโนโลยีการเข้ารหัส : WPA-PSK/ WPA2-PSK	Mi Wi-Fi Range Extender AC 1200 อุปกรณ์ขยายสัญญาณ Wi-Fi รุ่น AC1200 RAM 64MB รองรับสัญญาณ Wi-Fi : IEEE 802.11b/g/n/ac (2.4 & 5.0 GHz) ความเร็วสูงสุด 300Mbps (2.4 GHz) 867Mbps (5.0 GHz) เชื่อมต่อกับ 24 อุปกรณ์ พร้อม Ethernet Port สำหรับเชื่อมต่อ อุปกรณ์ที่ไม่ได้รองรับ Wi-Fi เทคโนโลยีการเข้ารหัส : WPA-PSK/ WPA2-PSK	Xiaomi Router AX3200 เชื่อมต่อ เร้าเตอร์ รุ่น AX3200 รองรับสัญญาณ Wi-Fi : IEEE 802.11b/g/n/ac/ax (2.4 & 5.0 GHz) ความเร็วสูงสุด 800Mbps(2.4) 2402Mbps (5.0) Processor : Mediatek MT7622B Dual-Core A53 1.35GHz RAM : 256MB มาตรฐาน 1 Gigabit WAN&3 Gigabit LAN port เทคโนโลยีการเข้ารหัส : WPA-PSK/ WPA2-PSK/WPA3-SAE	Mi Router AX9000 EU (34289) เชื่อมต่อ เร้าเตอร์ รุ่น AX9000 รองรับสัญญาณ Wi-Fi : IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz ความเร็วสูงสุด 4804Mbps (5GHz-1) (802.11ax 4*4 @160MHz) 2402Mbps (5GHz-2) (802.11ax 4*4 @80MHz) 1148Mbps (2.4GHz) (802.11ax 4*4 @40MHz) Processor : Qualcomm® IPQ8072 quad-core A53 2.2GHz CPU RAM : 1GB มาตรฐาน 2.5 Gigabit WAN port & 1 Gigabit WAN port & x3 1 Gigabit LAN port USB: 1x USB-A 3.0 Port เทคโนโลยีการเข้ารหัส : WPA-PSK / WPA2-PSK / WPA3-SAE	Xiaomi Mesh AX3000 (1-pack) (35825) เชื่อมต่อ กระจายสัญญาณแบบ Mesh รุ่น AX3000 แพ็ค 1 ชิ้น รองรับสัญญาณ Wi-Fi : IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz ความเร็วสูงสุด 2402Mbps (5.0)(802.11ax 2*2 @160MHz) 574Mbps (2.4)(802.11ax 2*2 @40MHz) Processor : QualcommDual-core A53 1.0GHz CPU RAM : 256MB มาตรฐาน 1 Gigabit WAN port & 3 Gigabit LAN port เทคโนโลยีการเข้ารหัส : WPA-PSK/ WPA2-PSK/ WPA3-SAE
SRP (inc. VAT)	349	549	1,490	6,290	1,549

Wireless Router : N300



Brand	Mercusys	Mercusys
Part	MW325R	MW301R
Sale Code	MSS-MW325R	MSS-MW301R
Ports	3*10/100Mbps LAN ports, 1*10/100Mbps	2*10/100Mbps LAN ports, 1*10/100Mbps
Standards	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
Speed Wireless	300Mbps	300Mbps
Feature		WDS bridge
Security	WPA-PSK / WPA2-PSK	64/128/152-bit WEP / WPA / WPA2, WPA-PSK / WPA2-PSK
Other	5dBi Fix Antennas	5dBi Fix Antennas
Warranty	1 Year	1 Year
SRP (inc. VAT)	499	359

Wireless Routers



Brand	Mercusys	Mercusys	Mercusys
Part	MR70X	MR50G	AC12
Sale Code	MSS-MR70X	MSS-MR50G	MSS-AC12
Ports	3*10/100/1000 Mbps LAN Ports	2*10/100/1000 Mbps LAN Ports	3*10/100Mbps LAN Ports
Standards	IEEE 802.11ax/ac/a/b/g/n	IEEE 802.11a/n/ac 5 GHz IEEE 802.11b/g/n/ac 2.4 GHz	IEEE 802.11a/n/ac 5GHz IEEE 802.11b/g/n 2.4GHz
Speed Wireless	574 + 1,201 Mbps	600 + 1,300 Mbps	300+867Mbps
Feature	MU-MIMO, Beamforming, Smart Connect, BSS Color	MU-MIMO, Beamforming, Smart Connect	
Security	WPA-PSK / WPA2-PSK/ WPA3 wireless encryption	WPA-PSK / WPA2-PSK	WPA-PSK / WPA2-PSK
Other			
Warranty	1 Year	1 Year	1 Year
SRP (inc. VAT)	1,490	999	729

WIRELESS & ROUTER

MESH WiFi



เชื่อมต่อได้สูงสุด 5 ตัว

Brand	Mercusys	Mercusys
Part	HALO-H50G (3PK)	HALO-H50G (2PK)
Sale Code	MSS-H50G-3PK	MSS-H50G-2PK
Ports	3 ports 10/100/1000	3 ports 10/100/1000
Standards	IEEE 802.11 a/n/ac 5 GHz	IEEE 802.11 a/n/ac 5 GHz
Speed Wireless	IEEE 802.11 b/g/n 2.4 GHz	IEEE 802.11 b/g/n 2.4 GHz
Feature	600 + 1,300 Mbps	600 + 1,300 Mbps
Security	WPA-PSK/WPA2-PSK	WPA-PSK/WPA2-PSK
Other	Easy APP Control	Easy APP Control,
Warranty	1 Year	1 Year
SRP (inc. VAT)	2,890	1,990

Wireless Access Point with PoE



Brand	D-Link	D-Link	D-Link
Part	DAP-2610	DAP-2680	DAP-2695
Sale Code	DLK-DAP-2610	DLK-DAP-2680	DLK-DAP-2695
Ports	1 Gigabit LAN (supports PoE)	1 x Gigabit PoE-capable LAN port	1 port 10/100/1000
Standards	802.11a/b/g/n/ac , 802.3u/ab	802.11a/b/g/n/ac , 802.3u/ab , 802.3az,802.3af	802.11a , 11b , 11g , 11n , 11ac
Speed Wireless	,802.3az,802.3af	1750 Mbps	450Mbps (2.4GHz)
Feature	1300 Mbps		+ 1300Mbps (5GHz)
Security	AC1300 Wave2 Dual-band Gigabit POE ,MU-MIMO	AC1750 Wave2 Dual-band	
Other	WAP,WAP2,WEP	WI-FI POE AC, MU-MIMO	WEP, WPA, WPA2
Warranty	2 internal dual-band 3 dBi omni antennas	3 x internal dual-band antennas	Limited Lifetime
SRP (inc. VAT)	Limited Lifetime	Limited Lifetime	Limited Lifetime
SRP (inc. VAT)	6,900	8,490	11,600

Range Extender



Brand	Mercusys	Mercusys
Part	ME30	MW300RE
Sale Code	MSS-ME30	MSS-MW300RE
Speed Wireless	300+867Mbps	300 Mbps
Warranty	1 Year	1 Year
SRP (inc. VAT)	599	299

Wireless Adapter



Brand	Mercusys	Mercusys	Mercusys	Mercusys
Part	MU6H	MW300UH	MW300UM	MW150US
Sale Code	MSS-MU6H	MSS-MW300UH	MSS-MW300UM	MSS-MW150US
Speed Wireless	200+433Mbps	300Mbps	300Mbps	150Mbps
Warranty	1 Year	1 Year	1 Year	1 Year
SRP (inc. VAT)	299	295	199	139

Indoor Access Point WiFi 6



Brand	ZyXEL	ZyXEL	ZyXEL
Part	NWA90AX	NWA110AX	NWA90AX PRO
WiFi Type	Wireless AX1800 (WiFi 6)	Wireless AX1800 (WiFi 6)	Wireless AX3000 (WiFi 6)
Antenna type & Wireless Frequency	2x2 (5G) + 2x2 (2.4G)	2x2 (5G) + 2x2 (2.4G)	4x4 (5G) + 2x2 (2.4G)
Number of LAN Port Management	MU-MIMO 1 x 1GbE	MU-MIMO 1 x 1GbE	MU-MIMO 1 x 1GbE + 1 x 1/2.5GbE
Highlight Feature	Standalone/NebulaFlex AP (Free Cloud License) WiFi 6 maximum data rate 1,800 Mbps * Right-fit Feature with Authentication Support * Not support AP Load Balance / SNMP	Standalone/NebulaFlex AP (Free Cloud License) AP WiFi 6 maximum data rate 1,800 Mbps * Full Feature Access Point	Standalone/NebulaFlex AP (Free Cloud License) AP WiFi 6 maximum data rate 3,000 Mbps * Full Feature Access Point
Warranty	3 Yrs	3 Yrs	3 Yrs
SRP (inc. VAT)	6,990	9,405	7,928

Outdoor Access Point WiFi 6



Brand	ZyXEL
Part	NWA55AXE
WiFi Type	Wireless AX1800 (WiFi 6)
Antenna type & Wireless Frequency	2x2 (5G) + 2x2 (2.4G)
Number of LAN Port Management	MU-MIMO 1 x 1GbE
Highlight Feature	Standalone/NebulaFlex AP (Free Cloud License) WiFi 6 maximum data rate 1,800 Mbps * Right-fit Feature with Authentication Support * Not support AP Load Balance / SNMP * IP 55
Warranty	3 Yrs
SRP (inc. VAT)	6,990

Indoor Access Point WiFi 7



Brand	ZyXEL	ZyXEL
Part	WBE660S	NWA130BE
WiFi Type	WiFi 7 BE22000Triple-Radio	WiFi 7 BE11000Triple-Radio
Antenna type & Wireless Frequency	4x4 (5G)+4x4(2.4G)+4x4(6G) MU-MIMO	2x2 (5G) + 2x2 (2.4G)+2x2 (6G) MU-MIMO
Number of LAN Port Management	1 x 1/2.5/5/10 GbE1x1GbE	2 x 2.5GbE
Highlight Feature	Standalone/Controller-Managed/NebulaFlex AP (Free 1YR Nebula Professional license) AP WiFi 7 maximum data rate 22,000 Mbps * Full Feature Access Point	Standalone/NebulaFlex AP (Free Cloud License) AP WiFi 7 maximum data rate 11,000 Mbps * Full Feature Access Point
Warranty	3 Yrs	3 Yrs
SRP (inc. VAT)	56,701	11,960

Wall-Plate



Brand	ZyXEL	ZyXEL
Part	WAC500H	WAX300H
WiFi Type	AC1200 Wave 2 MU-MIMO	AX3000 Dual-Radio (WiFi 6)
Antenna type & Wireless Frequency	2x2 (5G) + 2x2 (2.4G) MU-MIMO	2x2 (5G) + 2x2 (2.4G) MU-MIMO
Number of LAN Port Management	1 x 1GbE Uplink PoE 2 x 1GbE Downlink	1 x 1GbE Uplink PoE 3 x 1GbE Downlink
Highlight Feature	Standalone/Controller-Managed/NebulaFlex AP (Free 1YR Nebula Professional license) Wave 2 Wall-Plate Unified Access Point maximum data rate 1,200 Mbps(including one PoE PSE)	Standalone/Controller-Managed/NebulaFlex AP (Free 1YR Nebula Professional license) WiFi 6 Wall-Plate Unified Access Point maximum data rate 3,000 Mbps (including one PoE PSE)
Warranty	3 Yrs	3 Yrs
SRP (inc. VAT)	6,750	7,950

AX Gateway for Small - Medium Business



Brand	ZyXEL	ZyXEL	ZyXEL	ZyXEL	ZyXEL
Part	USG LITE 60AX	USG FLEX 100H	USG FLEX 200H	USG FLEX 500H	USG FLEX 700H
WiFi standard	AX6000 WiFi 6	No	No	No	No
Ports	WAN 1 x 2.5 GbE LAN 1 x 2.5 GbE+4x1GbE	8 x 1GbE Ethernet (Configurable)	2 x 2.5GbE Ethernet 6 x 1GbE Ethernet (Configurable)	4 x 2.5GbE Ethernet 8 x 1GbE Ethernet (Configurable)	2 x 10GbE SFP+2 x 2.5GbE Ethernet2 x 10GbE/PoE+ Ethernet(Configurable)
firewall throughput	2,000 Mbps	4,000 Mbps	6,500 Mbps	10,000 Mbps	15,000 Mbps
VPN throughput	300 Mbps	900 Mbps	1,200 Mbps	2,000 Mbps	3,000 Mbps
Management	Nebula Cloud Management	Nebula Cloud Management	Nebula Cloud Management	Nebula Cloud Management	Nebula Cloud Management
Key Features	AX6000 WiFi 6 Security Router Subscription-free Security built-in as standard	Bundled Gold Security Pack , Log SecuReporter	Bundled Gold Security Pack , Log SecuReporter + Multi-G Port	Bundled Gold Security Pack, Log SecuReporter + Multi-G Port	Bundled Gold Security Pack, Log SecuReporter + Multi-G +10G SFP+ &10G PoE+ Port
Warranty	3 Yrs	3 Yrs	3 Yrs	3 Yrs	3 Yrs
SRP (inc. VAT)	10,112	32,805	41,222	61,940	103,778

HPE Aruba Networking Uniified Access Point



เลือกใช้งานได้หลายรูปแบบ ได้แก่ Instant Mode (Cirtual Controller), Controller-managed, Cloud-managed (with Aruba Central)
 Built-in Layer 7 Firewall : สามารถวิเคราะห์ จัดลำดับความสำคัญ และบล็อกการใช้งานระดับ Application
 รับประกัน Limited Lifetime Warranty (onsite hardware exchange)



Brand	HPE ARUBA	HPE ARUBA	HPE ARUBA
Model	Aruba AP-503 (RW) Campus AP	Aruba AP-505 (RW) Unified AP	Aruba AP-515 (RW) Unified AP
Part Number	R8M98A	R2H28A	Q9H62A
Wireless Radio	Indoor, dual-radio, 2.4 GHz and 5 GHz (dual concurrent) 802.11ax 2x2 MIMO	Dual radio, 802.11ax (Wi-Fi 6) 2x2 MU-MIMO	Dual radio, 802.11ax (Wi-Fi 6) 4x4 (5 GHz), 2x2 (2.4 GHz)
SRP (inc. VAT)	19,770	31,100	48,220



Brand	HPE ARUBA	HPE ARUBA	HPE ARUBA
Model	Aruba AP-615 (RW) Campus AP	Aruba AP-635 (RW) Campus AP	Aruba AP-655 (RW) Campus AP
Part Number	R7J49A	R7J27A	R7J38A
Wireless Radio	Indoor, dual/tri-band 2.4 GHz,5 GHz,6 GHz (dual concurrent) 802.11ax 2x2 MIMO	Indoor, tri radio, 2.4 GHz, 5 GHz, 6 GHz (concurrent) 802.11ax 2x2 MIMO	Indoor, tri-radio, 2.4 GHz, 5 GHz, 6 GHz (concurrent) 802.11ax 4x4 MIMO
SRP (inc. VAT)	38,020	52,880	70,250



Brand	HPE ARUBA	HPE ARUBA	HPE ARUBA
Model	AP-725 (RW) Campus Access Point	AP-735 (RW) Campus Access Point	AP-755 (RW) Campus Access Point
Part Number	S4A22A	S1G42A	S1G84A
Wireless Radio	Indoor, tri radio, 2.4 GHz, 5 GHz and 6 GHz (concurrent) 802.11be 2x2 MIMO	Indoor, tri radio, 2.4 GHz, 5 GHz, and 6 GHz (concurrent) 802.11be 2x2 MIMO	Indoor, tri radio, 2.4 GHz, 5 GHz and 6 GHz (concurrent) 802.11be 4x4 MIMO
SRP (inc. VAT)	38,650	57,660	82,840

HPE Aruba Networking Gateway (Controller)



	9000 Series Gateway		9100 Series Hybrid Gateway		9200 Series Gateway
	9004	9012	9106	9114	9240
Use case	Small branch	Medium branch	Large to small campus	VPNC& small campus	Medium to large campus
Deployment	On-Cloud (AOS10) On-premises (AOS8)	On-Cloud (AOS10) On-premises (AOS8)	On-Cloud (AOS10) On-premises (AOS8)	On-Cloud (AOS10)	On-Cloud (AOS10) On-premises (AOS8)
Maximum AP (AOS10)	128	256	2K	4K	4K to 16K
Maximum AP (AOS8)	32	64	256	Not Support AOS8	512 to 2K
Firewall throughput (Gbps)	4 Gbps	6 Gbps	10 Gbps	20 Gbps	20Gbps to 40 Gbps
Interfaces	4x 1GbE	12x 1GbE; 120W PoE	2x 10GbE SFP+; 2x combo (SFP/1GbE copper); 2x 1GbE; 60W PoE	4x 10GbE SFP+; 4x Combo (SFP/1GbE copper)	4x 25GbE SFP28
SRP (inc. VAT)	69,370	124,630	300,230	650,060	1,228,490

Peplink SD-WAN Router



Model	B One 5G	Balance 580	Balance SDX	Balance 1350 EC
Product number	B-ONE-5GN-T-PRM	BPL-580	BPL-SDX	BPL-1350-EC-PRM
Router Throughput	1 Gbps	1.5 Gbps	12 Gbps	25 Gbps
VPN Throughput	200 Mbps	200 Mbps	600 Mbps	2 Gbps
Maximum Ethernet WAN / LAN port configuration	2 (GE)	5 (GE)	2-10 (GE)	4-8 (GE)
Number of Ethernet LAN port	4 (GE)	3 (GE)	8-18 (GE)	4-8 (GE)
Number of Recommended Users	1-150	300-1000	500-2000	5000-10000
SpeedFusion Hot Failover	Yes (Require PrimeCare Subscription Next Year)	Yes	Yes	Yes
SpeedFusion Smoothing	Yes (Require PrimeCare Subscription Next Year)	Yes	Yes	Yes
SpeedFusion Bandwidth Bonding	Yes (Require PrimeCare Subscription Next Year)	Yes	Yes	Yes
Warranty	1 Year (Carry-in)	1 Year (Carry-in)	1 Year (Carry-in)	1 Year (Carry-in)
SRP (inc. VAT)	27,500	231,800	231,800	394,100

Teltonika



	Teltonika	Teltonika	Teltonika
Brand	Teltonika	Teltonika	Teltonika
Part	RUT200010000	RUT901000404	RUT906000G07
Sale code	TNK-RUT200010000	TNK-RUT901000404	TNK-RUT906000G07
Ports	2 Ports (10/100)	4 Ports (10/100)	4 Ports (10/100), RS235 , RS485
Standards	802.11 b, g, n	802.11 b, g, n	Dual-SIM (Automatic SIM switch), DL up to 150 Mbps
Embedded 4G LTE	Single-SIM, DL up to 150 Mbps	Dual-SIM (Automatic SIM switch),DL up to 150 Mbps	Up to 100 simultaneous connections
WiFi users	Up to 50 simultaneous connections	Up to 100 simultaneous connections	Industrial grade IP30 , Operating Temp -40 to 75C
Security	WEP,WPA, WPA2	WEP,WPA, WPA2	Open VPN , IPsec VPN
Others	Industrial grade IP30 , IPsec VPN, Passive PoE	Industrial grade IP30 , IPsec VPN, Passive PoE	Passive PoE , GNSS (GPS)
Dimensions	83mm x 74mm x 25mm	100mm x 110mm x50mm	109.5mm x 100mm x50mm
Weight	125g	297g	295g
Warranty	2 Years Carry In	2 Years Carry In	2 Years Carry In
SRP (inc. VAT)	6,800	10,000	10,800