

HPI : Commercial Workstation



Z1 Tower G1i Workstation Desktop PC
HPI-C2RY2PT#AKL



Z1 Tower G1i Workstation Desktop PC
HPI-C2RU5PT#AKL



Z2 SFF G1i Workstation Desktop PC
HPI-C2RV2PT#AKL



Z2 Tower G1i Workstation Desktop PC
HPI-C2RV3PT#AKL

Processor	Intel® Core™ Ultra 5 225 (up to 4.9 GHz with Intel® Turbo Boost Technology, 20 MB L3 cache, 10 cores, 10 threads)	Intel® Core™ Ultra 7 265 (up to 5.3 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 20 cores, 20 threads)	Intel® Core™ Ultra 7 265 (up to 5.3 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 20 cores, 20 threads)	Intel® Core™ Ultra 7 265 (up to 5.3 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 20 cores, 20 threads)
Memory	RAM 16GB (1x16GB) DDR5 5600	RAM 16GB (1x16GB) DDR5 5600	RAM 16GB (1x16GB) DDR5 5600 NECC	RAM 32GB (1x32GB) DDR5 5600 NECC
Storage	SSD 256G 2280 PCIe NVMe Value	SSD 512G 2280 PCIe NVMe Value	SSD HP 512GB 2280 PCIe-4x4 Val M.2	SSD HP 512GB 2280 PCIe-4x4 Val M.2 + HDD 2TB 7200RPM SATA Ent 3.5in
Wireless	WLAN RT 8852CE Wi-Fi 6E +BT 5.3 WW	WLAN RT 8852CE Wi-Fi 6E +BT 5.3 WW	N/A	N/A
Optical Drive	N/A	N/A	N/A	N/A
Graphics	GFX NVIDIA RTX A400 4GB 4mDP (4 GB GDDR6 dedicated)	GFX NVIDIA RTX A1000 8GB 4mDP (8 GB GDDR6 dedicated)	GFX NVIDIA RTX A1000 8GB 4mDP (8 GB GDDR6 dedicated)	GFX NVIDIA RTX A1000 8GB 4mDP (8 GB GDDR6 dedicated)
Power Supply	280 W	280 W	400 W	500 W
OS	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
Keyboard	Keyboard HP 125 Black Wired THAI	KBD HP 125 BLK WD THAI	Keyboard HP 125 Black Wired THAI	Keyboard HP 125 Black Wired THAI
Mouse	Mouse HP Black 125 Wired	Mouse HP BLK 125 WRD	Mouse HP Black 125 Wired	Mouse HP Black 125 Wired
Warranty	3 Years on site			
SRP (inc. VAT)	47,590	70,490	68,890	82,590

LENOVO : Commercial Workstation



ThinkPad P14s Gen 5 Black
KIT-LNV-21G2004STH



ThinkPad P16s Gen 3 Black
KIT-LNV-21KS0040TH

Bundle	P14s G5 U7-155H 32G SSD1T 4G W11P 3C Carry case for NB Lenovo Essential Compact Wireless Mouse	P16s G3 U7-155H 32G SSD1T 4G W11P 3C Carry case for NB Lenovo Essential Compact Wireless Mouse
Display	14.5" WUXGA (1920x1200) IPS 300nits Anti-glare, 45% NTSC, 60Hz, Eye-safe®, TÜV Low Blue Light	16" WUXGA (1920x1200) IPS 300nits Anti-glare, 45% NTSC
CPU	Intel® Core™ Ultra 7 155H, 16C (6P + 8E + 2LPE) / 22T, Max Turbo up to 4.8GHz, 24MB	Intel® Core™ Ultra 7 155H, 16C (6P + 8E + 2LPE) / 22T, Max Turbo up to 4.8GHz, 24MB
Cache	24 MB	24 MB
Core / Threads	16/22	16/22
Graphic	NVIDIA® RTX 500 Ada Generation 4GB GDDR6	NVIDIA® RTX 500 Ada Generation 4GB GDDR6
OS	Windows® 11 Pro, English	Windows® 11 Pro, English
RAM	1x 32GB SO-DIMM DDR5-5600 Non-ECC Up to 96GB (48GB + 48GB) Two DDR5 SO-DIMM slots	1x 32GB SO-DIMM DDR5-5600 Non-ECC Up to 96GB (48GB + 48GB) Two DDR5 SO-DIMM slots
HDD	1TB SSD M.2 2280 PCIe® 4.0x4 Performance NVMe® Opal 2.0 (1 slot / up to 2TB M.2 2280 SSD)	1TB SSD M.2 2280 PCIe® 4.0x4 Performance NVMe® Opal 2.0 (1 slot / up to 2TB M.2 2280 SSD)
Wireless/BT	Intel® Wi-Fi® 6E AX211, 802.11ax 2x2 + BT5.3	Intel® Wi-Fi® 6E AX211, 802.11ax 2x2 + BT5.3
Camera	5.0MP with Privacy Shutter	5.0MP with Privacy Shutter
Port	1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 / 1x HDMI® 2.1, up to 4K/60Hz / 1x Headphone / microphone combo jack (3.5mm) 1x Ethernet (RJ-45) / 1x Security keyhole	1x USB-A (USB 5Gbps / USB 3.2 Gen 1) 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 2.1 / 1x HDMI® 2.1, up to 4K/60Hz / 1x Headphone / microphone combo jack (3.5mm) / 1x Ethernet (RJ-45) / 1x Security keyhole
Keyboard	Backlit, Thai	Backlit, Thai
Battery/Power	Integrated 57Wh / 3CELL-135W USB-C® Slim (3-pin)	Integrated 57Wh / 3CELL-135W USB-C® Slim (3-pin)
Weight	Starting at 1.61 kg (3.55 lbs)	Starting at 1.82 kg (4.01 lbs)
Color	Black	Black
Warranty	3Y Premier Support Plus (include ADP + SBTY + KYD + ISE + Premier Support)	3Y Premier Support Plus (include ADP + SBTY + KYD + ISE + Premier Support)
SRP (inc. VAT)	65,000.-	67,500.-



DELL : Commercial Workstation



Pro Max Micro FCM2250
DEL-SNSFCM225001



Pro Max Micro FCM2250
DEL-SNSFCM225002



Pro Max Micro FCM2250
DEL-SNSFCM225003

CPU	Intel Core Ultra 5 235 (24 MB cache, 14 cores, 14 threads, 2.9 GHz to 5.0 GHz, 65W)	Intel Core Ultra 5 245 (24 MB cache, 14 cores, 14 threads, 3.0 GHz to 5.1 GHz, 65W)	Intel Core Ultra 7 265 (30 MB cache, 20 cores, 20 threads, 1.8 GHz to 5.3 GHz, 65W)
Chipset	Intel W880	Intel W880	Intel W880
OS	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
RAM	16GB: 1 x 16 GB, DDR5, 5600 MT/s, non-ECC	16GB: 1 x 16 GB, DDR5, 5600 MT/s, non-ECC	32GB: 2 x 16 GB, DDR5, 5600 MT/s, non-ECC
HDD	512GB SSD TLC M.2 2230 PCIe Gen4	512GB SSD TLC M.2 2230 PCIe Gen4 + 2TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready	512GB SSD TLC M.2 2230 PCIe Gen4 + 2TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready
Optical drive	N/A	N/A	N/A
Display			
Graphic	NVIDIA RTX A400, 4GB GDDR6, 4 mDP, LP	NVIDIA RTX A1000, 8 GB GDDR6, 4 mDP to DP adapters	NVIDIA RTX A1000, 8 GB GDDR6, 4 mDP to DP adapters
Wireless/BT	Intel(R) Wi-Fi 6/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card
Mouse&KB	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black
Power Supply	280W A/C Adapter, EPEAT5, 7.4MM Barrel, TCO10	280W A/C Adapter, EPEAT5, 7.4MM Barrel, TCO10	280W A/C Adapter, EPEAT5, 7.4MM Barrel, TCO10
VideoPort on board	4 mini Display Port	4 mini Display Port	4 mini Display Port
VideoPort on Graphic card			
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	53,700	80,000.-	93,000.-



Pro Max Micro FCM2250
DEL-SNSFCM225004



Pro Max Tower T2 FCT2250
DEL-SNSFCT225001



Pro Max Tower T2 FCT2250
DEL-SNSFCT225002

CPU	Intel Core Ultra 7 265 (30 MB cache, 20 cores, 20 threads, 1.8 GHz to 5.3 GHz, 65W)	Intel Core Ultra 5 235 (24 MB cache, 14 cores, 14 threads, 2.9 GHz to 5.0 GHz, 65W)	Intel Core Ultra 5 245K (24 MB cache, 14 cores, 14 threads, 3.6 GHz to 5.2 GHz, 125W)
Chipset	Intel W880	Intel® W880	Intel® W880
OS	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
RAM	32GB: 2 x 16 GB, DDR5, 5600 MT/s, non-ECC	16GB: 1 x 16 GB, DDR5, 5600 MT/s, ECC	16GB: 1 x 16 GB, DDR5, 5600 MT/s, ECC
HDD	1TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready	512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready	512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready
Optical drive	None	8x DVD+/-RW 9.5mm ODD	None
Display			
Graphic	NVIDIA RTX 2000 Ada, 16 GB GDDR6, 4 mDP to DP	NVIDIA A400, 4 GB GDDR6, 4 mDP to DP adapters	NVIDIA A1000, 8 GB GDDR6, 4 mDP to DP adapters
Wireless/BT	Intel(R) Wi-Fi 6/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card
Mouse&KB	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black
Power Supply	280W A/C Adapter, EPEAT5, 7.4MM Barrel, TCO10	360 W internal power supply unit (80PLUS Platinum Certified)	360 W internal power supply unit (80PLUS Platinum Certified)
VideoPort on board	4 mini Display Port	4 mini Display Port	4 mini Display Port
VideoPort on Graphic card			
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	97,000.-	52,000.-	70,000.-

WORKSTATION



DELL : Commercial Workstation



Pro Max Tower T2 FCT2250
DEL-SNSFCT225003



Pro Max Tower T2 FCT2250
DEL-SNSFCT225004



Pro Max Tower T2 FCT2250
DEL-SNSFCT225005

CPU	Intel Core Ultra 7 265K (30 MB cache, 20 cores, 20 threads, 3.3 GHz to 5.5 GHz, 125W)	Intel Core Ultra 9 285 (36 MB cache, 24 cores, 24 threads, 1.9 GHz to 5.7 GHz, 65W)	Intel® Xeon® Processor W3-2423 (15 MB cache, 6 Core, 12 thread, 2.10 GHz to 4.2 GHz Turbo ,120W)
Chipset	Intel® W880	Intel® W880	Intel® PCH W790
OS	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro for Workstations (6 cores), English
RAM	32GB: 2 x 16 GB, DDR5, 5600 MT/s, non-ECC	32GB: 2 x 16 GB, DDR5, 5600 MT/s, non-ECC	16GB, 1x16GB, DDR5, 4800MHz, RDIMM ECC Memory
HDD	512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready + 2TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready	1TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready	512GB, M.2, PCIe NVMe, SSD, Class 40 + 2TB, 3.5" 7200rpm SATA AG-Enterprise Hard Drive
Optical drive	None	8x DVD+/-RW 9.5mm ODD	16x DVD+/-RW Half Height Optical Drive
Display			
Graphic	NVIDIA RTX 2000 ADA, 16 GB GDDR6, 4 mDP to DP adapters	NVIDIA RTX 2000 ADA, 16 GB GDDR6, 4 mDP to DP adapters	NVIDIA T1000, 8 GB GDDR6, 4 mDP to DP adapters
Wireless/BT	Intel(R) Wi-Fi 6/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	N/A
Mouse&KB	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Optical Mouse MS116 Black + Dell Keyboard KB216 Black (Thailand)
Power Supply	360 W internal power supply unit (80PLUS Platinum Certified)	360 W internal power supply unit (80PLUS Platinum Certified)	750W Platinum internal power supply unit
VideoPort on board	4 mini Display Port	4 mini Display Port	4 mini Display Port
VideoPort on Graphic card			
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	107,000.-	101,000.-	109,900.-



Pro Max Tower T2 FCT2250
DEL-SNSFCT225006



Pro Max Slim FCS1250
DEL-SNSFCS125001



Pro Max Slim FCS1250
DEL-SNSFCS125002

CPU	Intel Core Ultra 9 285K (36 MB cache, 24 cores, 24 threads, 3.2 GHz to 5.7 GHz, 125W)	Intel Core Ultra 5 235 (24 MB cache, 14 cores, 14 threads, 2.9 GHz to 5.0 GHz, 65W)	Intel Core Ultra 5 245K (24 MB cache, 14 cores, 14 threads, 3.6 GHz to 5.2 GHz, 125W)
Chipset	Intel® W880	Intel® W880	Intel® W880
OS	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
RAM	64GB: 2 x 32 GB, DDR5, 5600 MT/s, non-ECC	16GB: 1 x 16 GB, DDR5, 5600 MT/s, ECC	16GB: 1 x 16 GB, DDR5, 5600 MT/s, ECC
HDD	2TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready	512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready	512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready
Optical drive	8x DVD+/-RW 9.5mm ODD	8x DVD+/-RW 9.5mm ODD	None
Display			
Graphic	NVIDIA RTX 4000 ADA, 20 GB GDDR6, 4 DP	NVIDIA A400, 4 GB GDDR6, 4 mDP to DP adapters	NVIDIA A1000, 8 GB GDDR6, 4 mDP to DP adapters
Wireless/BT	Intel(R) Wi-Fi 6/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card
Mouse&KB	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black
Power Supply	1500W internal power supply unit (80PLUS Platinum Certified)	360 W internal power supply unit (80PLUS Platinum Certified)	360 W internal power supply unit (80PLUS Platinum Certified)
VideoPort on board	4 mini Display Port	4 mini Display Port	4 mini Display Port
VideoPort on Graphic card			
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	133,400.-	52,000.-	70,000.-



DELL : Commercial Workstation



Pro Max Slim FCS1250
DEL-SNSFCS125003



Pro Max Slim FCS1250
DEL-SNSFCS125004



Pro Max Slim FCS1250
DEL-SNSFCS125001

CPU	Intel Core Ultra 7 265K (30 MB cache, 20 cores, 20 threads, 3.3 GHz to 5.5 GHz, 125W)	Intel Core Ultra 9 285 (36 MB cache, 24 cores, 24 threads, 1.9 GHz to 5.7 GHz, 65W)	Intel Core Ultra 5 235 (24 MB cache, 14 cores, 14 threads, 2.9 GHz to 5.0 GHz, 65W)
Chipset	Intel® W880	Intel® W880	Intel® W880
OS	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
RAM	32GB: 2 x 16 GB, DDR5, 5600 MT/s, non-ECC	32GB: 2 x 16 GB, DDR5, 5600 MT/s, non-ECC	16GB: 1 x 16 GB, DDR5, 5600 MT/s, ECC
HDD	512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready + 2TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready	1TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready	*512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready
Optical drive	None	8x DVD+/-RW 9.5mm ODD	8x DVD+/-RW 9.5mm ODD
Display	No Monitor		
Graphic	NVIDIA RTX 2000 ADA, 16 GB GDDR6, 4 mDP to DP adapters	NVIDIA RTX 2000 ADA, 16 GB GDDR6, 4 mDP to DP adapters	NVIDIA A400, 4 GB GDDR6, 4 mDP to DP adapters
Wireless/BT	Intel(R) Wi-Fi 6E/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6E/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6E/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card
Mouse&KB	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black
Power Supply	360 W internal power supply unit (80PLUS Platinum Certified)	360 W internal power supply unit (80PLUS Platinum Certified)	360 W internal power supply unit (80PLUS Platinum Certified)
VideoPort on board	4 mini Display Port	4 mini Display Port	
VideoPort on Graphic card			4 mini Display Port
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	107,000.-	101,000.-	52,000



Pro Max Slim FCS1250
DEL-SNSFCS125002



Pro Max Slim FCS1250
DEL-SNSFCS125003



Pro Max Tower T2 FCT2250
DEL-SNSFCT225001

CPU	Intel Core Ultra 5 245K (24 MB cache, 14 cores, 14 threads, 3.6 GHz to 5.2 GHz, 125W)	Intel Core Ultra 7 265K (30 MB cache, 20 cores, 20 threads, 3.3 GHz to 5.5 GHz, 125W)	Intel Core Ultra 5 235 (24 MB cache, 14 cores, 14 threads, 2.9 GHz to 5.0 GHz, 65W)
Chipset	Intel® W880	Intel® W880	Intel® W880
OS	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
RAM	16GB: 1 x 16 GB, DDR5, 5600 MT/s, ECC	32GB: 2 x 16 GB, DDR5, 5600 MT/s, non-ECC	16GB: 1 x 16 GB, DDR5, 5600 MT/s, non-ECC
HDD	512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready	512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready + 2TB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready	512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready
Optical drive	None	None	8x DVD+/-RW 9.5mm ODD
Display	No Monitor	No Monitor	No Monitor
Graphic	NVIDIA IA1000, 8 GB GDDR6, 4 mDP to DP adapters	NVIDIA RTX 2000 ADA, 16 GB GDDR6, 4 mDP to DP adapters	NVIDIA A400, 4 GB GDDR6, 4 mDP to DP adapters
Wireless/BT	Intel(R) Wi-Fi 6E/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6E/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6E/7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card
Mouse&KB	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black
Power Supply	360 W internal power supply unit (80PLUS Platinum Certified)	360 W internal power supply unit (80PLUS Platinum Certified)	360W internal power supply unit (80PLUS Platinum Certified)
VideoPort on board			2 Display Port
VideoPort on Graphic card	4 mini Display Port	4 mini Display Port	
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	70,000	107,000	54,400

WORKSTATION

DELL : Commercial Workstation



Pro Max Tower T2 FCT2250
DEL-SNSFCT225002

Pro Max Tower T2 FCT2250
DEL-SNSFCT225003

Pro Max Tower T2 FCT2250
DEL-SNSFCT225001

CPU	Intel Core Ultra 5 245K (24 MB cache, 14 cores, 14 threads, 3.6 GHz to 5.2 GHz, 125W)	Intel Core Ultra 7 265K (30 MB cache, 20 cores, 20 threads, 3.3 GHz to 5.5 GHz, 125W)	Intel Core Ultra 5 235 (24 MB cache, 14 cores, 14 threads, 2.9 GHz to 5.0 GHz, 65W)
Chipset	Intel® W880	Intel® W880	Intel® W880
OS	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
RAM	16GB: 1 x 16 GB, DDR5, 5600 MT/s, non-ECC	32GB: 2 x 16 GB, DDR5, 5600 MT/s, non-ECC	16GB: 1 x 16 GB, DDR5, 5600 MT/s, non-ECC
HDD	512GB SSD TLC with DRAM M.2 2280 PCIe + 2 TB, 7200 RPM, 3.5-inch, SATA, HDD	512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready + 2 TB, 7200 RPM, 3.5-inch, SATA, HDD	512GB SSD TLC with DRAM M.2 2280 PCIe Gen4 SED Ready
Optical drive	8x DVD+/-RW 9.5mm ODD	8x DVD+/-RW 9.5mm ODD	8x DVD+/-RW 9.5mm ODD
Display	No Monitor	No Monitor	No Monitor
Graphic	NVIDIA A1000, 8 GB GDDR6, 4 mDP to DP adapters	NVIDIA RTX 2000 ADA, 16 GB GDDR6, 4 mDP to DP adapters	NVIDIA A400, 4 GB GDDR6, 4 mDP to DP adapters
Wireless/BT	Intel(R) Wi-Fi 6E 7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6E 7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card	Intel(R) Wi-Fi 6E 7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth(R) 5.4 wireless card
Mouse&KB	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black	Dell Wired Keyboard KB216 (Thai) + Dell MS116 Wired Mouse Black
Power Supply	360W internal power supply unit (80PLUS Platinum Certified)	360W internal power supply unit (80PLUS Platinum Certified)	360W internal power supply unit (80PLUS Platinum Certified)
VideoPort on board			2 Display Port
VideoPort on Graphic card	4 mini Display Port	4 mini Display Port	
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	81,000	107,400	54,400



M3590
DEL-SNSM359001

M3591
DEL-SNSM359101

Pro Max 14 MC14250
DEL-SNSMC1425001

Pro Max 14 MC14250
DEL-SNSMC1425002

Display	15.6" FHD 1920x1080, 60Hz, 250 nits, Non-Touch, FHD HDR RGB Camera, Mic, WLAN	15.6" FHD 1920x1080, 60Hz, 250 nits, Non-Touch, FHD HDR RGB Camera, Mic, WLAN	14" FHD+ LCD with 300 nits, Non-touch, FHD HDR RGB Camera, Microphone	14" FHD+ LCD with 300 nits, Non-touch, FHD HDR IR Camera, Microphone
CPU	Intel Core Ultra 5 135H vPro Enterprise (18 MB cache, 14 cores, 18 threads, up to 4.6 GHz, 28W)	Intel Core Ultra 5 135H vPro Enterprise (18 MB cache, 14 cores, 18 threads, up to 4.6 GHz, 45W)	Intel(R) Core(TM) Ultra 5 225H (18MB, 14 cores, 14 threads, up to 4.90 GHz Turbo, 28W)	Intel(R) Core(TM) Ultra 5 225H (18MB, 14 cores, 14 threads, up to 4.90 GHz Turbo, 28W)
Graphic	NVIDIA® RTX™ 500 Ada Generation, 4 GB, GDDR6	NVIDIA RTX 500 Ada Generation, 4 GB GDDR6	Windows 11 Pro	Windows 11 Pro
OS	Windows 11 Pro, English	Windows 11 Pro, English	16GB: 1x16GB, DDR5, 7500 MT/s, LPCAMM, Dual Channel, non-ECC	32GB: 1x32GB, DDR5, 7500 MT/s, LPCAMM, Dual Channel, non-ECC
RAM	16 GB: 1 x 16 GB, DDR5, 5600 MT/s, non-ECC	16 GB: 1 x 16 GB, DDR5, 5600 MT/s, non-ECC	256GB, M.2 2230, Gen4 PCIe NVMe, SSD, Class 35	512GB, M.2 2230, Gen4 PCIe NVMe, SSD, Class 35
HDD	512GB, M.2 2230, Gen4 PCIe NVMe, SSD, Class 35	512GB, M.2 2230, Gen4 PCIe NVMe, SSD, Class 35	Intel Integrated Graphics	Intel Integrated Graphics
Optical drive	N/A	N/A		
Wireless/BT	Intel AX211, 2x2 MIMO, 2400 Mbps, 2.4/5/6 GHz, Wi-Fi 6E (Wi-Fi 802.11ax), Bluetooth	Intel AX211, 2x2 MIMO, 2400 Mbps, 2.4/5/6 GHz, Wi-Fi 6E (Wi-Fi 802.11ax), Bluetooth	Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth 5.3 wireless card	Intel Wi-Fi 7 BE201, Bluetooth 5.4 wireless card
Ethernet	10/100/1000	10/100/1000	10/100/1000	10/100/1000
Port	"(2) Thunderbolt™ 4 (40 Gbps) with DisplayPort™ Alt Mode/USB Type-C/USB4/Power Delivery USB 3.2 Gen 1 port with PowerShare HDMI 2.1 port Universal audio port RJ45 Ethernet port"	"2 Thunderbolt™ 4 (40 Gbps) with DisplayPort™ Alt Mode/USB Type-C/USB4/Power Delivery USB 3.2 Gen 1 port with PowerShare USB 3.2 Gen 1 port HDMI 2.1 port Universal audio port RJ45 Ethernet port"	"(2) Thunderbolt™ 4 (40 Gbps) ports with Power Delivery and DisplayPort™ USB 3.2 Gen 1 (5 Gbps) port with PowerShare USB 3.2 Gen 1 (5 Gbps) port HDMI 2.1 port RJ45 (1 Gbps) Ethernet port Global headset port"	"(2) Thunderbolt™ 4 (40 Gbps) ports with Power Delivery and Display-Port™ USB 3.2 Gen 1 (5 Gbps) port with PowerShare USB 3.2 Gen 1 (5 Gbps) port HDMI 2.1 port RJ45 (1 Gbps) Ethernet port Global headset port"
Keyboard	Thai backlit AI hotkey keyboard with numeric keypad, 99-key	Thai backlit AI hotkey keyboard with numeric keypad, 99-key	Thai backlit Copilot key keyboard	Thai backlit Copilot key keyboard
Battery/Power	3 Cell, 54Whr	4 Cell, 64Whr	4 cell, 72Whr,	4 cell, 72Whr,
Weight	Starting 3.58 lbs (1.62 kg)	Starting 3.96 lbs (1.79 kg)	Starting is 4.04lbs/ 1.83kg	Starting is 4.04lbs/ 1.83kg
Warranty	3Yr Pro Support + 3yr battery	3Yr Pro Support + 3yr battery	3Yr Pro Support + 3yr battery	3Yr Pro Support + 3yr battery
SRP (inc. VAT)	55,820.-	58,820.-	49,569.-	57,069.-

WORKSTATION



DELL : Commercial Workstation



Pro Max 14 MC14250
DEL-SNSMC1425002



Pro Max 14 MC14250
DEL-SNSMC1425001



Pro Max 14 MC14250
DEL-SNSMC1425002

Display	14" FHD+ LCD with 300 nits, Non-touch, FHD HDR IR Camera, Microphone	14" FHD+ LCD with 300 nits, Non-touch, FHD HDR RGB Camera, Microphone	14" FHD+ LCD with 300 nits, Non-touch, FHD HDR IR Camera, Microphone
CPU	Intel(R) Core(TM) Ultra 5 225H (18MB, 14 cores, 14 threads, up to 4.90 GHz Turbo, 28W)	Intel(R) Core(TM) Ultra 5 225H (18MB, 14 cores, 14 threads, up to 4.90 GHz Turbo, 28W)	Intel(R) Core(TM) Ultra 5 225H (18MB, 14 cores, 14 threads, up to 4.90 GHz Turbo, 28W)
Graphic	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
OS	32GB: 1x32GB, DDR5, 7500 MT/s, LPCAMM, Dual Channel, non-ECC	16GB: 1x16GB, DDR5, 7500 MT/s, LPCAMM, Dual Channel, non-ECC	32GB: 1x32GB, DDR5, 7500 MT/s, LPCAMM, Dual Channel, non-ECC
RAM	512GB, M.2 2230, Gen4 PCIe NVMe, SSD, Class 35	256GB, M.2 2230, Gen4 PCIe NVMe, SSD, Class 35	512GB, M.2 2230, Gen4 PCIe NVMe, SSD, Class 35
HDD	Intel Integrated Graphics	Intel Integrated Graphics	Intel Integrated Graphics
Optical drive			
Wireless/BT	Intel Wi-Fi 7 BE201, Bluetooth 5.4 wireless card	Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth 5.3 wireless card	Intel Wi-Fi 7 BE201, Bluetooth 5.4 wireless card
Ethernet	10/100/1000	10/100/1000	10/100/1000
Port	"(2) Thunderbolt™ 4 (40 Gbps) ports with Power Delivery and DisplayPort™ USB 3.2 Gen 1 (5 Gbps) port with PowerShare USB 3.2 Gen 1 (5 Gbps) port HDMI 2.1 port RJ45 (1 Gbps) Ethernet port Global headset port"	"(2) Thunderbolt™ 4 (40 Gbps) ports with Power Delivery and DisplayPort™ USB 3.2 Gen 1 (5 Gbps) port with PowerShare USB 3.2 Gen 1 (5 Gbps) port HDMI 2.1 port RJ45 (1 Gbps) Ethernet port Global headset port"	"(2) Thunderbolt™ 4 (40 Gbps) ports with Power Delivery and DisplayPort™ USB 3.2 Gen 1 (5 Gbps) port with PowerShare USB 3.2 Gen 1 (5 Gbps) port HDMI 2.1 port RJ45 (1 Gbps) Ethernet port Global headset port"
Keyboard	Thai backlit Copilot key keyboard	Thai backlit Copilot key keyboard	Thai backlit Copilot key keyboard
Battery/Power	4 cell, 72Whr,	4 cell, 72Whr,	4 cell, 72Whr,
Weight	Starting is 4.04lbs/ 1.83kg	Starting is 4.04lbs/ 1.83kg	Starting is 4.04lbs/ 1.83kg
Warranty	3Yr Pro Support + 3yr battery	3Yr Pro Support + 3yr battery	3Yr Pro Support + 3yr battery
SRP (inc. VAT)	57,069.-	49,569.-	57,069.-



Pro Max 14 MC14250
DEL-SNSMC1425002



Pro Max 16 MC16250
DEL-SNSMC1625002



Pro Max 16 MC16250
DEL-SNSMC1625003

Display	14" FHD+ LCD with 300 nits, Non-touch, FHD HDR IR Camera, Microphone	16" FHD+ LCD with 300 nits, Non-touch, FHD HDR RGB Camera, Microphone	16" FHD+ LCD with 300 nits, Non-touch, FHD HDR IR Camera, Microphone
CPU	Intel(R) Core(TM) Ultra 5 225H (18MB, 14 cores, 14 threads, up to 4.90 GHz Turbo, 28W)	Intel Core Ultra 5 235H, vPro Enterprise (18MB, 14 cores, 14 threads, up to 5.00 GHz Turbo, 45W)	Intel Core Ultra 7 255H (24MB, 16 cores, 16 threads, up to 5.10 GHz Turbo, 45W)
Graphic	Windows 11 Pro	Windows 11 Pro	Windows 11 Pro
OS	32GB: 1x32GB, DDR5, 7500 MT/s, LPCAMM, Dual Channel, non-ECC	16GB: 2x8GB, DDR5, 5600 MT/s, SoDIMM, Dual Channel, non-ECC	32GB: 2x16GB, DDR5, 5600 MT/s, SoDIMM, Dual Channel, non-ECC
RAM	512GB, M.2 2230, Gen4 PCIe NVMe, SSD, Class 35	256GB, M.2 2230, Gen4 PCIe NVMe, SSD, Class 35	1TB, M.2 2280, Gen4 PCIe NVMe, SED SSD, Class 40
HDD	Intel Integrated Graphics	Intel® Graphics	Intel® Graphics
Optical drive			
Wireless/BT	Intel Wi-Fi 7 BE201, Bluetooth 5.4 wireless card	Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth 5.3 wireless card	Intel Wi-Fi 7 BE201, Bluetooth 5.4 wireless card
Ethernet	10/100/1000	10/100/1000	10/100/1000
Port	"(2) Thunderbolt™ 4 (40 Gbps) ports with Power Delivery and DisplayPort™ USB 3.2 Gen 1 (5 Gbps) port with PowerShare USB 3.2 Gen 1 (5 Gbps) port HDMI 2.1 port RJ45 (1 Gbps) Ethernet port Global headset port"	"2 Thunderbolt™ 4 (40 Gbps) ports with Power Delivery and DisplayPort™ USB 3.2 Gen 1 (5 Gbps) port with PowerShare USB 3.2 Gen 1 (5 Gbps) port HDMI 2.1 port RJ45 (1 Gbps) Ethernet port Global headset port"	"2 Thunderbolt™ 4 (40 Gbps) ports with Power Delivery and DisplayPort™ USB 3.2 Gen 1 (5 Gbps) port with PowerShare USB 3.2 Gen 1 (5 Gbps) port HDMI 2.1 port RJ45 (1 Gbps) Ethernet port Global headset port"
Keyboard	Thai backlit Copilot key keyboard	Thai backlit Copilot key keyboard with numeric keypad	Thai backlit Copilot key keyboard with numeric keypad
Battery/Power	4 cell, 72Whr,	4 cell, 64Whr	4 cell, 64Whr
Weight	Starting is 4.04lbs/ 1.83kg	Starting is 4.86lbs/ 2.20kg	Starting is 4.86lbs/ 2.20kg
Warranty	3Yr Pro Support + 3yr battery	3Yr Pro Support + 3yr battery	3Yr Pro Support + 3yr battery
SRP (inc. VAT)	57,069.-	49,569.-	65,969.-

WORKSTATION